



# Knowledge Management on Air Quality

Case Studies





# Knowledge Management on Air Quality

Case Studies

© 2010 Asian Development Bank and Clean Air Initiative for Asian Cities Center (CAI-Asia Center)

All rights reserved. Published 2010.

ISBN 978-92-9092-212-4

Publication Stock No. RPT102406

Asian Development Bank and CAI-Asia Center.

Knowledge management on air quality: Case studies.

Mandaluyong City, Philippines: Asian Development Bank and CAI-Asia Center, 2010.

1. Knowledge management. 2. Air pollution. 3. Climate change. 4. Transport. 5. Indonesia.  
6. Nepal. 7. Thailand. 8. Philippines. 9. Sri Lanka.  
I. Asian Development Bank. II. CAI-Asia Center.

This report was prepared by the CAI-Asia Center under the RDTA 6510: Capturing and Transferring Air Quality Management Knowledge in Asia ("KnowledgeAir"), with financial support from the Asian Development Bank (ADB) through the Japan Special Fund.

The views expressed in this publication are those of CAI-Asia Center staff, consultants, and management, and do not necessarily reflect the views of ADB or the Board of Trustees of ADB or the CAI-Asia Center. Neither ADB nor the CAI-Asia Center guarantees the accuracy of the data included in this publication and/or accepts responsibility for any consequence of their use.

By making any designation of or reference to a particular territory or geographic area in this document, the authors, ADB, and the CAI-Asia Center do not intend to make any judgments as to the legal or other status of any territory or area.

ADB and the CAI-Asia Center encourage printing or copying information exclusively for personal and noncommercial use with proper acknowledgment of ADB and the CAI-Asia Center. Users are restricted from reselling, redistributing, or creating derivative works for commercial purposes without the express, written consent of ADB and the CAI-Asia Center.

Note:

In this report, "\$" refers to US dollars.

Asian Development Bank  
6 ADB Avenue, Mandaluyong City  
1550 Metro Manila, Philippines  
Tel +63 2 632 4444  
Fax +63 2 636 2444  
[www.adb.org](http://www.adb.org)

CAI-Asia Center  
Unit 3504-5, Robinsons-Equitable Tower  
ADB Avenue, Pasig City  
1605 Metro Manila, Philippines  
Tel +63 2 395 2843  
Fax +63 2 395 2846  
[center@cai-asia.org](mailto:center@cai-asia.org)  
[www.cleanairinitiative.org](http://www.cleanairinitiative.org)

For orders, contact  
Department of External Relations  
Fax: +63 2 636 2648



---

# Contents

---

List of Tables, Figures, and Boxes	iv
Acknowledgments	vii
Abbreviations	viii
Foreword	ix
Executive Summary	x
<b>The Role of Information and Communication Technology in Policy Development</b>	<b>1</b>
Policy Development, Knowledge Management, and Information and Communication Technology	1
Introduction to Policy Development	1
Developments in Knowledge Management on Air Quality Management and Related Issues	3
Developments in Knowledge Management and Information and Communication Technology	5
Clean Air Portal	9
What is the Clean Air Portal?	9
Structure of the Clean Air Portal	10
Content Management System and Roles	11
Portal Features	11
Communities of Practice on the Clean Air Portal	21
Air Quality and Co-Benefits Community of Practice	21
Sustainable Transport Community of Practice	21
Energy Community of Practice	21
Other Discussion Groups	21
Community of Practice Features	25
Using Information and Communication Technology to Strengthen Policy Development	29
Websites	31
E-mails	33
Communities of Practice	33
Webinars	36
<b>Policy Case Studies</b>	<b>38</b>
Subregional Case Study: Clean Air Scorecard for Bangkok, Thailand; Jakarta, Indonesia; and Manila, Philippines	38
Challenges in Reducing Air Pollution and Greenhouse Gas Emissions	38
Clean Air Scorecard	38
Clean Air Scorecard Application at the Subregional Level	47
Clean Air Scorecard Application for Bangkok	50
Clean Air Scorecard for Jakarta	59
Clean Air Scorecard for Manila	70
National Case Study: Stationary Source Emission Standards in Sri Lanka	79
Challenges in Managing Emissions from Stationary Sources	81
Development of Emission Standards for Stationary Sources	83
Results of Review of Sri Lanka Draft Standards	90
Local Case Study: Environmentally Sustainable Transport for Kathmandu, Nepal	94
Challenges with Transport and the Environment in the Kathmandu Valley	95
Environmentally Sustainable Transport	96
Results of Inputs to the Environmentally Sustainable Transport Strategy	100

**Please see appendixes in CD file.**



---

## List of Tables, Figures, and Boxes

---

### Tables

Table 1	Classification of Policy Instruments	1
Table 2	User Groups of Clean Air, Sustainable Transport, and Clean Energy in Asia	9
Table 3	Content Types for the Three User Groups	12
Table 4	Examples of Topics and Discussion Groups that Exist within Communities of Practice	24
Table 5	Summary of Community of Practice Roles and Permissions	26
Table 6	Estimated Cost Comparison for Face-to-Face Seminar vs. Webinar for Sri Lanka Policy Case Study	37
Table 7	Summary of Some Common Environment Assessment and Benchmarking Tools	39
Table 8	Categories of Cities Based on Score Bands	40
Table 9	Score Bands for the Clean Air Scorecard	43
Table 10	World Health Organization Guidelines and Interim Targets	43
Table 11	Category and Score-Banding for Air Pollution and Health Index	44
Table 12	Comparison of Indicators Covered by Previous Assessments and Clean Air Scorecard	46
Table 13	Air Quality Management Results for Bangkok, Jakarta, and Manila, 2006	49
Table 14	Summary of Clean Air Scorecard Results for Bangkok, Jakarta, and Manila	49
Table 15	Agencies Involved in Air Quality Management in Bangkok	57
Table 16	Recommendations for Bangkok	59
Table 17	Jakarta versus Indonesia National Ambient Air Quality Standards and World Health Organization Guidelines	68
Table 18	Recommendations for Jakarta	69
Table 19	Philippine National Ambient Air Quality Guideline Values versus World Health Organization Guidelines	74
Table 20	Recommendations for Manila	78
Table 21	Pollutants Concentrations in Kandy, 7–13 July 2010	81
Table 22	Stakeholder Comments and Recommendations Generated from the Various Forums of the 2010 Proposed Stationary Emission Standards in Sri Lanka	91
Table 23	Discussion Topics and Guide Questions on Environmentally Sustainable Transport in Kathmandu Valley	104
Table 24	Overview of Legislation Related to Environmentally Sustainable Transport in Nepal	104
Table 25	Government Agencies Relevant to the Development of an Environmentally Sustainable Transport Strategy and Action Plan for Kathmandu and Nepal	105
Table 26	Recommendations for Nepal's Environmentally Sustainable Transport Strategy and Action Plan	107

### Figures

Figure 1	The RAPID Framework: Context, Evidence, and Links	3
Figure 2	Clean Air Portal	10
Figure 3	How the Portal Interacts with Contributors and the Target Audience	11



Figure 4	Information Classified by Type on Clean Air Portal	13
Figure 5	Information Selection by Country on Clean Air Portal	14
Figure 6	Information Selection by City on Clean Air Portal	15
Figure 7	Information Selection by Topic on Clean Air Portal	16
Figure 8	Projects and Programs Listed Alphabetically and Classified by Country and City on Clean Air Portal	17
Figure 9	Introductions to Indoor Air Quality Written with the Partnership for Clean Indoor Air	17
Figure 10	RSS Feeds from External Sources on the Clean Air Portal	18
Figure 11	RSS Feeds on New Links on the Clean Air Portal	18
Figure 12	Annual Air Quality Monitoring Data for Beijing	19
Figure 13	Home Page of Clean Air at Mega-Events	20
Figure 14	Online Petition for the Anti-Smoke Belching on EDSA Campaign	20
Figure 15	Air Quality and Co-Benefits Community of Practice	22
Figure 16	Sustainable Transport Community of Practice	23
Figure 17	Communities Section of the Clean Air Portal	24
Figure 18	Users Select Their Settings When Registering for Communities of Practice	25
Figure 19	Community of Practice Discussions Tagged by Topic	27
Figure 20	Community of Practice Link to Attached Files	27
Figure 21	List of Members of the Sustainable Transport Community of Practice	28
Figure 22	Creation of a New Discussion Topic under a Community of Practice	28
Figure 23	Level of Interactivity and Level of Experience	32
Figure 24	Overall Structure of the Clean Air Scorecard	42
Figure 25	Subindices and Indicators for Clean Air Management Capacity Index	45
Figure 26	Subindices and Indicators for Clean Air Policies and Actions Index	45
Figure 27	Snapshot of Clean Air Scorecard Report Page	48
Figure 28	Clean Air Score Summary for Bangkok, 2010	52
Figure 29	Air Pollution and Health Index Score for Bangkok	53
Figure 30	Trends of Ambient and Roadside PM <sub>10</sub> Concentrations in Bangkok	53
Figure 31	Trends of Ambient and Roadside Sulfur Dioxide Concentrations in Bangkok	54
Figure 32	Trends of Ambient and Roadside Nitrogen Dioxide Concentrations in Bangkok	54
Figure 33	Clean Air Management Capacity Index Score for Bangkok	55
Figure 34	Clean Air Policies and Actions Index Score for Bangkok	58
Figure 35	Clean Air Score Summary for Jakarta, 2010	61
Figure 36	Air Pollution and Health Index Score for Jakarta	62
Figure 37	Indonesia Environmental Quality Index	63
Figure 38	Trend of Annual PM <sub>10</sub> Concentrations in Jakarta	64
Figure 39	Trend of Annual Sulfur Dioxide Concentrations in Jakarta	65
Figure 40	Trend of Annual Nitrogen Dioxide Concentrations in Jakarta	65
Figure 41	Clean Air Management Capacity Index Score for Jakarta	66
Figure 42	Clean Policies and Action Index Score for Jakarta	67
Figure 43	Clean Air Score Summary for Manila, 2010	72
Figure 44	Air Pollution and Health Index Score for Manila	73
Figure 45	PM <sub>10</sub> Annual Mean Levels at the Philippine Nuclear Research Institute Sampling Sites, 2002–2008	74
Figure 46	PM <sub>2.5</sub> Annual Mean Levels at the Philippine Nuclear Research Institute Sampling Sites 2002–2008	75
Figure 47	Clean Air Management Capacity Index Score for Manila	75
Figure 48	Clean Air Policies and Actions Index Score for Manila	77
Figure 49	Sri Lanka District Map	79
Figure 50	Annual Averages of PM <sub>10</sub> at Colombo Fort Ambient Air Quality Monitoring Station, 1998–2009	80



Figure 51	Recorded Maximum 1-Hour Average PM <sub>10</sub> Concentration Daily in Kandy, 7–13 July 2010	81
Figure 52	Steps in Developing the 2010 Proposed Stationary Source Emission Standards	86
Figure 53	Power Plant Emissions from 2003 to 2008 and Sulfur Content of Industrial Fuel	87
Figure 54	Three-Tier Approach to Stationary Source Emission Standards	88
Figure 55	PM <sub>10</sub> Concentration in Kathmandu Valley, 2002–2007	95
Figure 56	Twelve Thematic Areas of an Environmentally Sustainable Transport Strategy	97
Figure 57	Bus Rapid Transit Systems in Asia and the Pacific	100
Figure 58	Emission Standards for New Light-Duty Vehicles	102
Figure 59	Current and Proposed Sulfur Levels in Diesel in Asia, the European Union, and the United States	103
<b>Boxes</b>		
Box 1	Forms of Networks and Communities of Practice	7
Box 2	The Six Functions of Networks and Communities of Practice	8
Box 3	Supporting Networks: 10 Principles	30
Box 4	Gaps in Previous Air Quality Management Assessments	41
Box 5	Bangkok Declaration for 2010	98
Box 6	ADB Kathmandu Urban Sustainable Transport Project	99



---

## Acknowledgments

---

**T**his report was prepared under technical assistance entitled Capturing and Transferring Air Quality Management Knowledge in Asia (KnowledgeAir), with financial support from the Asian Development Bank through the Japan Special Fund. It was prepared by the Clean Air Initiative for Asian Cities (CAI-Asia) Center. The authors wish to thank

- Ronald Cartagena, Jundy del Socorro, Fitri Harwati, Wanida Jinsart, Nguyen Thi Kim Oanh, Jean Rosete, Siwaporn Rungsiyanon, Mariana Sam, Flora Santos, Vicky Segovia, Dollaris (Waty) Suhadi, Vanisa Surapipith, and Rina Suriyani of the CAI-Asia Partnership for their contributions to the subregional case study for Southeast Asia;
- Thusitha Sugathapala, President of Clean Air Sri Lanka, CAI-Asia's Country Network in Sri Lanka, for his contribution to the national case study for Sri Lanka;
- Amita Thapa Magar, Gopal Raj Joshi, and Pankaj K.C. of Clean Air Network Nepal, hosted by Clean Energy Nepal, for their contributions to the city case study for Kathmandu; and
- Imelda Baleta, consultant, and Masami Tsuji, principal environment specialist, of the Asian Development Bank for their substantive inputs.





---

# Abbreviations

---

ADB	–	Asian Development Bank
BMA	–	Bangkok Metropolitan Administration
CAI–Asia	–	Clean Air Initiative for Asian Cities
CEA	–	Central Environmental Authority
CoP	–	community of practice
DENR	–	Department of Environment and Natural Resources
GDP	–	gross domestic product
ICT	–	information and communication technology
mg/Nm <sup>3</sup>	–	milligram per Normal cubic meter
OECD	–	Organisation for Economic Co-operation and Development
PM <sub>2.5</sub>	–	particulate matter with a diameter of 2.5 microns or less
PM <sub>10</sub>	–	particulate matter with a diameter of 10 microns or less
UNCRD	–	United Nations Centre for Regional Development
UNEP	–	United Nations Environment Programme
WHO	–	World Health Organization

## Weights and Measures

µg	–	microgram
m <sup>3</sup>	–	cubic meter
mg	–	milligram
MWe	–	megawatt electrical
Nm <sup>3</sup>	–	Normal cubic meter



---

## Foreword

---

Throughout Asia and the Pacific, addressing the challenge of air pollution has significantly evolved over the past few decades. It has transformed from a singular focus on air quality monitoring to air quality management in various sectors as well as co-benefits with climate change mitigation. The Clean Air Initiative for Asian Cities (CAI–Asia) Center has played an integral role as a knowledge hub in this process.

About a decade ago, in 2001, when CAI–Asia was established by the Asian Development Bank (ADB), the United States Agency for International Development, and the World Bank to promote better air quality in the region, there were less than 50 documents available on air quality management on a static website. Today, the CAI–Asia Center hosts the Clean Air Portal, which has 5,000 pages of knowledge resources related to air quality.

This is the first report on applying the Clean Air Scorecard, a comprehensive, balanced tool for understanding urban air quality conditions throughout the region. This report also describes how information and communication technology—through the development of the Clean Air Portal and various communities of practice—serve as beneficial tools in facilitating the policy development process for cleaner air. It presents the results of three case studies anchored on the platform of the Clean Air Portal: (i) the Clean Air Scorecard for Bangkok, Thailand; Jakarta, Indonesia; and Manila, Philippines; (ii) stationary source emission standards in Sri Lanka; and (iii) environmentally sustainable transport in Kathmandu, Nepal. These studies serve as useful examples for policy makers in encouraging them to improve air quality management.

It is expected that the findings and recommendations for each case study will provide valuable lessons and inputs for other countries in the region. ADB is delighted to hear about positive performance in air quality management by its developing member countries, and more importantly, about the identification of concerns that countries in the region should begin to address.

ADB is grateful for the support of the Japan Special Fund for the financing of the case studies.

I hope that this report will be of general interest, as clean air is everybody's business. I look forward to further development of the Clean Air Scorecard to report on air quality in the cities of Asia and the Pacific.

Nessim J. Ahmad

Director, Environment and Safeguards Division  
Regional and Sustainable Development Department  
concurrently Practice Leader (Environment)  
Asian Development Bank

## Executive Summary


Although governments should select and develop the right policies, the limiting factor in policy development has often been knowledge. Information often does not reach policy makers at the right time nor in the form that they need. However, information and communication technology (ICT) can support policy development by improving participation in the policy process, shortening the time frame for consultation, increasing transparency, maximizing stakeholder ownership and awareness, and providing opportunities to transfer policy-making responsibilities to a younger generation of policy makers.

For this reason, the Clean Air Initiative for Asian Cities (CAI-Asia) Center implemented research and development technical assistance known as KnowledgeAir, with financial support from the Asian Development Bank (ADB) through the Japan Special Fund (JSF). This technical assistance aims to ensure that policy makers and the stakeholders who influence their decisions can access and use knowledge more effectively to further policy development activities regarding air quality management and related issues, including health, climate change, clean energy, and sustainable transport.

As part of the technical assistance, a website, the Clean Air Portal, and two embedded communities of practice (COPs) on air quality and co-benefits, and on sustainable transport were established to provide an effective forum for stakeholders to share knowledge and good practices in air quality and greenhouse gas management. Further, three case studies were conducted on how ICT, particularly the Clean Air Portal and the two CoPs, can effectively contribute to building capacity of policy makers and strengthening the policy development processes.

The first focused on Southeast Asia, involving Bangkok, Thailand; Jakarta, Indonesia; and Manila, Philippines. The Clean Air Scorecard was applied to these three capital cities, with the aim of identifying strengths and gaps in the management of air pollution levels, management of air quality and climate change, and policies and measures to reduce air pollution and greenhouse gas emissions. ICT delivery mechanisms included online discussions with the Air Quality and Co-Benefits CoP, hosted by the Clean Air Portal, to verify the scorecard findings and to obtain feedback on the tool itself.

### Overall Structure of the Clean Air Scorecard



Source: ADB and CAI-Asia. 2009.



The indices of the scorecard are as follows.

- **Air Pollution and Health Index.** This assesses air pollution levels of a city against World Health Organization (WHO) guideline values and interim targets (i.e., a “good” air day in this index is in relation to WHO guidelines rather than the city’s ambient air quality standards, which are generally less stringent). Pollutants included are carbon monoxide, lead, nitrogen dioxide, ozone, particulate matter with a diameter less than 10 microns (PM<sub>10</sub>), particulate matter with a diameter less than 2.5 microns (PM<sub>2.5</sub>), and sulfur dioxide. A city is required to have, at a minimum, monitoring data for PM<sub>10</sub>.
- **Clean Air Management Capacity Index.** This assesses a city’s capacity to (i) determine sources of emissions and their contribution through an emission inventory; (ii) assess the status of air quality (includes monitoring, modeling, data analysis, and reporting); (iii) estimate impacts on health, environment, and the economy; and (iv) reduce air pollution and greenhouse gas emissions through an institutional and policy framework as well as financing.
- **Clean Air Policies and Actions Index.** This assesses the existence and enforcement of national and local policies and actions to address air pollutants and greenhouse gas emissions from mobile, stationary, area, and transboundary sources.

Each of the three indices consists of relevant questions for which points are allocated. Higher scores indicate better air quality levels, management capacity, and policies and measures. The three indices contribute a possible 33.3 points each to a possible total clean air score of 100. Cities are then categorized based on their overall scores.

The results show that Bangkok is far ahead of Jakarta and Manila in managing its air quality and greenhouse gas emissions, for all three indices. While Bangkok has opportunities to further strengthen its emission management, both Jakarta and Manila need to invest to ensure that a basic management system is in place, supported by appropriate and enforceable policies and measures.

**Summary of Clean Air Scorecard Results for Bangkok, Jakarta, and Manila**

Index	Bangkok		Jakarta		Manila	
	Final Score	Band Category	Final Score	Band Category	Final Score	Band Category
Index 1: Air Quality and Health Index	20.4	Good	19.3	Moderate	20.9	Good
Index 2: Clean Air Management Capacity	26.6	Good	21.6	Good	17.7	Moderate
Index 3: Clean Air Policies and Actions	21.6	Good	21.0	Good	20.8	Good
Overall Score	68.5	Good	61.9	Good	59.4	Moderate

Source: ADB and CAI-Asia. 2010.



To contribute to better emission management and to improve information exchange and cooperation, the three cities should focus on the following areas of improvement:

- All three cities should focus on  $PM_{10}$ , because this is currently the pollutant with the lowest score for all cities.
- The monitoring of air quality levels and emissions needs to be strengthened across the three cities. Manila should install monitoring systems, covering the entire metro area and including all criteria pollutants. Jakarta has a monitoring system, but quality assurance and control processes should be improved. Bangkok's system is very good but should advance to the next level by adding toxic air pollutants. Further, emission inventories in all three cities focus on land transport but fail to include water and air transport. Finally, although impact assessments are conducted in Bangkok, those on agriculture are absent. Both Jakarta and Manila need to invest in more current health impact assessments, which are virtually absent.
- Specific clean air acts for the Philippines and Indonesia—which are over 10 years old—need to be reviewed. Thailand has embedded air quality management in sector policies, but there is an opportunity to integrate it further in case a climate change act is developed. Further, all three countries have policies covering the main sources of air pollution; however, for energy and industry, these tend to be more focused on traditional command-and-control approaches and should be supplemented with more incentives for energy efficiency. For transport, improvements to fuel quality and vehicle emission standards are progressing slowly, and so far only Thailand has proposed fuel economy standards. Notably, policies that promote clean technologies are very limited for all sources, and given the emphasis of the climate change talks on technology transfer, this is truly a missed opportunity.

A national case study was also conducted for Sri Lanka to review proposed emission standards for stationary sources. For this, Sri Lanka's main challenge is its lack of legally enforceable emission standards; thus, there is no systematic monitoring of emissions from stationary sources. Recognizing the need for legally enforceable standards, the Central Environmental Authority (CEA) commissioned a study to review the current emissions, and prepared proposed standards that are sound, locally acceptable, and suitable to the Sri Lankan context.

In cooperation with Clean Air Sri Lanka, the proposed standards were reviewed by stakeholders from government, academic institutions, private sector, and civil society, through online discussions with the Air Quality and Co-Benefits CoP. A webinar was also held with experts from the Air and Waste Management Association to provide recommendations for strengthening the standards based on international experience.

The following comments and recommendations will be submitted to CEA to help finalize the standards:

- the need for (i) a clean air act to be drafted to provide this framework, (ii) an emission inventory to identify the major sources of air pollution, and (iii) air quality modeling to ensure that the stationary source emission standards contribute to attaining ambient air quality standards;



- the appropriateness to the Sri Lankan context of the (i) approach that the standards take (e.g., the three-tier approach and the use of concentration-based standards), (ii) control strategies employed in the standards (e.g., stack height requirements and maximum emissions), and (iii) measurement protocols;
- concerns regarding proper enforcement and implementation, including how to address resource limitations; and
- supplementary measures (e.g., improving fuel quality) necessary to manage emissions from stationary sources of air pollution.

Finally, a local policy case study was conducted for Nepal's capital city, Kathmandu, to provide inputs to the development of an environmentally sustainable transport strategy and action plan. Such a plan is needed because the development of the Kathmandu Valley has gone largely unplanned, resulting in an unsustainable transport sector with severe traffic congestion and accidents, insufficient public transport, and air pollution and greenhouse gas emissions that affect human health and contribute to climate change.

In cooperation with Clean Air Network Nepal, the case study was carried out, starting with a literature review on environmentally sustainable transport development and identification of relevant policies and government agencies. This was followed by a facilitated online discussion under the Sustainable Transport CoP with participants from various ministries, the city government, nongovernment organizations, and the private sector. The discussions focused on (i) Kathmandu's transport system, air quality, and the need for environmentally sustainable transport; (ii) the most important issues that need to be addressed; and (iii) recommendations for the strategy and action plan. A webinar was also held, hosted by the CAI-Asia Center, Clean Air Network Nepal, and Winrock International.

The following transport issues were considered most important, and should be given priority by the government:

- inappropriate taxation policies for and lack of awareness of the use and promotion of electric vehicles,
- heavy dependence of the transport sector on fossil fuels,
- alarming increase in the number of private vehicles,
- congestion of the road network,
- inadequate public transport system,
- weak enforcement of existing policies,
- lack of integration of land use planning with transport planning,
- weak vehicle parking system and management of street vendors, and
- neglect of nonmotorized transport.

To guide the strategy and action plan for Nepal and Kathmandu, a vision for environmentally sustainable transport was drafted. Further, participants of the discussion group under the Sustainable Transport CoP made the following recommendations for the environmentally sustainable transport strategy and action plan for the elements most relevant to reducing air pollution and greenhouse gas emissions.



## Recommendations from a Discussion Group under the Sustainable Transport Community of Practice

Environmentally Sustainable Transport Elements	Recommendations
Public Transport Planning and Transport Demand Management	<ul style="list-style-type: none"><li>• Redefine public transport systems and infrastructure to meet travel demand, provide local access, avoid unnecessary travel, and reduce trip distances.</li><li>• Promote transport demand management by information and communication technology; modern technologies and equipment; and incentives to reduce private motorized vehicle use.</li></ul>
1. Nonmotorized transport	<ul style="list-style-type: none"><li>• Improve and maintain pedestrian and bicycle facilities and infrastructure.</li><li>• Prohibit vendor shops on footpaths and roadsides to stop encroachment.</li><li>• Declare vehicle-free zones in certain areas within Kathmandu, including tourist areas.</li></ul>
2. Cleaner fuels	<ul style="list-style-type: none"><li>• Set and review standards for fuel quality, fuel efficiency, and vehicle emissions for new and in-use vehicles.</li><li>• Promote environmentally friendly transport fuels and technologies.</li><li>• Give priority to battery-operated vehicles for use as private or commercial vehicles by providing incentives and dedicated routes.</li></ul>
3. Strengthening roadside air quality monitoring and assessment	<ul style="list-style-type: none"><li>• Establish air quality and noise standards for progressive implementation and compliance.</li></ul>
4. Vehicle emission control, standards, and inspection and maintenance	<ul style="list-style-type: none"><li>• Establish an effective, efficient, and equitable vehicle testing, maintenance, and compliance system, involving the private sector.</li></ul>
5. Land use planning	<ul style="list-style-type: none"><li>• Establish institutional mechanisms at local, regional, and national levels to integrate land-use and transport planning processes.</li><li>• Improve urban planning for the development of new industrial, commercial, and residential zones that avoids unnecessary travel and urban sprawl and encourages densification. Revisit the planned construction of the proposed outer ring road by assessing its potential impact on urban sprawl.</li></ul>
6. Strengthening knowledge base, awareness, and public participation	<ul style="list-style-type: none"><li>• Enhance awareness and understanding of environmentally sustainable transport by all stakeholders through a comprehensive communication and outreach plan.</li></ul>

Source: ADB and CAI-Asia. 2010.



# The Role of Information and Communication Technology in Policy Development

## Policy Development, Knowledge Management, and Information and Communication Technology

### Introduction to Policy Development

Policies can be defined as all public interventions aiming to improve political, environmental, and economic conditions of a country, through adequate pricing, institutional-setting regulations, and economic

or fiscal instruments.<sup>1</sup> Government policy can be defined as the course of action taken by a government with regard to a particular issue, or a system of courses of action, regulatory measures, laws, and/or funding priorities concerning a given topic promulgated by a government entity or its representatives. Public policy is commonly embodied in constitutions, legislative acts, and judicial decisions. Policies can be classified as legislative, economic, and voluntary as shown in Table 1.

**Table 1 Classification of Policy Instruments**

Policy Category	Policy Type
Legislative instruments command and control behavior, and these are enforced by government institutions at the national, provincial, or local level. There are three types of legislative instruments.	Laws and regulations
	Standards
	Codes of practice
Economic instruments are economic rewards or costs that govern behavior, and these come in many shapes and forms.	Fiscal
	Subsidies
	Property and tradable rights
	Bonds and deposit funds
	Liability systems
Voluntary instruments are ethics that govern behavior, which are based on the will to change behavior for the benefit of the wider community.	Voluntary agreements
	Programs and projects
	Research and development

Source: United Nations Environment Programme. 2006. *Policy Instruments for Improving Energy Efficiency in Industry in Asia*. [www.energyefficiencyasia.org](http://www.energyefficiencyasia.org)

<sup>1</sup> World Energy Council. 2001. *Energy Efficiency Policy and Indicators*. [www.worldenergy.org/work\\_programme/technical\\_programme/energy\\_efficiency\\_policies\\_and\\_indicators/default.asp](http://www.worldenergy.org/work_programme/technical_programme/energy_efficiency_policies_and_indicators/default.asp)





Criteria used to evaluate the success of public policies include

- **Environmental effectiveness.** This refers to the capacity of an instrument to impact air pollution and greenhouse gas emission reduction, which is important because it enables a government to gauge the likely environmental impact and performance of the instrument.
- **Economic efficiency.** This is concerned with whether the instrument provides the most cost-effective means of achieving energy efficiency in absolute terms or per unit of production, especially if compared to other available instruments. The cost assessment may include establishment, compliance, monitoring, enforcement costs, and any distorting effects on the economy arising from the introduction of the instrument.
- **Budgetary impact.** This relates to the assessment by a government to evaluate the income it stands to earn from an instrument. Some instruments, such as taxes, fees, and charges, will provide revenue to a government that could be used to pay for their establishment, monitoring, and enforcement costs. Sometimes, the primary purpose of the policy is to raise revenue, and air pollution and greenhouse gas reduction is only a secondary objective.
- **Ability to implement and enforce.** This assesses the feasibility and flexibility of an instrument, that is, whether a certain policy instrument is capable of being implemented and enforced. Specifically, it evaluates if (i) a government has the means (e.g., people and funds) to implement and enforce the policy instrument, (ii) the policy instrument conflicts with or complements other government policy objectives, and (iii) the policy instrument is capable of adjusting to changing circumstances and conditions.

- **Support from stakeholders.** This refers to the support from the government, public, industry, and other key stakeholders for an instrument. This is important because it allows a government to assess the level of acceptance of the instrument in a community and give valuable insights into the potential concerns it may create before the instrument receives widespread acceptance and adoption.

As a matter of course, governments must select and develop correct policies, but often, the limiting factor in policy development is knowledge. Information often does not reach policy makers at the right time nor in the form that they need. For this reason, the Clean Air Initiative for Asian Cities (CAI-Asia) Center, with support from the Asian Development Bank (ADB) through the Japan Special Fund, implemented technical assistance nicknamed “KnowledgeAir.”<sup>2</sup> The technical assistance was designed to help policy makers and stakeholders access and use knowledge more effectively to further policy development activities regarding air quality management and related issues, including health, climate change, clean energy, and sustainable transport. As part of the technical assistance, a website, the Clean Air Portal and embedded communities of practice (CoPs) were established to provide an effective forum for policy makers and stakeholders to share knowledge and good practices in air quality and greenhouse gas management, and thereby building their capacity and strengthening the policy development process.

Because KnowledgeAir focuses on policy development and transferring knowledge to policy makers, it is important that the Clean Air Portal and the CoPs help bridge the gap between research and policy. Development research can “identify what tools, methods, and approaches no longer work; test new ways of doing things; and link knowledge

<sup>2</sup> ADB. 2008. *Technical Assistance for Capturing and Transferring Air Quality Management Knowledge in Asia*. Manila (RETA-6510, for \$500,000, approved 5 December).



in ways that inform policy and practice.”<sup>3</sup> In other words, good research should inform policy makers to produce good policies. According to the Research and Policy in Development (RAPID) Framework of the Overseas Development Institute (Figure 1), factors for success depend on

- **Political context.** Research should fit the political and institutional limits and pressures of policy makers—and resonate with their assumptions—or sufficient pressure will be exerted to challenge it.
- **Credible and convincing evidence.** This should provide practical solutions to pressing problems and should be packaged to attract policy makers’ interest.
- **Links between research and policy communities.** Researchers and policy makers should share common networks, trust one another, and communicate effectively.


- **External influences.** These include socio-economic factors, existing development priorities, and main international actors.

### Developments in Knowledge Management on Air Quality Management and Related Issues

In relation to knowledge management on air quality management and related issues, the following trends are observed.

- **Air quality management knowledge is available but must be captured and transferred.** The World Health Organization (WHO) estimates that air pollution causes about 530,000 premature deaths every year in Asia and the Pacific, resulting in millions of dollars in economic losses.<sup>4</sup> While information and knowledge on air quality management is increasingly being generated

**Figure 1 The RAPID Framework: Context, Evidence, and Links**



RAPID = Research and Policy in Development.

Source: Overseas Development Institute. 2010. [www.odi.org.uk/default.asp](http://www.odi.org.uk/default.asp)

<sup>3</sup> A. Pellini and O. Serrat. 2010. *Enriching Policy with Research*. [www.adb.org/documents/information/knowledge-solutions/enriching-policy-with-research.pdf](http://www.adb.org/documents/information/knowledge-solutions/enriching-policy-with-research.pdf)

<sup>4</sup> M. Krzyzanowski. 2006. Why We Need Better Air Quality. Keynote presentation for the Better Air Quality Conference. Yogyakarta, Indonesia. 13–15 December.



in the region to address this problem, the capture and transfer of this knowledge to policy makers often do not occur, resulting in investment decisions that are not always based on sound science and international best practices. Thus, there is a need to improve knowledge transfer and knowledge sharing on air quality management in the region.<sup>5</sup>

- **Knowledge management mechanisms must be used to build capacity.** Air quality levels in Asian cities have either been improving slightly or have remained stable over the last decade, notwithstanding the continued growth in the urban population, energy use, greenhouse gas emissions, and motorization. So far, progress in air quality management is usually the result of the application of across-the-board policy measures that have been tried and tested in many other countries. Further, the decisions that Asian cities make in the next few years relating to urban planning and transport systems will lock them in for several decades to come, with major impacts on carbon dioxide emissions, which accounts for 65%–75% of urban air pollution in Asian cities. Research by the CAI–Asia Center suggests that carbon dioxide emissions from road transport will increase 7.75% per year, from 203 million tons in 2005 to 905 million tons by 2025.<sup>6</sup> For policy makers and other stakeholders in Asian cities to make progress in air quality management and sustainable urban transport, they will need to (i) build capacity to develop and implement locally designed strategies, and (ii) have better access to international and regional experts.

As such, KnowledgeAir included the means to facilitate web-learning (e.g., webinars) as well as CoPs to provide better access to experts.

- **Discussions of various air quality partnerships, forums, and other groups must be streamlined.** The increased level of regional and international discussions on air quality and related areas has led to the creation of numerous partnerships, forums, and networks. Due to the sheer number of these groups, it is becoming increasingly difficult to see the larger context and avoid duplication of these groups. The establishment of a CoP mechanism would contribute to better alignment of existing forums on air quality and related areas.
- **Air quality is expanding with the climate change agenda, thus requiring improved coordination.** Knowledge management on clean air and related issues requires an integrated approach. Air pollutants and greenhouse gas emissions come from a range of sources, including transport, energy, industry, and biomass burning. The impacts are huge and varied, such as those on public health, damage to crops, corrosion of buildings, and reduced tourism. Thus, solutions to address air pollution and greenhouse gas emissions and to make cities more livable are often complex and do not always fall neatly into specific sectors. For example, efforts to reduce emissions from traffic may require reducing the number of vehicles on the road but also changing the way new business and residential districts are designed to maximize public transport and pedestrian access. Further,

<sup>5</sup> “Technological development and knowledge management activities should pool regional know-how, with [ADB] as a platform for knowledge sharing, rather than as a primary source of knowledge.” Excerpt from Eminent Persons Group. 2007. *Toward a New Asian Development Bank in a New Asia: Report of the Eminent Persons Group to the President of the Asian Development Bank*. Manila: ADB.

<sup>6</sup> S. Gota and B. Fabian. 2009. *Emissions from India’s Intercity and Intracity Road Transport*. May. Pasig City: CAI–Asia Center.



addressing clean air and related issues requires the involvement of a range of stakeholder groups. Coordination is especially important when applying the co-benefits approach to air quality management and climate change mitigation.<sup>7</sup> Ongoing climate change negotiations are focused on the post-Kyoto regime in 2012. The Intergovernmental Panel on Climate Change continues to emphasize links to air quality, especially with recent scientific research on the impact of black carbon and ozone. The creation of nationally appropriate mitigation actions will play a key role for air quality but must be translated to practical policies and on-the-ground measures. Achieving this requires active discussion, continuous interaction, and knowledge sharing. These negotiations show the urgency of addressing climate change in the next decades; thus, efficient, fast exchange of information is more critical than ever. Websites, CoPs, discussion groups, and other online mechanisms must accommodate the growing links between air quality and climate change.

### Developments in Knowledge Management and Information and Communication Technology

ICT is the “combination of technological applications of informatics in society with information technology.”<sup>8</sup> It can be used to “promote strategy development, enhance management techniques, strengthen collaboration, advance knowledge sharing and learning, and improve knowledge capture and storage.”<sup>8</sup>

#### Evolution of Information and Communication Technology

ICT has rapidly altered the way people generate data, share information, manage knowledge,

and network with others. The internet was first invented in 1969 as a project of the United States Department of Defense, but it was only after the introduction of the World Wide Web by Tim Berners-Lee in the early 1990s did the web become widely accessible to the public. With innovations in network technology, new software applications, and the exponential growth of the internet, virtual communities also began to proliferate, such as listservs, discussion forums, and online chat rooms. At the time, however, bandwidth and computing power was limited. Information was stored and disseminated in static form, similar to traditional paper-based publishing models (which the term “web page” makes clear). The transmission of information and knowledge was, for the most part, a one-way street.

With the second phase of the development of internet-based technologies, referred to by some as “Web 2.0,” the focus shifted to information sharing and user collaboration. Web 2.0 revolves around the paradigm of the web as a community platform. Instead of web pages, people look for web services. Web 2.0 is also characterized by the availability of affordable high bandwidth networks, wireless communications (Wi-Fi), and powerful consumer-oriented computers, allowing rich media content to be incorporated into web pages. Facebook, Google Apps, Twitter, Wikipedia, and YouTube are just some of the more popular examples of web-based collaborative platforms that allow users not only to consume but also to produce information.

Improvements in mobile communications in the last decade have also made a significant impact on how knowledge is shared. Analog cell phones in the 1980s and early 1990s gave way to digital cell phones relatively quickly.

<sup>7</sup> Measures to address the problem of air quality have co-benefits to climate change mitigation and adaptation.

<sup>8</sup> O. Serrat. 2010. Leveraging Knowledge with ICT. [www.adb.org/documents/presentations/knowledge-management-and-learning/leveraging-knowledge-with-ICT.pdf](http://www.adb.org/documents/presentations/knowledge-management-and-learning/leveraging-knowledge-with-ICT.pdf)



Today's "smartphones," like the Android, BlackBerry, and iPhone, have picked up the pace, with new models entering the market often every quarter. These smartphones and other mobile devices allow people to stay in touch at all times. While the increased level of mobile internet access has made it more challenging to track exactly how many users there are at any given time, some experts predict that mobile internet users will overtake desktop users by 2015.<sup>9</sup> Furthermore, although internet penetration in Asia (21.5%) is behind that of North America (77.4%), the growth in the number of users increased six-fold in Asia from 2000 to 2010.<sup>10</sup>

Commercial software licenses can be prohibitively expensive for institutions based in developing countries. Open-source software, however, provides a cost-effective way to obtain access to ICT tools and resources.<sup>11</sup> For example, open-source content management systems such as Drupal, Joomla, and TYPO3 (available free of charge) allow governments and nongovernment organizations with limited ICT budgets to develop and maintain their own websites without having to pay expensive licensing fees.<sup>12</sup>

People are also becoming more sophisticated in their communication with each other. E-mail is being supplemented by social networking websites like Facebook and Twitter, and the printed word is being enhanced by photo and video content through media sharing sites like

Flickr and YouTube. Therefore, a listserv and a noninteractive website are no longer adequate in keeping stakeholders engaged.

Furthermore, the growing trend of "crowd sourcing" means that more and more data and information are becoming decentralized. Knowledge is no longer always sourced from a limited number of institutions—but from many individual contributions—to create a meaningful and relevant big-picture view.<sup>13</sup>

### Continuing Importance of Knowledge Management

Knowledge management

promotes an integrated approach to the creating, capturing, retrieving, sharing, and evaluating of an enterprise's information assets. These assets include structured databases, textual information such as policy and procedure documents, and most importantly, the tacit knowledge and expertise resident in individual's heads.<sup>14</sup>

However, knowledge management can also apply to a community of practitioners working in separate organizations but sharing a common interest or goal within their respective field of expertise.

ADB recognizes knowledge solutions as one of the five drivers of change in Strategy 2020.<sup>15</sup> In particular, it identifies the need to strengthen external knowledge partnerships

<sup>9</sup> M. Meeker, S. Devitt, and L. Wu. 2010. Internet Trends. Presentation at the Morgan Stanley CM Summit, New York, 7–8 June.

<sup>10</sup> Internet World Stats. [www.internetworldstats.com/stats.htm](http://www.internetworldstats.com/stats.htm)

<sup>11</sup> Open-source software means that the program code is publicly available. It is generally distributed free of charge, and programmers are allowed either to modify the source code or to develop extensions to the code. This is in contrast to the proprietary model, which denotes that the software is licensed and copy protected.

<sup>12</sup> There is an ongoing debate over the future of open-source platforms and the relevance of the web as a whole versus the growing popularity of proprietary mobile software applications ("apps"). This debate is outside the scope of this report.

<sup>13</sup> J. Howe. 2006. The Rise of Crowdsourcing. *Wired*. June. [www.wired.com/wired/archive/14.06/crowds.html](http://www.wired.com/wired/archive/14.06/crowds.html)

<sup>14</sup> Definition of "knowledge management" by The Gartner Group. [www.gartner.com](http://www.gartner.com). Quoted in W. Newman. 2010. Knowledge Management Research and End-User Work Environments. <http://archive.ifla.org/IV/ifla65/papers/057-84e.htm>

<sup>15</sup> ADB. 2008. *Strategy 2020: The Long-Term Strategic Framework of the Asian Development Bank*. Manila.



and empower CoPs as two of the four pillars that support its knowledge management action plan for 2009–2011.<sup>16</sup> This involves the need to strengthen ties within and outside of the region.

Some authors, like John Seely Brown and Paul Duguid, cited in ADB's *Knowledge Solutions*, also refer to "networks of practice," emphasizing the informal exchange of information toward practice-related goals.<sup>17</sup> Others argue that networks can also take on different forms and functions (Boxes 1 and 2).<sup>18</sup>

Collectively, whether through communities or networks of practice, online technologies enable community building and knowledge sharing in several ways:

- **Presence.** A community needs to be readily accessible to its members for them to participate consistently. The internet and auxiliary technologies such as mobile computing make a community readily available to members without constraints of geographic location.

### Box 1 Forms of Networks and Communities of Practice

**Functions.** What roles and functions does the network carry out (i.e., filtering, amplifying, investing and providing, convening, community building, and/or learning and facilitating)?

**Governance.** What are the behaviors and processes in place within the network that govern its short- and long-term functions?

**Localization and scope.** Where are the network and its members located, both physically and thematically?

**Membership.** Who are the network's members, and how are they related to each other?

**Capacity and skill.** Does the network, including its members, have the capacity and skills necessary to carry out its functions?

**Resources.** Does the network have access to the inputs necessary for it to function?

**Communications.** Does the network have appropriate communication strategies to carry out its functions, thus amplifying messages outwardly or sharing messages and information within the institution?

**External environment.** What are the external influences affecting the network?

**Strategic and adaptive capacity.** Is the network capable of managing changes and shocks in its internal and external environment? Can it manage those changes on its own or does it depend on others (e.g., partners, networks, or donors)?

Source: B. Ramalingam, E. Mendizabal, and E. Schenkenberg van Mierop. 2008. Strengthening Humanitarian Networks: Applying the Network Functions Approach. *Overseas Development Institute Background Note*. [www.odi.org.uk/publications/background-notes/2008/humanitarian-network-functions-approach.pdf](http://www.odi.org.uk/publications/background-notes/2008/humanitarian-network-functions-approach.pdf)

<sup>16</sup> The four pillars are (i) sharpening the knowledge focus in ADB operations, (ii) empowering CoPs hosted by ADB, (iii) strengthening external knowledge partnerships, and (iv) further enhancing staff learning and skills development. For more information, see ADB. 2009. Enhancing Knowledge Management under Strategy 2020: Plan of Action for 2009–2011. Manila. Available: [www.adb.org/knowledge-management/action-plan.asp](http://www.adb.org/knowledge-management/action-plan.asp)

<sup>17</sup> O. Serrat. 2009. Building Networks of Practice. *Knowledge Solutions*. March. Manila: ADB. [www.adb.org/documents/information/knowledge-solutions/building-networks-of-practice.pdf](http://www.adb.org/documents/information/knowledge-solutions/building-networks-of-practice.pdf)

<sup>18</sup> Adapted from B. Ramalingam, E. Mendizabal, and E. Schenkenberg van Mierop. 2008. Strengthening Humanitarian Networks: Applying the Network Functions Approach. *Overseas Development Institute Background Note*. [www.odi.org.uk/publications/background-notes/2008/humanitarian-network-functions-approach.pdf](http://www.odi.org.uk/publications/background-notes/2008/humanitarian-network-functions-approach.pdf)





## Box 2 The Six Functions of Networks and Communities of Practice

**Filtering.** Organizing and managing information that is worth noticing.

**Amplifying.** Taking new, little-known, or little-understood ideas, giving them weight, and making them more widely understood.

**Investing and providing.** Offering a means to give members the resources they need to carry out their main activities.

**Convening.** Bringing together different, distinct people or groups of people.

**Community building.** Promoting and sustaining the values and standards of individuals or organizations.

**Learning and facilitating.** Helping members carry out their activities more efficiently and effectively.

These functions can be examined in six steps to clarify thinking, hone strategies, sharpen activities, and improve performance to deliver greater value:

1. Analyze the relevance of the network's vision and mission.
2. Map existing and planned activities against the six functions of networks.
3. Identify the current and planned balance of effort across the six functions.
4. For each function, identify how the network's role is balanced between "agency" and "support."
5. Rate efficiency and effectiveness.
6. Reflect on the vision and mission.

Since 2005, ADB has used these functions for its communities of practice in support of sector and thematic reporting: presenting views on strategic focus and new initiatives, distilling and synthesizing for wider institutional learning, and demonstrating how sector and thematic operations contribute to development effectiveness.<sup>a</sup> ADB has recognized the importance of communities of practice for collaboration and maximizing development impact.

<sup>a</sup> O. Serrat. 2009. Improving Sector and Thematic Reporting. *Knowledge Solutions*. November. Manila: ADB. [www.adb.org/documents/information/knowledge-solutions/improving-sector-thematic-reporting.pdf](http://www.adb.org/documents/information/knowledge-solutions/improving-sector-thematic-reporting.pdf)

Source: B. Ramalingam, E. Mendizabal, and E. Schenkenberg van Mierop. 2008. Strengthening Humanitarian Networks: Applying the Network Functions Approach. *Overseas Development Institute Background Note*. [www.odi.org.uk/publications/background-notes/2008/humanitarian-network-functions-approach.pdf](http://www.odi.org.uk/publications/background-notes/2008/humanitarian-network-functions-approach.pdf)

- **Interaction.** The internet provides a facility for community members to interact more efficiently. Not only can it connect people regardless of geographic location, it also allows them to express themselves in several ways such as through videos, photos, and file sharing.
- **Knowledge management.** In an online environment, knowledge products are derived from the interaction of community members, and are readily captured, processed, stored, and distributed.
- **Remote communications.** Remote communications are necessary in an increasingly globalized environment to address the threat of pandemics (e.g., avian flu and

H1N1), cost-cutting measures due to economic recessions, and the need to reduce carbon footprints. While face-to-face interaction is still important to maintain business and social relationships, teleconferencing and webinars supplement policy discussions and debates at every level.

### Target Audience and Needs Analysis

A 2009 survey of stakeholders<sup>19</sup> for clean air, sustainable transport, and clean energy in Asia found that the target audience can be classified into three broad user groups with distinct needs and levels of importance: policy and decision makers, practitioners, and the public (Table 2). The priority level is based on the ability to

<sup>19</sup> Baseline Survey Report for KnowledgeAir. 2009.



influence decision-making authorities that affect policy development.

The first-tier user group, consisting of policy makers and senior decision makers at other organizations, such as the private sector and development partners, should be supported in making informed decisions. They need a platform that enables them to find succinct, easy-to-understand information; facilitates collaboration and experience exchange; and builds their capacity, where needed.

The second-tier user group consists of practitioners who directly or indirectly help support policy makers and other senior decision makers, including academia, researchers, nonprofit organizations, consultants, the private sector, and the media. They need detailed, reliable, and up-to-date data as well as data analysis and information on emerging issues, trends, and latest developments related to clean air, energy, and sustainable transport. Furthermore, they need a platform to facilitate exchange of information, ideas, and experience relevant to their area of work.

The third-tier user group is the general public, who can be reached directly or through the media. They need basic information about air quality, climate change, energy, and transport where this is relevant to them. For example,

they may want to know the air pollution levels in their city, how this may affect their health, what the government is doing to reduce air pollution, and what they can do to protect themselves and their families. They also should be allowed to interact with others, ask questions, and participate in discussions, with the goal to mobilize the public to put pressure on governments and others to reduce air pollution and greenhouse gas emissions.

## Clean Air Portal

### What Is the Clean Air Portal?

ADB and the CAI-Asia Center developed the Clean Air Portal ([www.cleanairinitiative.org](http://www.cleanairinitiative.org)) to improve knowledge management of clean air, energy, and transport in Asia and thereby to influence the relevant policy- and decision-making processes. The Clean Air Portal is a website that was established to meet the needs of the three user groups just described, thus serving as the first point of entry for policy and decision makers, practitioners, and the public. The portal provides a knowledge base of information, as well as a platform for collaboration and exchange of information and experience through CoPs and profiles of registered users. It also serves as the website of CAI-Asia.

**Table 2 User Groups of Clean Air, Sustainable Transport, and Clean Energy in Asia**

Importance	User Group	Services Needed	Strategic Goals
Tier 1	Policy and decision makers	Facilitate collaboration, experience exchange, and build capacity	Add strategic value to their work
		Provide relevant data and information and assist in finding succinct information	
Tier 2	Practitioners	Inform and raise awareness about emerging issues, trends, and latest developments	Provide accurate data and information exchange
		Provide reliable and up-to-date and data analysis	
Tier 3	Public	Raise awareness	Involve and mobilize

Source: ADB and CAI-Asia. 2009.



The portal integrates the CitiesACT database (citiesact.org), which was also established by the CAI-Asia Center and the Global Atmospheric Pollution Forum, to share data and information on air quality, climate change and energy, and transport. With the launch of the Clean Air Portal in February 2010, the CitiesACT database, which is accessible from the Clean Air Portal, is being modified to store only data and indicators; organization profiles, project profiles, and other information will be kept on the main Clean Air Portal. The portal's banner uses the same design as the CitiesACT database, which shows a livable city with clean air, sustainable transport, and a stable climate, and where walking trumps other modes of transport.


### Structure of the Clean Air Portal

The Clean Air Portal's home page displays links to the top headlines, most recent posts, major announcements, events, photos, and videos (Figure 2). The home page uses horizontal tab

navigation to make each of the main sections easy to access from any point in the site.

- **About us.** Provides information about CAI-Asia.
- **What we do.** Provides information about the projects, programs, and activities of CAI-Asia.
- **Members.** Provides information about members of the CAI-Asia Partnership and the CAI-Asia Center.
- **Country networks.** Provides information about CAI-Asia networks in the People's Republic of China, India, Nepal, Pakistan, the Philippines, Sri Lanka, and Viet Nam.
- **Communities.** Accesses the different CoPs hosted by the portal, including those on air quality and co-benefits, and sustainable transport.
- **News.** Lists announcements, news links, and RSS (really simple syndication) feeds.
- **Events.** Posts a calendar of workshops and conferences.

Figure 2 Clean Air Portal



Source: <http://cleanairinitiative.org>



- **Knowledge base.** Serves as a virtual library of articles, reports, organization profiles, projects, programs, and training courses related to air quality, climate change, energy, and sustainable transport. It also provides access to the CitiesACT database.

### Content Management System and Roles

The portal uses Drupal, an open-source content management system. Drupal has a sophisticated role-based permissions model that makes it easy for registered users to create and edit web pages in real time. These roles include

- **Administrator.** Has full access and control over the entire portal.
- **Editor.** Can create and edit content for the portal.
- **Member.** Can submit limited content (e.g., links, photos, and videos) without the ability to edit.

Drupal allows content to be “tagged” according to predefined taxonomies so that information can be accessed in multiple ways, for example, by country, city, topic, or content type.

### Portal Features

The Clean Air Portal provides several advantages in the way that information and knowledge are organized and made accessible. Content is available at different levels of depth (i.e., from basic overviews to advanced technical articles), and data and information are accessible to dif-

ferent users in different ways (i.e., by country, topic, city, or content type). There are different ways to source information, and a repository of raw data is available, allowing users to make their own analysis through the CitiesACT database. Specialized websites are also considered part of the portal, using the same database, avoiding duplication, for a more specific group or subcommunity. Further, online petitions are available, and knowledge management services benefit various organizations.


### Different Levels of Depth

The Clean Air Portal was designed to ensure that different types of content can be delivered to specific user groups. Most people prefer getting information in a format that is most meaningful to their line of work. Policy makers do not have time to go through detailed spreadsheets of numerical data; they need graphs and factsheets that summarize the data for them and provide a succinct analysis. Similarly, practitioners and experts appreciate raw data that they can use to conduct their own analyses. On the other hand, the general public needs short overviews and introductions to understand complicated topics and issues and how those are relevant to them.

### Accessibility for Different Users

Individual users can further tailor their searches so that they only get the kind of data and information relevant to their needs. All content can be tagged according to predefined taxonomies (Figure 4) and free-form text so that informa-

**Figure 3 How the Portal Interacts with Contributors and the Target Audience**



Source: ADB and CAI-Asia. 2010.

**Table 3 Content Types for the Three User Groups**

Content Types	Policy and Decision Makers	Practitioners	Public
<b>Contact details of policy makers, decision makers, and practitioners.</b> All should be able to communicate with each other using the Clean Air Portal; this includes the ability to view the profile of other registered users.	Y	Y	
<b>CAI-Asia contact details.</b> Name, position, and e-mail address of staff and board members, as well as Partnership Council members	Y	Y	Y
<b>General information.</b> These provide short introductions for each topic or location (much like a mini-Wikipedia entry).			Y
<b>Summaries and factsheets.</b> One-page summaries of reports, studies, or projects	Y	Y	
<b>Reports, articles, and presentations.</b> Provide more detailed content and often have file attachments that can be downloaded	Y	Y	
<b>Country profiles.</b> These are special types of reports that focus on the air quality management situation for each country.	Y	Y	
<b>News, newsletters, and news analysis.</b> News links are added on a daily basis, while newsletters are delivered weekly, monthly, or quarterly. News analysis is delivered annually.			Y
<b>CAI-Asia publications.</b> Include public reports that CAI-Asia was involved in preparing, as well as general document about the CAI-Asia Center (e.g., annual report and business plan).	Y	Y	
<b>Organization profiles.</b> Directory of organizations featured on the portal		Y	
<b>Project and program profiles.</b> A directory of projects and programs related to air quality and related topics		Y	
<b>Policies.</b> Limited to legislation that has an impact on the air quality of a country or city	Y	Y	
<b>Technologies.</b> Directory of technology providers and/or technology databases		Y	
<b>Tools.</b> Downloadable files (e.g., in Excel format) such as the Clean Air Scorecard and Clean Fleet Management Toolkit		Y	
<b>Campaigns.</b> To raise awareness about specific air quality or transport issues, including online petitions			Y
<b>Online discussions and blogs.</b> Includes the communities of practice and opinions posted in other websites			Y
<b>Training courses.</b> Directory of air quality courses that are delivered on a regular basis (not ad hoc)		Y	
<b>Events.</b> Calendar of activities related to air quality or transport	Y	Y	
<b>Photos and videos.</b> Multimedia content hosted in Flickr and YouTube.			Y
<b>Websites.</b> Links to other websites that cover air quality, transport, climate change co-benefits, and cleaner energy		Y	
<b>Data.</b> Quantitative and measurable indicators at the country and city level		Y	
<b>Glossaries and manuals.</b> These are help pages and “how-to” publications.		Y	

CAI-Asia = Clean Air Initiative for Asian Cities.

Source: ADB and CAI-Asia. 2010.



tion can be accessed in multiple ways, such as by topic, city, country, or content type. This is an essential feature of the Clean Air Portal, because, for example, a graduate student might prefer asking a question directly to one of the CoPs, while an experienced technical specialist might choose to browse through the different project and program profiles in the Knowledgebase.

### Different Ways of Sourcing Information

The Clean Air Portal was designed for collaboration and decentralized content management. To encourage partnership and knowledge sharing, all registered users are considered as individual members of CAI-Asia. Anyone with an e-mail address can register as a member (<http://cleanairinitiative.org/portal/user/register>). Members are allowed to contribute external links, photos, and videos to the portal.

To ensure that information is accurate and up-to-date, input is sought from member organiza-

tions of the CAI-Asia Partnership to contribute to and to maintain pages on specific topics in which they are specialized. For example, the Partnership for Clean Indoor Air contributes to the "indoor air pollution" topic, and the Institute for Transportation and Development Policy contributes to the "bus rapid transit" topic page.

Decentralization is also important because information is uploaded faster. The portal makes use of RSS feeds to obtain external links directly from content providers (Figure 10). At the same time, the portal also provides its own feeds that others may use (Figure 11).

### Repository of Raw Data through CitiesACT Database

Quantitative data will continue to be hosted by the CitiesACT database, which is an associated website of the Clean Air Portal. For example, users can compare air quality data at the city

**Figure 4 Information Classified by Type on Clean Air Portal**



Source: <http://cleanairinitiative.org>

Figure 5 Information Selection by Country on Clean Air Portal

## Countries

You can search for articles and other publications, organizations, training courses, projects and programs relevant to different countries and cities by clicking on the list below.

You can also search for data and information on general demographics, transport, energy, air quality, and greenhouse gas emissions in our [CitiesACT](#) database. This database also allows you to compare air pollution levels in specific cities against established ambient air quality standards or with other cities. The CitiesACT database will be increasingly integrated into the Clean Air Portal.

Regions	Countries	
<b>Asia</b>	<a href="#">Afghanistan (6)</a>	<a href="#">Bangladesh (135)</a>
	<a href="#">Bhutan (7)</a>	<a href="#">Brunei Darussalam (9)</a>
	<a href="#">Cambodia (17)</a>	<a href="#">Fiji Islands (1)</a>
	<a href="#">India (600)</a>	<a href="#">Indonesia (213)</a>
	<a href="#">Iran (8)</a>	<a href="#">Iraq (1)</a>
	<a href="#">Japan (43)</a>	<a href="#">Kazakhstan (3)</a>
	<a href="#">Korea, DPR (North) (3)</a>	<a href="#">Korea, Republic of (35)</a>
	<a href="#">Kuwait (1)</a>	<a href="#">Lao PDR (5)</a>
	<a href="#">Malaysia (110)</a>	<a href="#">Maldives (2)</a>
	<a href="#">Mongolia (32)</a>	<a href="#">Myanmar (10)</a>
	<a href="#">Nepal (113)</a>	<a href="#">PRC (739)</a>
	<a href="#">Pakistan (106)</a>	<a href="#">Palau (1)</a>
	<a href="#">Philippines (372)</a>	<a href="#">Singapore (101)</a>
	<a href="#">Sri Lanka (124)</a>	<a href="#">Taipei, China (10)</a>
	<a href="#">Thailand (173)</a>	<a href="#">Turkey (4)</a>
	<a href="#">UAE (9)</a>	<a href="#">Viet Nam (201)</a>
<b>Latin America</b>	<a href="#">Argentina (2)</a>	<a href="#">Brazil (6)</a>
	<a href="#">Chile (3)</a>	<a href="#">Colombia (2)</a>
	<a href="#">Ecuador (1)</a>	<a href="#">Mexico (15)</a>
<b>Sub Saharan Africa</b>	<a href="#">Niger (1)</a>	<a href="#">South Africa (5)</a>
	<a href="#">Zambia (1)</a>	

Korea, DPR = Democratic People's Republic of Korea, Lao PDR = Lao People's Democratic Republic, PRC = People's Republic of China, UAE = United Arab Emirates.

Note: The numbers indicate the number of web pages available for each country.

Source: <http://cleanairinitiative.org/portal/knowledgebase/countries>



**Figure 6 Information Selection by City on Clean Air Portal**

<b>Austria</b>	Vienna, Austria (1)	
<b>Bangladesh</b>	Chittagong, Bangladesh (1)	Dhaka, Bangladesh (67)
<b>Belgium</b>	Brussels, Belgium (5)	Diepenbeek, Belgium (1)
<b>Brazil</b>	Sao Paulo, Brazil (1)	
<b>Cambodia</b>	Phnom Pehn, Cambodia (3)	Siem Reap, Cambodia (1)
<b>Canada</b>	Calgary, Canada (1)	Edmonton, Canada (1)
	Gatineau, Canada (1)	Montréal, Canada (3)
	Ottawa, Canada (2)	Toronto, Canada (1)
	Vancouver, Canada (1)	
<b>PRC</b>	Beijing, PRC (109)	Changsha, PRC (2)
	Chengdu, PRC (6)	Chongqing, PRC (15)
	Guangdong, PRC (1)	Guangzhou, PRC (21)
	Guiyang, PRC (1)	Guiyu, PRC (1)
	Hangzhou, PRC (5)	Harbin, PRC (2)
	Hong Kong SAR, PRC (83)	Jinan, PRC (6)
	Lanzhou, PRC (2)	Linfen, PRC (1)
	Luoyang, PRC (2)	Mianyang, PRC (1)
	Nanjing, PRC (2)	Nanning, PRC (1)
	Qingdao, PRC (4)	Shanghai, PRC (81)
	Shenzhen, PRC (4)	Suzhou, PRC (1)
	Tianjin, PRC (7)	Tibet, PRC (1)
	Urumqi, PRC (4)	Urumuqi, PRC (1)
	Wuhan, PRC (8)	Xi'an, PRC (15)
	Xiamen, PRC (8)	
<b>Colombia</b>	Bogotá, Colombia (1)	

PRC = People's Republic of China.

Note: The numbers indicate the number of web pages available for each city.

Source: <http://cleanairinitiative.org/portal/knowledgebase/cities>

**Figure 7 Information Selection by Topic on Clean Air Portal**

## Topics

<b>A</b>	Aerosols (9)	Air quality standards (38)
	Air pollution (383)	Alternative fuels (56)
	Air quality management (AQM) (579)	Area sources (41)
	Air quality monitoring (109)	Atmospheric modeling (18)
<b>B</b>	Biofuels (26)	Bus rapid transit (BRT) (74)
	Black carbon (24)	
<b>C</b>	Carbon dioxide (CO <sub>2</sub> ) (76)	Co-benefits (40)
	Climate change and global warming (192)	
<b>D</b>		
<b>E</b>	Electric vehicles (47)	Energy and industry emissions (177)
	Emissions inventory/source apportionment (22)	
<b>F</b>	Financing and economic instruments (80)	Fuels-Coal (24)
	Freight and logistics (54)	Fuels-Diesel (23)
	Fuel economy (74)	Fuels-Gasoline (18)
	Fuel quality (74)	Fuels-General (101)
<b>G</b>	Greenhouse gases (GHGs) (86)	

Note: The numbers indicate the number of web pages available for each topic.

Source: <http://cleanairinitiative.org/portal/knowledgebase/topics>



**Figure 8 Projects and Programs Listed Alphabetically and Classified by Country and City on Clean Air Portal**

Projects and Programs			
You can search for projects and programs related to air quality or transport in Asia by clicking on the list below.			
You can also search for data and information on general demographics, transport, energy, air quality, and greenhouse gas emissions in our <a href="#">CitiesACT</a> database. This database also allows you to compare air pollution levels in specific cities against established ambient air quality standards or with other cities. The CitiesACT database will be increasingly integrated into the Clean Air Portal.			
#	Name	Countries	Cities
1	<a href="#">Acid Deposition Monitoring Network in East Asia</a>		
2	<a href="#">Acid Rain and Atmospheric Pollution Modeling</a>	India	Pune, India
3	<a href="#">Acid Rain and Emission Reduction in Asia, Phase II</a>		
4	<a href="#">Action Plans for Reducing Vehicle Emissions in Asia</a>	Viet Nam India PRC	Mumbai, India Ho Chi Minh, Viet Nam Ha Noi, Viet Nam Chongqing, PRC
5	<a href="#">Advanced Energy Technologies</a>	PRC	Shanghai, PRC Beijing, PRC
6	<a href="#">Air Pollutant Emissions Monitoring (APEM), Shanghai, PRC</a>	PRC	Shanghai, PRC

PRC = People's Republic of China.

Source: <http://cleanairinitiative.org/portal/knowledgebase/projectsprograms>

**Figure 9 Introduction to Indoor Air Quality Written with the Partnership for Clean Indoor Air**

Topic Overview			
<b>Introduction to Indoor Air Quality</b> On average, people spend more than 90% of their time indoors—this highlights the significant influence of indoor air quality (IAQ) on public health. According to the World Health Report 2002, indoor air pollution is responsible for 2.7% of the global burden of disease. (1) Recent estimates by WHO reports that India accounts for 80% of 600,000 premature deaths in South-East Asia annually due to exposure to indoor air pollution. (2) ... <a href="#">read more</a>			
RELATED CONTENTS			
Countries: --ALL-- Cities: --ALL-- Types: --ALL-- <input type="button" value="Apply"/> <input type="button" value="Reset"/>			
Title	Countries	Cities	Types
<a href="#">In Search of a Common European Approach to a Healthy Indoor Environment (2007)</a>			
<a href="#">Current State of the Science: Health Effects and Indoor Environmental Quality (2007)</a>			
<a href="#">Situation Analysis of Household Energy Use and Indoor Air Pollution in Pakistan (2005)</a>			
<a href="#">Clearing the Air: Asthma and Indoor Air Exposures (2000)</a>			
<a href="#">Development of WHO guidelines for indoor air quality (2006)</a>			
<a href="#">Singapore Guidelines for Good Indoor Air Quality in Office Premises (1996)</a>	Singapore		
<a href="#">Health Effects of Indoor Air Pollution in Developing Countries (2002)</a>			Article
<a href="#">Proven Interventions to Reduce Indoor Air Pollution Due to Cooking with Biomass (2004)</a>	Sri Lanka		Article
<a href="#">Household Stove Improvement and Risk of Lung Cancer in Xuanwei (2002)</a>	PRC		Article
<a href="#">Kitchen Improvement Activities in Weeraketiya, Sri Lanka</a>	Sri Lanka		Article

PRC = People's Republic of China, WHO = World Health Organization.

Source: [http://cleanairinitiative.org/portal/knowledgebase/topics/topic overview/Indoor%20air%20pollution](http://cleanairinitiative.org/portal/knowledgebase/topics/topic%20overview/Indoor%20air%20pollution)



**Figure 10 RSS Feeds from External Sources on the Clean Air Portal**

Source: <http://cleanairinitiative.org/portal/news>

**Figure 11 RSS Feeds on News Links on the Clean Air Portal**

DENR = Department of Environment and Natural Resources, RP = Republic of the Philippines.

Source: <http://cleanairinitiative.org/portal/news>



level for a number of criteria pollutants. This can then be compared with other cities and exported to a spreadsheet for further analysis.

### Specialized Websites

The Clean Air Portal allows the CAI-Asia Center to create specialized websites on specific topics. This way, stakeholders have immediate access to information relevant to their needs without having to navigate through the portal's homepage. The information from these specialized websites is stored in the Clean Air Portal's database not only to avoid duplication but also to provide an efficient way to ensure that knowledge generated by other communities or groups is adequately captured and made available for all users, whether they access the portal directly or via one of the specialized websites. For example, the Clean Air at Mega-Events website was developed using the same content management system as the Clean Air Portal.

### Online Petitions

The Clean Air Portal can also host online petitions for specific campaigns. Responses are stored in a separate database managed by the CAI-Asia Center. This is an important feature to raise the awareness of a broad stakeholder group and the public, and to mobilize them to take action or to support a cause.

### Knowledge Management Services Benefit Different Organizations

The Clean Air Portal gives the CAI-Asia Center the flexibility to provide collateral knowledge services for other organizations. Here are some examples.

- **Uploading presentations from workshops.** ADB's Department of External Relations generally does not post workshop presentations by non-ADB staff members on the ADB website. To address this limitation for the 2010 Transport Forum, the Clean Air Portal was able to upload and store all workshop presentations instead.<sup>20</sup>

**Figure 12 Annual Air Quality Monitoring Data for Beijing**

**Data for: Beijing**

Year	TSP	PM <sub>10</sub>	PM <sub>2.5</sub>	NO <sub>2</sub>	SO <sub>2</sub>	O <sub>3</sub>	Lead	References
1993	340	—	—	—	117	—	—	<a href="#">view</a>
1994	343	—	—	—	140	—	—	<a href="#">view</a>
1995	370	—	—	—	94	—	—	<a href="#">view</a>
1996	365	—	—	—	99	—	—	<a href="#">view</a>
1997	377	—	—	—	124	—	—	<a href="#">view</a>
1998	379	—	—	—	119	—	—	<a href="#">view</a>
1999	364	180	—	—	80	—	—	<a href="#">view</a>
2000	353	162	—	—	71	—	—	<a href="#">view</a>
2001	370	165	—	71	64	—	—	<a href="#">view</a>
2002	—	166	—	71	68	—	—	<a href="#">view</a>
2003	—	141	—	76	61	—	—	<a href="#">view</a>
2004	—	149	—	72	55	—	—	<a href="#">view</a>
2005	—	141	—	71	50	—	—	<a href="#">view</a>
2006	—	162	—	66	52	—	—	<a href="#">view</a>
2007	—	148	—	66	52	—	—	<a href="#">view</a>
2008	—	123	—	49	36	—	—	<a href="#">view</a>

— = data not available, NO<sub>2</sub> = nitrogen dioxide, O<sub>3</sub> = ozone, PM<sub>2.5</sub> = particulate matter with a diameter 2.5 microns or less, PM<sub>10</sub> = particulate matter with a diameter 10 microns or less, SO<sub>2</sub> = sulfur dioxide, TSP = total suspended particulates.

Source: CitiesACT.org.

<sup>20</sup> See <http://cleanairinitiative.org/portal/ADBTransportForum2010>

Figure 13 Home Page of Clean Air at Mega-Events



Source: [megaevents.cleanairinitiative.org](http://megaevents.cleanairinitiative.org)

Figure 14 Online Petition for the Anti-Smoke Belching on EDSA Campaign

EDSA = Epifanio delos Santos Avenue (Metro Manila).

Source: <http://cleanairinitiative.org/edsa/>



- **Hosting content from other websites.** The content of the online Energy Efficiency Guide for Industry in Asia, which was developed as part of a United Nations Environment Programme (UNEP) project completed in 2006, will be uploaded onto the Clean Air Portal to increase the reach to and accessibility for users interested in this topic.<sup>21</sup>
- **Producing other knowledge products using data and information available on the Clean Air Portal.** An unofficial policy brief was made possible through information collected from the Clean Air Portal, which was presented at the Fifth High-Level Officials' Meeting of the Regional Forum on Environment and Health in Southeast and East Asian Countries and the Second Ministerial Regional Forum on Environment and Health, held in Jeju, Republic of Korea in July 2010.

## Communities of Practice on the Clean Air Portal

KnowledgeAir established two CoPs: one on air quality and co-benefits, and the other on sustainable transport. A third CoP on energy is being planned using other funding sources.

Joining a CoP is voluntary. Some practitioners may want to take advantage of the Clean Air Portal but are not inclined to join CoPs that are only marginally related to their area of interest.

CoPs allow policy makers to build capacity, suggest areas for improvement, and foster professional relationships. The Clean Air Portal is able to track the total number of members per CoP as well as the total number of views per CoP discussion. These values change on a daily basis. The top five countries with the most CoP members are India, Indonesia, Nepal, the Philippines, and Sri Lanka.

### Air Quality and Co-Benefits Community of Practice

The Air Quality and Co-Benefits CoP ([http://cleanairinitiative.org/portal/communities/airquality\\_forum](http://cleanairinitiative.org/portal/communities/airquality_forum)) provides a platform where experts and practitioners can discuss issues relating to the link between air quality management and climate change. The co-benefits approach recognizes that certain measures to address air pollution may also have positive impacts on reducing greenhouse gas emissions and global warming, and vice versa.

### Sustainable Transport Community of Practice

The Sustainable Transport CoP ([http://cleanairinitiative.org/portal/communities/transport\\_forum](http://cleanairinitiative.org/portal/communities/transport_forum)) allows experts and practitioners to discuss issues relating to transport emissions, environmentally sustainable transport, transport systems, technologies, nonmotorized transport, and other related transport topics.

### Energy Community of Practice

In addition to these two CoPs, the Clean Air Portal allows the creation of other communities, and an energy CoP is being planned. This CoP will provide a platform to discuss energy-related topics, such as energy efficiency, clean coal technology, and power plants.

### Other Discussion Groups

The same platform can also be used to create smaller discussion groups. These discussion groups allow all community files to be shared through the Clean Air Portal's Knowledgebase, as long as they are tagged by country, city, or topic. Sometimes, groups can be created to match existing topics in the Knowledgebase (e.g., the Green Freight Group was created for the "freight and logistics" topic, but also fits under the Sustainable Transport CoP).

<sup>21</sup> See [www.energyefficiencyasia.org/](http://www.energyefficiencyasia.org/)

**Figure 15 Air Quality and Co-Benefits Community of Practice**

## Air Quality and Co-Benefits

The Air Quality and Co-benefits Community of Practice (CoP) are for CAI-Asia members who want to discuss topics on air pollution in general, climate change, energy, and industry. Read the [posting guidelines](#).

To participate, you must be a registered member of the Clean Air Portal and also a member of this community. (Need assistance? Here's [how to join](#))

### Post new message

Posted By	Topic	Replies	Latest Post
may	journals, newsletters and magazines on air quality, atmosphere, climate	2	By may 20 Aug 2010
AGT Sugathapala	Implementation of Emission Standards for Stationary Sources in Sri Lanka	44	By AGT Sugathapala 18 Aug 2010
sophie punte	Economic instruments for clean technologies in industry for cleaner air	1	By sophie punte 17 Aug 2010
edeleon	Clean Air at Mega-events		By edeleon 17 Aug 2010
may	Public Comment Period on the Draft GRI Airport Operator Sector Supplement		By may 16 Aug 2010
may	Asian Cities with Dirtiest Air: To rank or not to rank?	19	By 15 Aug 2010
may	Thesis Student requesting AQ information on Pakistan	6	By may 10 Aug 2010
may	A Clean Air Scorecard for cities	9	By nbadhwari 07 Aug 2010

AQ = air quality, GRI = Global Reporting Initiative.

Source: [http://cleanairinitiative.org/portal/communities/airquality\\_forum](http://cleanairinitiative.org/portal/communities/airquality_forum)





Figure 16 Sustainable Transport Community of Practice

## Sustainable Transport

The Sustainable Transport Community of Practice (CoP) are for CAI-Asia members who want to discuss topics on transport planning, fuels, and vehicle technologies. Read the [posting guidelines](#).

To participate, you must be a registered member of the Clean Air Portal and also a member of this community. (Need assistance? Here's [how to join](#))

### Post new message

Posted By	Topic	Replies	Latest Post
bert	<a href="#">Survey on Low Carbon Transport System by 2050 - ITPS</a>		By bert 26 Nov 2010
bert	<a href="#">What makes transport unsustainable in Asian countries and cities?</a>	7	By Nguyễn Tá Duân 20 Oct 2010
Sudhir Gota	<a href="#">Walkability in Asia</a>	11	By <a href="#">biking_for_clean_air</a> 05 Oct 2010
mike	<a href="#">Traffic light study - Lights should respond to cars, a study concludes, not the other way around</a>		By mike 24 Sep 2010
glynda	<a href="#">Policy Update: Philippines Issues Euro 4 Vehicle Emission Standards</a>		By glynda 20 Sep 2010
bert	<a href="#">EST in the Philippines National Framework Strategy on Climate Change 2010-2022</a>	1	By <a href="#">corrie</a> 09 Sep 2010
su	<a href="#">Call for Discussions: Hybrid Vehicles</a>	1	By <a href="#">normanv71</a> 24 Aug 2010

EST = Environmentally Sustainable Transport, GRI = Global Reporting Initiative.

Source: [http://cleanairinitiative.org/portal/communities/transport\\_forum](http://cleanairinitiative.org/portal/communities/transport_forum)

**Table 4 Examples of Topics and Discussion Groups that Exist within Communities of Practice**

	<b>Air Quality and Co-Benefits Community of Practice</b>	<b>Sustainable Transport Community of Practice</b>	<b>Energy Community of Practice</b>
<b>Topic Examples</b>	<p>Implementation of emission standards for stationary sources in Sri Lanka</p> <p>Economic instruments for clean technologies in industry for cleaner air</p> <p>Asian cities with the dirtiest air: To rank or not to rank?</p> <p>1,000 Asian cities with PM<sub>10</sub> data</p>	<p>Kathmandu's transport system: Making it environmentally sustainable</p> <p>What makes transport unsustainable in Asian countries and cities?</p> <p>India transport emissions: 2007 data issues</p> <p>Charging infrastructure and incentives for electric three-wheelers</p>	<p>Clean coal technologies</p> <p>Energy efficiency in industry</p> <p>Geothermal power plants</p>
<b>Related Discussion Groups</b>	<p>Clean Air Scorecard (private discussion group)</p> <p>Network of air quality scientists (planned)</p>	<p>Sustainable low-carbon transport</p> <p>Green freight</p>	

PM<sub>10</sub> = particulate matter less than 10 microns in diameter.

Source: ADB and CAI-Asia. 2010.

**Figure 17 Communities Section of the Clean Air Portal**

## Communities

To participate, you must be a registered member of the Clean Air Portal and also a member of any of our Communities of Practice. (Need assistance? Here's [how to join](#))

Communities	Topics	Replies	Last Post
<a href="#">Air Quality and Co-Benefits Discussions</a>	28	164	<a href="#">Air Quality Profiles for 10 Asian countries (for public review)</a> By <a href="#">narayan_iyer2000</a> 30 Nov 2010
<a href="#">Sustainable Transport Discussions</a>	32	77	<a href="#">Survey on Low Carbon Transport System by 2050 - ITPS</a> By <a href="#">bert</a> 26 Nov 2010
<a href="#">Network of City Networks Discussion ( By Invitation Only )</a>	6		<a href="#">Register your City Tools on the Clean Air Portal</a> By <a href="#">glynda</a> 22 Sep 2010
<a href="#">Clean Air Scorecard Discussions ( By Invitation Only )</a>	6	25	<a href="#">Asian Cities with Dirtiest Air: To rank or not to rank?</a> By <a href="#">may</a> 19 Aug 2010

GRI = Global Reporting Initiative.

Source: <http://cleanairinitiative.org/portal/communities>



## Community of Practice Features

CoPs were created to ensure that the knowledge that is shared among members is captured and cross-referenced with other information available on the Clean Air Portal. Registration with the portal is mandatory if one wishes to participate in online discussions (either by posting a new topic, replying to a thread, or uploading an attachment). Registration automatically creates a personalized user profile that CoP members can use to send direct e-mail messages to one another.

In a regular mailing list (e.g., listserv), all discussions take place via e-mail. While the majority of stakeholders still use e-mail as a primary communications tool, the opportunity to share knowledge using e-mail alone is diminished since information is passed on only to the e-mail recipients. Newcomers to the discussion may find it difficult to catch up since most of the discussions are unstructured, especially when the e-mail thread is forwarded repeatedly.

On the other hand, CoPs and discussion groups on the portal take advantage of Drupal to ensure that discussion topics can be organized (i.e., tagged) according to interest and categorized according to relevance. Having separate CoPs involve only those portal members who are interested in the discussion itself.

CoPs also feature role-based membership, public and private discussions, moderation options, decentralization of content management, increased personal productivity, interactive networking, and increased convenience.

### Role-Based Membership

Each CoP and discussion group relies on the same platform as the Clean Air Portal; only registered members of the portal can join specific CoPs. Likewise, only CoP members may post new topics or reply to messages.

Users may join a specific CoP upon registration or by editing their account settings after registration. They may choose to check all options or none at all. "Digest" means that they receive a summary of discussions once a month in their inbox, while "Email" means that they receive individual messages.

### Public and Private Discussions

As stated, the Clean Air Portal features two public CoPs. This means that all discussions are visible to the public whether or not they are registered members of the portal. This allows transparency in the discussion and encourages members to write clearer messages.

In some cases, stakeholders prefer having a smaller discussion, but would like to avail of

**Figure 18 Users Select Their Settings When Registering for Communities of Practice**

**Communities**

Check this box if you want to receive a montly digest via e-mail with links to the discussions (this is for those who do not wish to receive frequent e-mail messages).	<input checked="" type="checkbox"/>	Air Quality (Digest)	
	<input checked="" type="checkbox"/>	Air Quality (Email)	Check this box if you want to receive individual e-mail notifications each time a member posts a new topic or replies to an existing discussion.
	<input type="checkbox"/>	Transport (Digest)	
	<input type="checkbox"/>	Transport (Email)	

Source: <http://cleanairinitiative.org/portal/user/register>



the advantages that the portal has over regular mailing lists. Sometimes, discussion topics are also politically sensitive. To address this need, the portal allows the establishment of private discussion groups such as the Clean Air Scorecard Group and the Sustainable Low Carbon Transport Group. All messages posted in a private discussion group are visible to its members only.

### Moderation Option

CoPs can assign a moderator who approves or rejects any new topic created by a CoP member. For example, if a researcher wants to ask for data on particulate matter in a specific city, he or she may create a new topic within the CoP. The moderator then has the responsibility to determine if the topic is relevant and to take appropriate action. This process prevents private sector interests from posting commercial advertisements and solicitations. It also prevents spam.

The moderation feature can also be extended to cover all replies within each topic. In this case,

the assigned moderator must approve or reject individual replies. The two CoPs on the Clean Air Portal, however, do not use this extended feature, as they wish to encourage openness and timeliness of discussions. Below is an overview of the user permissions for each CoP role.

### Decentralization of Content Management

Having a CoP that is closely integrated with a web portal allows CoP participants to contribute to content directly relevant to the interests of their peers. CoP discussions are archived and indexed on the Clean Air Portal, making it easier to share CoP outputs with a more general audience.

### Increased Personal Productivity

CoP members are able to share files with others more effectively on the CoP. Instead of e-mailing a document to a limited number of recipients, CoP members can upload a file to the Clean Air Portal server for other members to download at their own leisure. This prevents e-mail inboxes from exceeding their file space quota, and also allows the original sender to

**Table 5 Summary of Community of Practice Roles and Permissions**

Role	Permissions
<b>Administrator.</b> Portal-wide technical administration role assigned by the CAI–Asia Center.	<ul style="list-style-type: none"> <li>• Create a new CoP</li> <li>• Create forums</li> <li>• Add members to a CoP or forum</li> <li>• Assign and modify roles of CoP for forum members</li> <li>• Delete members</li> </ul>
<b>Moderator.</b> Person assigned to approve or reject messages. CoPs may have more than one moderator.	<ul style="list-style-type: none"> <li>• Approve or reject messages</li> <li>• Post messages</li> <li>• Delete messages</li> <li>• Tag attachments</li> </ul>
<b>Member.</b> A registered member of the Clean Air Portal who opted to join a specific CoP.	<ul style="list-style-type: none"> <li>• Post messages and attachments</li> <li>• View contact details of other members</li> <li>• Receive messages or digests via e-mail</li> <li>• Post messages via e-mail</li> </ul>
<b>Visitor.</b> A user of the Clean Air Portal who has not yet registered.	<ul style="list-style-type: none"> <li>• Join mailing list to receive e-mail alerts and newsletters</li> <li>• Read public discussions</li> <li>• Cannot post messages on CoPs</li> </ul>

CAI–Asia = Clean Air Initiative for Asian Cities, CoP = community of practice.

Source: ADB and CAI–Asia. 2010.



share large files (e.g., video and pictures) up to 64 megabytes.

### Interactive Networking

Members of the Clean Air Portal can access contact details and professional backgrounds of CoP other members by clicking on their respective profiles, and specific questions can be directed to those qualified to give reliable answers. CoP members can also send private messages to each other.

### Increased Convenience

Because the internet makes communication faster and inexpensive, CoPs allow for more efficient use of time and resources. In addition, by reducing the need to physically travel, it reduces the carbon footprint of each participant. Creating a new discussion topic under each CoP is similar to using web-based e-mail. As long as the member is logged in, he or she can participate from anywhere in the world.

**Figure 19 Community of Practice Discussions Tagged by Topic**






Pedestrians at Crossroads: A Case Study of Bangalore	India	Bangalore, India	Article
interesting news from Kathmandu			Message
Forum on Improving Pedestrian Facilities and Bikeways in Metro Manila (2005)	Philippines	Manila, Philippines	Event
Pedestrian-Friendly Streetscape in a Tropical Business District (2009)	Philippines	Makati, Philippines	
Walkability in Asia			Message
Terrible pedestrian infrastructure in Kathmandu	Nepal	Kathmandu, Nepal	News
Pedestrians ignored, roads preferred over footpaths (2010)	India	Mumbai, India	
Walkability Index and its Relevance for Transport Planning (2006)			
Valley roads unfriendly for pedestrians	Nepal	Kathmandu, Nepal	News
Feet First comes to the 'hood; a Q&A with Executive Director Lisa Quinn By LeschiCC	US		News
The Right To Walk: - A Hyderabad Perspective (2006)	India	Hyderabad, India	

US = United States.

Note: In this example, a discussion on walkability appears as a link under the topic of "NMT-Walking." NMT means non-motorized transport.

Source: [http://cleanairinitiative.org/portal/communities/transport\\_forum](http://cleanairinitiative.org/portal/communities/transport_forum)

**Figure 20 Community of Practice Link to Attached Files**

ATTACHED FILES	
File(s)	Size
 <a href="#">Attributing_climate_forcing_to_economic_sectors.pdf</a>	781334
 <a href="#">MotorcycleNew_2006.xls</a>	21504
 <a href="#">2010_TF_Program_Overview_23_March.pdf</a>	105452
 <a href="#">Final_Draft_Report_on_Institutional_Arrangments.pdf</a>	877285
 <a href="#">Ring_Road_Map.ppt</a>	680448
<a href="#">View More</a>	

Source: [http://cleanairinitiative.org/portal/communities/transport\\_forum](http://cleanairinitiative.org/portal/communities/transport_forum)



**Figure 21 List of Members of the Sustainable Transport Community of Practice**

MEMBERS	
Username	Last Access
mike	26 Aug 2010
may	26 Aug 2010
Sudhir Gota	25 Aug 2010
flsantos	25 Aug 2010
mcpatdu	25 Aug 2010
alvin_mejia	25 Aug 2010
Paiva	25 Aug 2010
krpande	25 Aug 2010
normany71	24 Aug 2010
su	23 Aug 2010
<a href="#">View More</a>	

Source: [http://cleanairinitiative.org/portal/communities/transport\\_forum](http://cleanairinitiative.org/portal/communities/transport_forum)

**Figure 22 Creation of a New Discussion Topic under a Community of Practice**

Subject: \*

Message: \*

Enable rich-text

Input format

Attachment:

Choose File No file chosen Upload

Maximum Filesize: 64 MB  
Allowed Extensions: pdf doc docx xls xlsx ppt pptx jpg jpeg gif png

Add another item

Source: [http://cleanairinitiative.org/portal/node/add/transport\\_forum?edit\[taxonomy\]\[7\]=468](http://cleanairinitiative.org/portal/node/add/transport_forum?edit[taxonomy][7]=468)



## Using Information and Communication Technology to Strengthen Policy Development

KnowledgeAir raises several important implications and recommendations that ICT has on the policy formulation and development process.

- **Improved participation in the policy process.** The increased interaction and involvement of stakeholders gives them an opportunity to be heard and thus to shape the final policy draft. Therefore, ICT should be institutionalized so that policies intended for public consultation or dissemination are uploaded onto a government website, in addition to print publication in a newspaper or gazette.
- **Shorter time frame for consultation.** Stakeholder consultation is typical of a democratic process, but inherent inefficiencies in soliciting comments when consultation is done through face-to-face meetings can slow down policy formulation and development. By the time comments are solicited, it is often too late to make substantive changes to the draft policy. Therefore, ICT tools should be used whenever possible to allow for a quicker turnaround time for stakeholders to share their opinions.
- **Increased transparency.** ICT opens up the policy-making process, resulting in a greater level of trust, credibility, and support from stakeholders. While this is certainly possible (and necessary) in face-to-face consultation, ICT allows more people to be involved. A conference room may comfortably hold a dozen people, while conference halls may hold hundreds; yet a website can attract thousands, and over time, millions of viewers. More webinars in the region should be organized so that this medium can gradually be mainstreamed. Policy makers should be encouraged to participate in public CoPs so that the general public can be made aware of the process.
- **Opportunities for learning.** ICT presents policy makers and other stakeholders with the means to learn about new ideas and tools, especially in the context of strategic alliances—"cooperative agreements between two or more organizations" or more accurately, "a voluntary, formal arrangement between two or more parties to pool resources to achieve a common set of objectives that meet critical needs while remaining independent entities."<sup>22</sup> ICT applications break down the cost and institutional barriers that may otherwise prevent the sharing of information among parties. Thus, learning materials should be kept online and free to download; mutual (rather than one-sided) learning opportunities should be fostered, keeping in mind the asymmetries that exist among organizations (i.e., if one organization is larger or possesses more knowledge); and e-learning modules, webinars, and online discussion forums should be used to encourage a culture of continuous learning and sharing among policy makers.
- **Strengthened links with other networks.** ICT provides opportunities for policy makers to work with external stakeholders, bypassing rigid and formal bureaucratic structures. However, little has been written about how these networks can be used for strategic development, management, capacity building, and ways to evaluate performance. Box 3 contains 10 principles of supporting networks, and some keys to success that networks need (footnote 17).
- **Tools for monitoring and evaluation.** Online communities can benefit from feedback, and ICT can help apply tools that evaluate their effectiveness and efficiency. A number of tools were summarized in an ADB *Knowledge Solutions*

<sup>22</sup> O. Serrat. 2009. Learning in Strategic Alliances. *Knowledge Solutions*. September. Manila: ADB. [www.adb.org/documents/information/knowledge-solutions/learning-in-strategic-alliances.pdf](http://www.adb.org/documents/information/knowledge-solutions/learning-in-strategic-alliances.pdf)

paper, which is available online.<sup>23</sup> Therefore, criteria, indicators, and metrics should be implemented to assess the purpose,

performance, and future directions of the specific community or network of practice as it applies to policy development.

### Box 3 Supporting Networks: 10 Principles

1. Networks are complex. There are no templates for success, and one should expect setbacks.
2. Work with networks to agree on their functional balance and support that balance.
3. Interventions to develop a network cannot be conceptualized as projects driven by a logical framework; other approaches such as outcome mapping can provide a better alternative.
4. Support networks to function as networks with and through their members rather than to deliver specific services that could be delivered by their members or other types of organizations.
5. Do not treat networks as traditional nongovernment or civil society organizations, and do not allow funds to undermine community-building functions.
6. When networks carry out a funding role, ensure that they have the necessary skills and that other functions are not affected.
7. Network support time frames should consider the different stages of network development.
8. Appropriate support for the network and its members is needed to develop the right competencies and skills to collaborate.
9. A culture of knowledge and learning is a cornerstone of network development.
10. Sustainability should be judged against the need of the members of the network.

#### Some Keys to Success

**Clear governance agreements.** Networks need clear governance agreements to set objectives, identify functions, define membership structures, make decisions, and resolve conflicts.

**Strength in numbers.** The larger the numbers involved, the greater the political weight that will be given to networks.

**Representativeness.** Representativeness is one key source of legitimacy and thereby influence.

**Quality of evidence.** The quality of knowledge products and services affects both the credibility and legitimacy of arguments.

**Packaging of evidence.** Good packaging of knowledge products is central to effective communication.

**Persistence.** Influence often requires sustained pressure over a long period.

**Membership of key individuals.** The membership of influential figures in the policy arena will strengthen networks.

**Making use of informal links.** Informal links are critical to achieving many network objectives.

**Complementing official structures.** By their nature, networks add most value when they complement, rather than duplicate, official structures.

**Good use of information and communication technology and other networking opportunities.** Information and communication technology is opening up great potential for knowledge networking.

Sources: E. Mendizabal. 2008. Supporting Networks: Ten Principles. *Overseas Development Institute Opinion*. [www.odl.org.uk/publications/opinions/105-enrique-mendizabal-supporting-networks.pdf](http://www.odl.org.uk/publications/opinions/105-enrique-mendizabal-supporting-networks.pdf); and J. Court and E. Mendizabal. 2005. Networks and Policy Influence in International Development. *Euforic E-Newsletter*. [www.euforic.org/docs/200505241513335135.pdf](http://www.euforic.org/docs/200505241513335135.pdf)

<sup>23</sup> Footnote 17.



SWOT<sup>24</sup> analysis, results-based management, logical framework analysis, outcome mapping, and appreciative inquiry are some techniques available for monitoring and evaluation.

- **Stakeholder ownership and awareness.** Because ICT involves more people in policy formulation, there is a greater chance that the policy can be implemented. A sense of ownership will at least make it acceptable to the general public. Similarly, ICT allows issues to be discussed and debated in the public arena, raising awareness of the issues at stake, the challenges faced, and the menu of solutions available. Social networking sites, like Facebook, also give added publicity to proposed legislation, ordinances, action plans, or campaigns. ICT should be used to promote specific policies and actions, but the delivery mechanism must be carefully selected. Too much e-mail is considered spam, and uploading every campaign onto a single website may dilute other equally important activities. There is no one-size-fits-all approach, yet the medium must fit the message.
- **Transfer of policy-making responsibilities.** Perhaps the most important opportunity that ICT brings to policy development is that a new generation of policy makers can more actively participate in the policy development process along with senior policy makers. Senior policy and decision makers also have greater flexibility in delegating tasks to more junior staff members, such as browsing the web for information on policies elsewhere or participating in CoPs. The transfer of knowledge and responsibilities to future policy makers should be supported. A learning culture within and among institutions should be encouraged by allowing the

introduction of new technologies to force policy makers and their staff to constantly innovate and improve their own work methods. Constant skills improvement during policy formulation and development may require a learning curve, but the efficiency gains presented by ICT will save more time and effort in the long term.

However, the way in which ICT influences policy making depends on the ICT delivery mechanisms that are used to share data, information, and knowledge. Four of the most popular mechanisms are (i) websites (e.g., the Clean Air Portal), (ii) e-mails, (iii) CoPs, and (iv) webinars, with each delivery mechanism providing increasing levels of interactivity. By conducting the three policy case studies (described in Part II of this report), the CAI-Asia Center found that the choice of technology by policy makers and stakeholders is directly proportional to their level of ICT knowledge and expertise. This is represented by Figure 23. In reality, there are inconsistencies (e.g., some users might find it easier to use e-mail than to surf certain websites).

### Websites


The first ICT delivery mechanism is the internet, specifically the web. Policy makers and subject-matter specialists are increasingly using websites to do research, validate data, conduct surveys, and disseminate findings. Many have e-mail accounts that are web-based. For example, in implementing the Clean Air Scorecard to three Southeast Asian cities, online research helped validate some of the assumptions and datasets used.

The level of interactivity that many websites can provide users is much higher than the expertise needed to search for and/or upload content, and for this reason, the Clean Air Portal was developed to provide repository of knowledge to

<sup>24</sup> Strengths, weakness, opportunities, threats.



**Figure 23 Level of Interactivity and Level of Experience**



ICT = information and communication technology.

Source: ADB and CAI-Asia. 2010.

inform the policy-making process. No specialized programming skills are required, and membership is not mandatory (unless users want to participate more actively).

Conditions for success of websites are as follows.

- **Broadband internet access.** Many websites contain programming logic that may take time to load unless the user has a digital subscriber line (DSL) or cable internet connection. Broadband access also makes it faster to maintain websites on the part of the content provider.
- **Updated browsers.** Due to the ubiquity of the Windows XP operating system, Internet Explorer 6.0 continues to be a common web browser despite being nearly a decade old. However, many websites no longer format properly in Internet Explorer 6.0, including the Clean Air Portal. The latest version, as of this writing, is 8.0, and upgrades are free. Users can also choose other browsers like Chrome, Firefox, and Safari, which are also available free of charge.
- **User-friendly content management system.** It is imperative that websites use a content management system to allow non-programmers to upload new information in real time; otherwise, the process becomes tedious and slow. The system provides registered members with a login name and password (including a process to retrieve forgotten passwords).
- **Technical support.** Even though a content management system makes web maintenance easier, organizations still need web developers (either full time or part time) to ensure that their websites operate 24 hours a day. This includes configuring the server, preventing security breaches, and scheduling regular backups.
- **Tagged content.** Drupal allows web pages to be tagged by country, city, topic, or content type. If content is not tagged properly, users will have a harder time locating online information. Correct use of tags, however, gives users multiple ways to finding relevant information.





## E-Mails

The second ICT delivery mechanism is e-mail. As everyone is well aware, e-mail has dramatically changed how people communicate. E-mail makes policy drafts easy to receive, comment upon, and forward to colleagues and stakeholders. All policy makers have an e-mail address (e.g., work e-mail or web-based e-mail like Yahoo! or Gmail). A growing number access e-mail through BlackBerrys or other smartphones, allowing the possibility of direct and immediate communication. In the vast majority of cases, e-mail is the primary medium of communication among policy makers, so much so that it is difficult to introduce them to more sophisticated ICT mechanisms like CoPs and webinars. At the same time, however, e-mail makes it easier to announce and promote these other delivery mechanisms. For example, the CAI-Asia listserv, which still has over 1,000 members, has standard text automatically appended at the beginning of each message to encourage members to register at the Clean Air Portal.

Conditions for success of the use of e-mails are as follows.

- **Relevant subject lines.** Reading e-mail can be very time-consuming, so it helps the recipient if subject lines are short and relevant. Sometimes, it is a good idea to retain subject lines to keep discussions together in a single "conversation," which is how Gmail categorizes e-mail threads.
- **Spam filters.** E-mail addresses are almost impossible to keep private, allowing the pos-

sibility for unscrupulous online marketers to harvest e-mail addresses, add them to their mailing lists, and send out unsolicited e-mails. Policy makers should take advantage of spam filters to prevent them from receiving unwanted e-mail. Many web-based e-mail accounts have built-in spam filters.

- **Deletion of long threads before forwarding to others.** Because e-mail makes it so simple to forward discussions to colleagues, it often becomes difficult to read through very long discussion threads. Policy makers, especially, often do not have the time to read through a long thread history. Senders should make sure to delete those sections that are no longer relevant to the discussion. Furthermore, deleting the older threads prevents e-mail addresses of earlier recipients from being exposed to potential spammers.
- **Clearing inboxes.** When an inbox is full (i.e., exceeds the e-mail quota), all future e-mails to that address will bounce. Policy makers need to be responsible for keeping their inboxes clutter-free.

## Communities of Practice

The third ICT delivery mechanism is CoPs. The term "communities of practice" was first popularized in 1991 by Jean Lave and Etienne Wenger in their paper "Situated Learning: Legitimate Peripheral Participation." Wenger would later define CoPs as "groups of people who share a concern or a passion for something they do and learn how to do it better as they interact regularly."

Not all communities and networks can be called a CoP. According to Wenger, three characteristics are crucial:<sup>25</sup>

<sup>25</sup> E. Wenger. 2006. Communities of Practice: A Brief Introduction. [www.ewenger.com/theory/communities\\_of\\_practice\\_intro.htm](http://www.ewenger.com/theory/communities_of_practice_intro.htm)

- **Domain.** A CoP is not merely a club of friends or a network of connections between people. It has an identity defined by a shared domain of interest. Membership therefore implies a commitment to the domain, and therefore a shared competence that distinguishes members from other people.
- **Community.** In pursuing their interest in their domain, members engage in joint activities and discussions, help each other, and share information. They build relationships that enable them to learn from each other. A website in itself is not a CoP.
- **Practice.** A CoP is not merely a community of interest, such as people who like certain kinds of movies. Members of a CoP are practitioners. They develop a shared repertoire of resources—experiences, stories, tools, ways of addressing recurring problems—in short, a shared practice. This takes time and sustained interaction.
- **Practice.** This is the body of information and knowledge, e.g., methods, stories, cases, tools, documents, and associated know-how. Each member has a practice in the domain, which other members recognize.

An online community is a group of people that share a common interest and use various internet-enabled media such as e-mail newsletters, newsgroups, web forums, and other applications; and communicate and interact primarily through for social, professional, or educational purposes. Online communities represent a broad range of subject areas from people interested in gardening and programmers developing public domain software, to environmental and political lobbyists. Online communities have also become a supplemental form of communication and collaboration for groups who interact offline in real time. Regardless of the diversity, a common feature of all online communities is the facility for members to communicate and share information through an interactive forum. The method of interaction is largely based on the needs of the users and the specific purpose of the community.

ADB expanded Wenger's definition to six: structure, domain, community, mandate, motivation, and practice.<sup>26</sup>

- **Structure.** This is the balance of formal and informal relationships. Hierarchy is not an important element to CoPs. Most CoPs cross-link organizational units and organizations.
- **Domain.** This is the definition of the area of shared inquiry (thematic orientation) and of the key issues that relate to it.
- **Community.** These are the relationships among active members and the sense of belonging that these give them.
- **Mandate.** This is the priority that management ascribes to the CoP, with resource implications. It defines the thematic focus and the expected results. It opens the space for self-commitment by members.
- **Motivation.** This is the personal interest and priority that members assign to the CoP in their daily work.

CoPs, on the other hand, are a specific kind of community—they are focused on a specific knowledge domain or discipline, with a membership of credible experts and practitioners. Most online communities focus on the social interaction, but CoPs are more goal-oriented. These members share knowledge and information, learn from each other, and usually work toward a defined purpose (e.g., research, policy making, technology development). The mission and expected results of each CoP vary depending on the group's domain, process, or practice. However, they all provide a venue for interaction that shares common value-contributing characteristics.

Unlike e-mail, CoPs allow more visible and transparent policy discussions to take place.

<sup>26</sup> O. Serrat. 2009. Cultivating the Communities of Practice Hosted by ADB. [www.adb.org/Documents/Presentations/Cultivating-CoPs.pdf](http://www.adb.org/Documents/Presentations/Cultivating-CoPs.pdf)



CoPs allow issues to be raised by people who are traditionally not associated with the policy-making process, such as newly established non-government organizations, competing private sector firms, the media, or people no longer associated with the policy-making process. For example, a recently retired government official from the Philippines was willing to share her knowledge on air quality and greenhouse gas management in Manila, which was made easier because there are less restrictions or sensitivities to worry about. This gives a more dynamic and open sharing of experiences. Discussions are free, documents can be uploaded and shared, and CoPs can co-exist with other discussion forums.

CoPs permit comments to be given early enough in the policy-making process, increasing the likelihood that these comments will be considered in the final version of the policy. It is estimated that the time frame for soliciting and receiving comments is three times faster via online CoP discussion than by traditional face-to-face public consultations (e.g., 1 month versus 3 months). Online CoPs also give international observers an opportunity to share experiences without having to travel overseas.

Online CoPs do not replace face-to-face meetings, nor are they intended to. On the contrary, online CoP discussions have created a demand for subsequent face-to-face interaction. For example, a member of the Air Quality and Co-Benefits CoP, who happened to be an engineer with the Institution of Engineers, Sri Lanka, was actively involved with the discussions on stationary source regulation. Then, he invited the CoP facilitator to deliver a public lecture on proposed emission standards for stationary sources. Conditions for success of CoPs for policy development support are as follows.

- **Facilitated discussions.** Experience from the three policy case studies in the next part has shown that CoP policy discussions are

only effective if there is a person assigned to facilitate the discussion. The facilitator is responsible for providing a background to the issue, posting guide questions, and summarizing discussions. The facilitator is also responsible for encouraging the stakeholder community to join the particular CoP. Often, the facilitator will repost e-mail messages that were sent to other online forums and listservs.

- **Private discussion groups.** There are cases when a smaller working group is necessary for policy development. These discussion groups can either be public or private, but KnowledgeAir found that the demand for private discussion groups is more common than public groups. The reason is that some people will communicate more openly if the discussion is not shared with the general public. This was the case with government representatives who took part in the Clean Air Scorecard application to their capital cities.
- **Framing discussions in a broader context.** CoP discussions can become a chaotic affair if facilitators do not keep discussions on topic. More importantly, however, is the need to relate how discussions fit into the overall policy-making process. Then, CoP members can see the immediate impact that the discussion will have, and be encouraged to share their ideas more often.
- **Active members.** The success and sustainability of CoPs depend on how active and committed the participants are. While 100% active participation is ideal, it is sufficient that a CoP can encourage a core group of members, with different points of view, to discuss and share information regularly. As long as discussions are ongoing, less active members might decide to participate at some point.
- **Adequate funding.** While setting up an online CoP is relatively inexpensive, maintaining one requires funding. Depending on how long the members plan to keep a CoP

running, sufficient budget needs to be allocated to pay for server and technical support for at least several years.

ADB has also identified a number of specific factors that characterize successful CoPs: strategic relevance; direct relevance to actual work; experts involved as members; relevant activities, with the right rhythm and mix; governance (i.e., there are clear roles and expectations); a dedicated, passionate, skillful, and well-respected coordinator; a consistent attitude to sharing and collaboration; a desire to participate; an organizational environment that supports participation; an appropriate medium of communication that adds value and helps deliver work programs; members encouraged to participate; communication, trust, rapport, and a true sense of community fostered through longevity; and a measurement mechanism to ensure success.<sup>27</sup>

### Webinars

The fourth ICT delivery mechanism is the webinar; it is also the most interactive technology tested under the policy case studies. Webinars are like seminars except that the speaker delivers the presentation entirely online to a remote audience using special software, like GoToWebinar ([www.gotowebinar.com](http://www.gotowebinar.com)). Interaction is a two-way process, just like in a face-to-face seminar, and voice communication is fully supported via voice over internet protocol (VoIP) or telephone. Speakers have full control over the delivery of their PowerPoint presentation, and questions and answers are fully documented in writing via chat. The entire session can also be recorded and played back for the benefit of policy makers who were not able to attend the live session. Webinars are especially useful in cases where a draft policy document is being reviewed, as changes can be made to the document in real time, in full view of all the participants.

The most compelling reason to hold a webinar, however, is the tremendous cost savings compared to an international seminar or workshop. Even if one assumes that the venue is free and meals are covered, the only variable cost of holding a webinar is the webinar software (Table 6).

Conditions for success of webinars are as follows.

- **Broadband internet access.** Webinars require a fast, reliable internet connection to work effectively. The software itself uses Java (a cross-platform programming language), and this requires installing a special plug-in, which is not an issue if the internet connection is good. Because broadband access is still limited in many developing Asian cities, it is recommended that participants physically gather themselves in a common room (e.g., conference room) with a computer, speaker, broadband internet access, and an LCD projector. Participants with a fast internet connection, however, can still choose to join webinars from the privacy of their homes.
- **Training for facilitators.** Conducting a webinar for an audience gathered in one room will require a facilitator. Although the software is intuitive and easy to use, there is still a learning curve for those who have never participated in a webinar before. Training for the facilitators is important in the days preceding the actual webinar session. It also ensures that the software is properly installed and tested.
- **Audio without video.** Experience has shown that bandwidth limitations prevent webinars from seamlessly delivering video and audio together. Even in North America, where residential broadband penetration rates are quite high, video quality can suffer when PowerPoint presentation files

<sup>27</sup> O. Serrat. 2008. Building Communities of Practice. *Knowledge Solutions*. October. Manila: ADB. [www.adb.org/documents/information/knowledge-solutions/building-communities-practice.pdf](http://www.adb.org/documents/information/knowledge-solutions/building-communities-practice.pdf)



are too large, or when connectivity is unreliable (e.g., free WiFi hotspots). To ensure a successful webinar, interaction between speaker and participants should be limited

only to voice, a PowerPoint presentation, and chat. Video currently consumes too much bandwidth. However, this situation is expected to improve over the next few years.

**Table 6 Estimated Cost Comparison for Face-to-Face Seminar vs. Webinar for Sri Lanka Policy Case Study**

Item	Seminar	Webinar <sup>a</sup>
Airfare (roundtrip economy)	\$1,800	
Philippines to Sri Lanka (2 people)	\$3,000	
United States to Sri Lanka (2 people)		
Per diem (2 days)		
2 CAI-Asia Center staff	\$100	
2 resource persons	\$100	
Hotel (2 nights)		
2 CAI-Asia Center staff	\$400	
2 resource persons	\$400	
Miscellaneous travel (4 people)	\$600	
Software		\$79
<b>Total</b>	<b>\$6,400</b>	<b>\$79</b>

CAI-Asia = Clean Air Initiative for Asian Cities.

<sup>a</sup> Cost of GoToWebinar software subscription for 1 month, with a maximum of 100 simultaneous connections.

Source: CAI-Asia. 2010.

## Policy Case Studies

### Subregional Case Study: Clean Air Scorecard for Bangkok, Thailand; Jakarta, Indonesia; and Manila, Philippines

This section presents the results of a sub-regional case study that was conducted for Southeast Asia, involving Bangkok, Thailand; Jakarta, Indonesia; and Manila, Philippines. As part of the case study, the Clean Air Scorecard was applied to these three capital cities to identify strengths and gaps in air pollution levels, management of air quality and climate change, and policies and measures to reduce air pollution and greenhouse gas emissions.

#### Challenges in Reducing Air Pollution and Greenhouse Gas Emissions

Rapidly developing cities in Asia are often at the center of economic, political, and sometimes cultural and educational activities of a country. Their uncontrolled population and motorization growth, however, has led to air pollution concerns, among other environmental and social challenges. This, in turn, impacts their livability and prospect for global business. In Hong Kong, China, for instance, a considerable number of residents and expatriates have either left or are considering leaving the city because of poor air quality.<sup>28</sup>

A challenge to addressing air pollution in these cities is territorial jurisdiction. Many now have urban centers sprawling outward, creating new

urbanized districts and even new cities that further contribute to the air pollution. With the onset of climate change issues in recent years, there has also increasing global pressure for Asian cities to reduce their greenhouse gas emissions on top of addressing local air pollution issues. In addition, reducing short-lived pollutants like ozone and black carbon provide immediate climate benefits, and their combined climate forcing may outweigh that of carbon dioxide over the next decades.

Rather than addressing each issue separately, cities have the opportunity to integrate air quality management and climate change mitigation efforts, given that air pollutants and greenhouse gases are generally emitted from same sources. As such, policy or technological solutions often overlap. A co-benefits approach to these two issues can maximize benefits and potentially reduce costs compared to treating air pollutants and greenhouse gases in isolation.

A rapidly urbanizing city should always assess the state of its air quality and determine the most effective measures available to reduce emissions of air pollutants and greenhouse gases. Objective assessments are important in policy making, as these determine needed policies and also assist in evaluating the effectiveness of measures. If cities within a country or a region make use of similar assessment methods and tools, this will also create a platform for exchange of learning and experience among them.

<sup>28</sup> M&C. 2010. One Third of Parents Consider Leaving Hong Kong over Air Pollution. 6 May. [www.monstersandcritics.com/news/health/news/article\\_1553637.php/One-third-of-parents-consider-leaving-Hong-Kong-over-air-pollution](http://www.monstersandcritics.com/news/health/news/article_1553637.php/One-third-of-parents-consider-leaving-Hong-Kong-over-air-pollution); and Channel News Asia. 2009. 1 in 5 Considering Leaving Hong Kong due to Pollution, According to Survey. 5 January. [www.channelnewsasia.com/stories/afp\\_asiapacific/view/400365/1/.html](http://www.channelnewsasia.com/stories/afp_asiapacific/view/400365/1/.html)





## Clean Air Scorecard

### Need for Environmental Assessment Tools

While various tools exist to measure environmental performance, there is no generally accepted methodology for an objective, comprehensive assessment of a city's management of air pollutants and greenhouse gas emissions that also identifies areas in which it has improved. A city is traditionally evaluated using the good-versus-bad list analysis, merely based on available air quality data, such as "World's Top 25 Dirtiest Cities" or "Most Polluted Cities and Cleanest Cities."<sup>29</sup> These analyses provide an incomplete picture, because they often focus only on one or two pollutants. Further, they are subjective, as they

penalize cities that monitor air quality and rank them without recognizing measures and policies that the cities are currently implementing. As a consequence, these tools then do not provide guidance on areas of air quality management and specific measures on which cities can improve.

Policy makers at all levels (i.e., regional, sub-regional, national, and city) have always had considerable interest in comparing environmental trends, especially air quality, and associated policy measures have also contributed to more effective implementation of policies. Table 7 lists some of these tools or index systems and summarizes their coverage on air quality management.

**Table 7 Summary of Some Common Environment Assessment and Benchmarking Tools**

Tool	Description	Air Quality-Related Coverage
Greater Mekong Subregion Environmental Performance Assessment	Performance measured against intended change or targets previously set Country assessment only Qualitative analysis Reported in the subregional context	Limited only to an assessment of existence and levels of ambient air quality standards and pollution index system
OECD Environmental Performance Review	Country assessment only OECD and a few other countries only (the People's Republic of China, Japan, and the Republic of Korea available for Asia) Performance measured against own national targets as well as international agreements Qualitative analysis Provides high-level recommendations	Very limited indicators for air and focus mostly on nitrogen dioxide and sulfur dioxide used for other OECD environment documents
Yale Environmental Performance Index	Country assessment only Developing and developed countries Performance-based indices	Covers air quality levels, especially PM <sub>10</sub> Emission levels (nitrogen dioxide and sulfur dioxide) Impacts on health, environment, etc. None on management and measures

OECD = Organisation for Economic Co-operation and Development, PM<sub>10</sub> = particulate matter with a diameter of 10 microns or less.

Sources: Greater Mekong Subregion Environment Operations Center. [www.gms-eoc.org/CEP/Comp3/Component3.aspx](http://www.gms-eoc.org/CEP/Comp3/Component3.aspx); OECD. Environment. [www.oecd.org/infobycountry/0,3380,en\\_2649\\_34307\\_1\\_1\\_1\\_1\\_37465,00.html](http://www.oecd.org/infobycountry/0,3380,en_2649_34307_1_1_1_1_37465,00.html); and Yale University. Environmental Performance Index 2010. <http://epi.yale.edu/>

<sup>29</sup> *Forbes*. 2008. World's 25 Dirtiest Cities. [www.forbes.com/2008/02/26/pollution-baku-oil-biz-logistics-cx\\_tl\\_0226dirtycities.html](http://www.forbes.com/2008/02/26/pollution-baku-oil-biz-logistics-cx_tl_0226dirtycities.html); and American Lung Association. 2010. State of the Air: 2010 Report. [www.stateoftheair.org/](http://www.stateoftheair.org/)



### Development Process of the Clean Air Scorecard

Recognizing this need, CAI-Asia developed an objective, comprehensive analysis tool for understanding the air quality management status in cities—the Clean Air Scorecard.<sup>30</sup> The development process involved (i) review of previous assessment tools, (ii) face-to-face consultations and presentations with various stakeholders, (iii) COP discussions (private and public) through the Clean Air Portal, and (iv) pilot implementation in selected cities.

In the 1990s, the United Nations Environment Programme (UNEP), the World Health Organization (WHO), and the Monitoring and Assessment Research Center (MARC) made many attempts to design benchmarking tools for air

quality management.<sup>31</sup> After 2000, CAI-Asia, with partners such as the Stockholm Environment Institute (through the Air Pollution in the Megacities of Asia [APMA] Program), ADB, and UNEP, updated the methodologies and applied them to selected cities in Asia.<sup>32</sup> These assessments were based on four indices: (i) air quality measurement capacity, (ii) data assessment and availability capacity, (iii) emission estimates capacity, and (iv) management enabling capacity. Each of the four indices was given 25 points, and the cities were then categorized based on their scores (Table 8).

These methodologies were successful in assessing the existence of capacities of cities in the four areas of air quality management but did not

**Table 8 Categories of Cities Based on Score Bands**

UNEP and WHO (1992) MARC, UNEP, and WHO (1996)		APMA and CAI-Asia (2002 and 2006)	
Category	Scores	Category	Score
Excellent	81–100	Excellent I	91–100
		Excellent II	81–90
Good	61–80	Good I	71–80
		Good II	61–70
Moderate	41–60	Moderate I	51–60
		Moderate II	41–50
Limited	21–40	Limited I	31–40
		Limited II	21–30
Minimal	1–20	Minimal	1–20

APMA = Air Pollution in the Megacities of Asia, CAI-Asia = Clean Air Initiative for Asian Cities, MARC = Monitoring and Assessment Research Center, UNEP = United Nations Environment Programme, WHO = World Health Organization.

Sources: UNEP and WHO. 1992. *Urban Air Pollution in Megacities of the World*. Oxford: Blackwell; WHO, UNEP, and MARC. 1996. *Air Quality Management and Assessment Capabilities in 20 Major Cities*. UNEP/DEIA/AR.96.2/WHO/EOS.95.7. Nairobi: UNEP; and data collected by APMA/CAI-Asia in 2002 and 2006.

<sup>30</sup> Clean Air Scorecard Version 1.0 was developed under the Sustainable Urban Mobility in Asia Program with support from ADB and the Swedish International Development Cooperation Agency (Sida). [www.cleanairinitiative.org/portal/Scorecard](http://www.cleanairinitiative.org/portal/Scorecard)

<sup>31</sup> UNEP and WHO. 1992. *Urban Air Pollution in Megacities of the World*. Oxford: Blackwell; WHO, UNEP, and MARC. 1996. *Air Quality Management and Assessment Capabilities in 20 Major Cities*. UNEP/DEIA/AR.96.2/WHO/EOS.95.7. Nairobi: UNEP.

<sup>32</sup> G. Haq et al. 2002. *Benchmarking Urban Air Quality Management and Practice in Major and Mega Cities of Asia: Stage 1*. Seoul: Korea Environment Institute; D. Schwela et al. 2006. *Urban Air Pollution in Asian Cities: Status, Challenges and Management*. London: Earthscan.



provide guidance to cities regarding what measures were necessary to implement. Box 4 lists additional gaps in previous assessments.

From October 2009 to July 2010, CAI–Asia conducted various presentations and consultations with experts and other stakeholders on the concept, principles, and structure of the scorecard:

- **October 2009.** ADB Environment CoP.
- **November 2009.** Second International Workshop on Regional Air Quality Management in Rapidly Developing Economic Regions in Guangzhou, People's Republic of China.
- **February 2010.** GTZ Training Needs Assessment Workshop (Southeast Asian Experts).
- **March 2010.** City presentations in the People's Republic of China (Hangzhou Environmental Protection Bureau, Hangzhou and Shanghai Environmental Monitoring Center, Shanghai).
- **May 2010.** CAI–Asia Board of Trustees and Partnership Council.
- **May 2010.** CAI–Asia Country Networks Coordinators and Staff.
- **June 2010.** Environmental Management Bureau (Philippines).

Then, the scorecard was applied to three cities, and online discussions were held in June 2010 through private discussions under the Air Quality and Co-Benefits CoP. Furthermore, webinars were held with the three cities separately to discuss the preliminary results of the Clean Air Scorecard and verify results. Further, public discussions and private discussions (for invitees only) began in February 2010 ([www.cleanairinitiative.org/portal/node/2422](http://www.cleanairinitiative.org/portal/node/2422)).

Based on the review of existing tools, face-to-face consultations, application to three cities, and the online CoP discussions, views and opinions were summarized to support the development of the Clean Air Scorecard Version 1.0 and to identify areas for future improvement.

- **Name.** The tool was renamed the Clean Air Scorecard to reflect the co-benefits approach between air quality and climate change. In addition, the Clean Air Scorecard is known as the Clean Air Management Assessment Tool to focus on the assessment feature of the tool rather than the scoring.
- **Objective and balanced assessment.** The stakeholders emphasized that the Clean Air Scorecard should be developed knowing that it will be based on sound science

#### Box 4 Gaps in Previous Air Quality Management Assessments

- Limited number of indicators regarding clean air policies and legislation relevant to the city.
- Limited to comparing with compliance to air quality standards or to other relevant targets (e.g., emissions reduction targets).
- Indicators mostly focused on transport emissions, affecting the scope of applicability of the assessment, as there are several Asian cities that have stationary sources and/or area sources as their main concern.
- Covered only traditional air pollutants (i.e., carbon monoxide, lead, nitrogen dioxide, ozone, particulate matter, and sulfur dioxide) and did not include greenhouse gases and toxic air pollutants.
- Does not guide cities in identifying priority improvement areas and actual measures that can help strengthen and improve their capacity to reduce emissions.

Source: ADB and CAI–Asia. 2009.

and principles of air quality management. Further, it should maintain the balance between being an academic exercise and its usefulness and applicability, as well as between its comprehensiveness and ease-of-use.

- **Scope of the tool and structure.** The tool should accommodate revisions for more pollutants (including greenhouse gases and toxic air pollutants), indicators relating to enforcement and implementation, more sources of pollution, and more measures and policies.
- **Use of the tool.** For the tool to be useful, the scoring structure should allow cities to benchmark themselves and know strengths and gaps in their air quality management capacity and policies. It should help cities identify required policies and investments to improve air quality management, be applicable to many cities (i.e., from secondary cities to megacities), and allow updates annually or every 2 years. Furthermore, the tool should be used more to help cities improve, and perhaps benchmark against best practice cities, rather than rank cities against each other.
- **Other.** Stakeholders' main concerns were credibility of data and answers, and transparency of scoring and methodology. Qualification of the reliability of information would be helpful, for example, by distinguishing between ad hoc monitoring results versus routine and comprehensive monitoring data, and similarly between recent health impact reports and older ones.

The Clean Air Scorecard incorporates three indices: (i) Air Pollution and Health,

(ii) Clean Air Management Capacity, and (iii) Clean Air Policies and Actions, which are capable of identifying potential improvement areas for the city (Figure 24).

Each consists of relevant questions for which points can be allocated. Higher scores indicate better air quality levels, management capacity, and policies and measures. The three indices contribute 33.3 points each to a total possible clean air score of 100. Similar to previous assessments, cities are also categorized based on their overall score (Table 9). The formula for computing the overall clean air score is

$$\begin{aligned} \text{Overall Clean Air Score [Total of 100]} \\ = (\text{Air Pollution and Health Index}/3) \\ + (\text{Clean Air Management Capacity} \\ \text{Index}/3) + (\text{Clean Air Policies and Actions} \\ \text{Index}/3) \end{aligned}$$

Whereby, each index has a maximum score of 100, and when divided by 3, can contribute a maximum of 33.3 points to the total score.


The Clean Air Scorecard is an Excel-based tool composed of questions that represent subindices and indicators relevant to the three indices (Appendix 1).

#### Air Pollution and Health Index

This index assesses air pollution levels of cities against WHO guideline values and interim targets (Table 11).

A "good air" day in this index, then, is in relation to the WHO guidelines rather than the city's ambient air quality standards, which are generally less stringent. This index includes seven pollutants;

**Figure 24 Overall Structure of the Clean Air Scorecard**



**Table 9 Score Bands for the Clean Air Scorecard**

Air Pollution and Health Index		Clean Air Management Capacity Index		Clean Air Policies and Actions Index		Overall Clean Air Score	
Category	Score Band	Category	Score Band	Category	Score Band	Category	Score Band
Excellent	81–100	Excellent	81–100	Excellent	81–100	Excellent	81–100
Good	61–80	Good	61–80	Good	61–80	Good	61–80
Moderate	41–60	Moderate	41–60	Moderate	41–60	Moderate	41–60
Poor	21–40	Limited	21–40	Limited	21–40	Limited	21–40
Very Poor	11–20	Minimal	1–20	Minimal	1–20	Minimal	1–20
Critical	1–10						

Source: ADB and CAI-Asia. 2009.

**Table 10 World Health Organization Guidelines and Interim Targets ( $\mu\text{g}/\text{Nm}^3$ )**

Pollutant Averaging Period	Annual $\text{PM}_{10}$	Annual $\text{PM}_{2.5}$	24-Hour $\text{SO}_2$	Annual $\text{NO}_2$	Annual Pb	8-Hour $\text{O}_3$	8-Hour CO
Air quality guideline	20	10	20	40	0.5	100	10,000
Interim target 3	30	15	–	–	–	–	–
Interim target 2	50	25	50	–	–	–	–
Interim target 1	70	35	125	–	–	160	–

– = no standard established,  $\mu\text{g}/\text{Nm}^3$  = microgram per Normal cubic meter, CO = carbon monoxide,  $\text{NO}_2$  = nitrogen dioxide,  $\text{O}_3$  = ozone, Pb = lead,  $\text{PM}_{2.5}$  = particulate matter with a diameter of 2.5 microns or less,  $\text{PM}_{10}$  = particulate matter with a diameter of 10 microns or less,  $\text{SO}_2$  = sulfur dioxide.

Sources: WHO. 2006. *WHO Air Quality Guidelines for Particulate Matter, Ozone, Nitrogen Dioxide and Sulfur Dioxide. Global Update 2005. Summary of Risk Assessment*. [http://whqlibdoc.who.int/hq/2006/WHO\\_SDE\\_PHE\\_OEH\\_06.02\\_eng.pdf](http://whqlibdoc.who.int/hq/2006/WHO_SDE_PHE_OEH_06.02_eng.pdf); WHO. 2000. *Guidelines for Air Quality*. [http://whqlibdoc.who.int/hq/2000/WHO\\_SDE\\_OEH\\_00.02\\_pp1-104.pdf](http://whqlibdoc.who.int/hq/2000/WHO_SDE_OEH_00.02_pp1-104.pdf)

a city is required to have, at a minimum, monitoring data for particulate matter with a diameter of 10 microns or less ( $\text{PM}_{10}$ ). The WHO guidelines and interim target 3 were considered as basis for the excellent category. Succeeding categories were based on interim targets 1 and 2 as well as annual average levels of Asian cities.<sup>33</sup>

For a city with data for different pollutants, the pollutant with the lowest score is considered the main pollutant of concern, and as such, the score considered in the computation of the city's overall

clean air score is based on the pollutant with lowest score under the air pollution and health index. When comparing cities, however, it is required that the cities' air pollution and health indices be based on the same pollutant or set of pollutants.

The results of the index are not a reflection of the levels of exposure of residents, as these take into account primarily the annual average concentrations of pollutants. This index then also does not represent the exceedance for short-term exposures to pollutants.

<sup>33</sup> For example, excellent is based on the WHO guideline of 20  $\mu\text{g}/\text{m}^3$  and interim target 3 of 30  $\mu\text{g}/\text{m}^3$ . Good and moderate categories are based on the interim target 2 of 50  $\mu\text{g}/\text{m}^3$  and the interim target 1 of 70  $\mu\text{g}/\text{m}^3$ , respectively. Poor and very poor categories are based on annual average  $\text{PM}_{10}$  of 101.23  $\mu\text{g}/\text{m}^3$  in 180 cities in Asia and the standard deviation of 50  $\mu\text{g}/\text{m}^3$ .

**Table 11 Category and Score-Banding for Air Pollution and Health Index**

Categories	Score Band	Concentration Levels ( $\mu\text{g}/\text{Nm}^3$ )						
		Annual Average of $\text{PM}_{10}$	Annual Average of $\text{PM}_{2.5}$	Annual Average of $\text{SO}_2$	Annual Average of Maximum Daily 8-Hour Value of CO	Annual Average of $\text{NO}_2$	Annual Average of Pb	Annual Average of Maximum Daily 8-Hour Value of $\text{O}_3$
Excellent	81–100	$\leq 30$	$\leq 15$	$\leq 10$	$\leq 10,000$	$\leq 40$	$\leq 0.15$	$\leq 100$
Good	61–80	31–50	16–25	11–20	10,001–12,000	41–50	0.15–0.30	101–125
Moderate	41–60	51–70	26–35	21–30	12,001–14,000	51–60	0.31–0.45	126–150
Poor	21–40	71–100	36–50	31–40	14,001–16,000	61–70	0.45–0.60	151–195
Very Poor	11–20	101–150	51–75	41–50	16,001–18,000	71–80	0.61–0.75	196–240
Critical	0–10	$\geq 150$	$\geq 76$	$\geq 51$	$\geq 18,001$	$\geq 81$	$\geq 0.76$	$\geq 241$

$\mu\text{g}/\text{Nm}^3$  = microgram per Normal cubic meter, CO = carbon monoxide,  $\text{NO}_2$  = nitrogen dioxide,  $\text{O}_3$  = ozone, Pb = lead,  $\text{PM}_{2.5}$  = particulate matter with a diameter of 2.5 microns or less,  $\text{PM}_{10}$  = particulate matter with a diameter of 10 microns or less,  $\text{SO}_2$  = sulfur dioxide.

Black Box Category: Since  $\text{PM}_{10}$  is the core pollutant, a city without, at the very least,  $\text{PM}_{10}$  data, is listed in this category.

Source: ADB and CAI-Asia. 2009.

### Clean Air Management Capacity Index

This index assesses a city's capacity to (i) determine sources of emissions and their contribution through an emission inventory; (ii) assess the status of air quality (includes monitoring, modeling, data analysis, and reporting); (iii) estimate impacts on health, environment, and economy; and (iv) reduce air pollution and greenhouse gas emissions through an institutional and policy framework and financing (Figure 25). This follows the general framework of drivers–pressures–status–impacts–response commonly used for organizing information about the state of the environment and assumes the cause–effect relationships of the interacting components of air quality management.

Each of its four subindices accounts for 25% of the Clean Air Management Capacity Index Score.

The Clean Air Management Capacity Index score is largely based on the APMA–CAI–Asia assessment but has been expanded to cover more indicators such as pollutants, emission sources, and type of impacts. Table 12 lists some of these changes.


The results of this index do not qualify the effectiveness of the capacity that is available in a city, only the existence of such a capacity. For

example, this index asks about whether air quality staff members are regularly trained but will not score according to the frequency of relevant training and seminars.


### Clean Air Policies and Actions Index

This index assesses the existence and enforcement of national and local policies and actions to address air pollutants and greenhouse gas emissions from mobile, stationary, area, and trans-boundary sources (Figure 26). The score for this index is composed of indicator shares representing the following main areas of policies and actions: (i) 30% for general clean air policy and actions, (ii) 30% for clean air policies and actions in transport, (iii) 25% for clean air policies and actions in energy and industry (representing stationary sources), and (iv) 15% for clean air policies and actions in other sources.

The shares of scores for the transport, and energy and industry sectors were determined by the fact that in most Asian cities, the two main sources of pollution are either transport or energy and industry. Area or other sources are usually the least contributing to emissions. In cases where transport and or industry may not be the major emissions sources, they are the sources with high growth rates.

**Figure 25 Subindices and Indicators for Clean Air Management Capacity Index**

Source: ADB and CAI–Asia. 2010.

**Figure 26 Subindices and Indicators for Clean Air Policies and Actions Index**

Source: ADB and CAI–Asia. 2010.

**Table 12 Comparison of Indicators Covered by Previous Assessments and Clean Air Scorecard**

Previous Assessments <sup>a</sup>	Clean Air Scorecard
<b>Pollutants Covered</b>	
Particulate matter	Criteria pollutants such as
SO <sub>2</sub> = sulfur dioxide	PM <sub>2.5</sub> = particulate matter with a diameter of 2.5 microns or less
NO <sub>2</sub> = nitrogen dioxide	PM <sub>10</sub> = particulate matter with a diameter of 10 microns or less
CO = carbon monoxide	SO <sub>2</sub> = sulfur dioxide
Pb = lead	NO <sub>x</sub> and/or NO <sub>2</sub> = nitrogen oxide and/or nitrogen dioxide
O <sub>3</sub> = ozone	Pb = lead
Hydrocarbons	O <sub>3</sub> = ozone
	CO = carbon monoxide
	Toxics and other pollutants such as
	As = arsenic
	Cd = cadmium
	Cr = chromium
	Hg = mercury
	Ni = nickel
	F = fluoride
	VOCs = volatile organic compounds (e.g., benzene)
	PAHs = polycyclic aromatic hydrocarbons (e.g., benzopyrene)
	Dioxins, furans
	Greenhouse gases such as
	CO <sub>2</sub> = carbon dioxide
	CH <sub>4</sub> = methane
	N <sub>2</sub> O = nitrous oxide
<b>Emission Sources</b>	
Domestic emissions	Land transport emissions (includes railway)
Commercial emissions	Water transport emissions
Power-generating facilities emissions	Air transport emissions
Industrial emissions	Emissions from power-generating facilities
Motor vehicles (cars, motorcycles, heavy-duty vehicles, buses)	Industrial emissions
Other (e.g., ships and aircraft)	<ul style="list-style-type: none"> <li>• Mining and quarrying</li> <li>• Manufacture of food, beverages, and tobacco</li> <li>• Textile, wearing apparel, and leather industries</li> <li>• Manufacture of wood and wood products, including furniture</li> <li>• Manufacture of paper and paper products, printing and publishing</li> <li>• Manufacture of chemicals and of chemical, coal, rubber, and plastic products</li> <li>• Manufacture of miscellaneous products of petroleum and coal</li> <li>• Manufacture of nonmetallic mineral products except petroleum and coke</li> <li>• Basic metal industries</li> </ul>
	Residential emissions
	Commercial emissions
	Emissions from community, social and personal services
	<ul style="list-style-type: none"> <li>• Sanitary and similar service</li> <li>• Laundries, laundry services, and cleaning and dyeing plant</li> </ul>

*continued on next page*



Table 12 *continued*

Previous Assessments <sup>a</sup>	Clean Air Scorecard
Type of Impacts	
Health impacts <ul style="list-style-type: none"><li>• Exposure assessments</li><li>• Epidemiological studies</li></ul>	Health impacts <ul style="list-style-type: none"><li>• Health surveillance system</li><li>• Exposure assessments</li><li>• Epidemiological studies<ul style="list-style-type: none"><li>– Ecological studies (rapid assessment)</li><li>– Cohort studies</li><li>– Case-control studies</li><li>– Cross-sectional studies</li><li>– Time series studies</li><li>– Proportionate mortality and morbidity studies</li><li>– Experimental studies</li></ul></li><li>• Quality of health impacts studies</li></ul> Environmental impacts and impacts to other sectors <ul style="list-style-type: none"><li>• Agriculture</li><li>• Materials (e.g., buildings and heritage structures)</li><li>• Tourism</li><li>• Vegetation</li><li>• Visibility</li><li>• Economy</li></ul>

<sup>a</sup> UNEP and WHO. 1992. *Urban Air Pollution in Megacities of the World*. Oxford: Blackwell; WHO, UNEP, and MARC. 1996. *Air Quality Management and Assessment Capabilities in 20 Major Cities*. UNEP/DEIA/AR.96.2/WHO/EOS.95.7. Nairobi: UNEP; and data collected by APMA/CAI-Asia in 2002 and 2006.

### Clean Air Scorecard Report and Use

The Clean Air Scorecard tool automatically generates a report with results for each index and subindex, as well as the overall clean air score, showing the strengths and weaknesses of the city for the assessment year (Figure 27). The Clean Air Scorecard results can help cities

- have a comprehensive understanding of the status of their air quality management,
- identify gaps in their air quality and greenhouse gas emission management strategies and activities,
- benchmark air quality and greenhouse gas emission management developments over time,
- identify concrete policies and measures to reduce emissions of air pollutants and greenhouse gases, and
- develop an integrated plan for air quality and greenhouse gas emission management.


Furthermore, the scorecard can help national governments, development agencies, donors, and other stakeholders

- understand where cities need help, which can be incorporated into national plans and policies, donor priorities, and technical assistance projects and loans;
- cluster cities and provinces according to capacity-building needs;
- compare cities using comparable methodology; and
- create a platform for exchange of lessons and experiences among cities.

### Clean Air Scorecard Application at the Subregional Level

Developing countries in Southeast Asia have a unique opportunity to upgrade their environmental management because of the strong

Figure 27 Snapshot of Clean Air Scorecard Report Page



Source: ADB and CAI-Asia. 2010.

support of the Association of Southeast Asian Nations (ASEAN) regional platform.<sup>34</sup> For this reason, the Clean Air Scorecard was piloted in Bangkok, Jakarta, and Manila to look at how these cities can be helped individually and how policy making can be improved in the subregion.

Bangkok, Jakarta, and Manila were also selected for the pilot implementation of the scorecard because of their similarities. These cities are the three biggest cities in the subregion, and with population of 9.7 million in Bangkok, 9.6 million in Jakarta, and 11.6 million in Manila, these cities contribute significantly to the urban population share in the country.<sup>35</sup> All three are coastal cities and also have expanded jurisdictions: the Greater Bangkok Metropolitan Area includes Bangkok City and five adjacent provinces, the Special Capital Territory of Jakarta (DKI) consists

of five cities and one regency, and Metro Manila is composed of 15 cities and two municipalities. The sheer size of these metropolitan areas poses a challenge in air quality management. These cities were also included in previous assessments (published in 2006), in which Bangkok had *excellent* overall air quality management capability while Metro Manila and Jakarta had *moderate* overall capability.

The results of the Clean Air Scorecard for the three cities showed that Bangkok has an overall higher clean air score than Jakarta and Manila. Both Bangkok and Jakarta have a good clean air score while Manila only has a *moderate clean* air score. On average, the three cities have the weakest scores in terms of the Air Quality and Health Index followed by the Clean Air Policies and Actions Index.

<sup>34</sup> Two ASEAN frameworks are relevant to clean air management: (i) the ASEAN Institutional Framework for Environmental Cooperation, and (ii) the ASEAN Institutional Framework for Haze Cooperation.

<sup>35</sup> United Nations Population Division, Department of Economic and Social Affairs. Urban Agglomerations 2007. [www.un.org/esa/population/publications/wup2007/2007urban\\_agglo.htm](http://www.un.org/esa/population/publications/wup2007/2007urban_agglo.htm)

**Table 13 Air Quality Management Results for Bangkok, Jakarta, and Manila, 2006**

City	Air Quality Measurement Capability	Data Assessment and Availability	Emission Estimates	Management Enabling Capabilities	Overall Score	
						Excellent
Bangkok	Excellent	Excellent	Good	Good	Excellent	Moderate
Jakarta	Moderate	Moderate	Good	Moderate	Moderate	Limited
Manila	Moderate	Limited	Good	Good	Moderate	Minimal

Source: D. Schwela et al. 2006. *Urban Air Pollution in Asian Cities: Status, Challenges and Management*. London: Earthscan.

**Table 14 Summary of Clean Air Scorecard Results for Bangkok, Jakarta, and Manila**

Index	Bangkok		Jakarta		Manila	
	Final Score	Band Category	Final Score	Band Category	Final Score	Band Category
Index 1 – Air Quality and Health Index	20.4	Good	19.3	Moderate	20.9	Good
Index 2 – Clean Air Management Capacity	26.6	Good	21.6	Good	17.7	Moderate
Index 3 – Clean Air Policies and Actions	21.6	Good	21.0	Good	20.8	Good
Overall Score	68.5	Good	61.9	Good	59.4	Moderate

Source: ADB and CAI-Asia. 2010.

The main common areas for improvement for the three cities, and thus potential areas for future collaboration, are as follows.

- **Air quality and health.** The cities should further improve their air quality but should especially focus on PM<sub>10</sub> because this is currently the pollutant with the lowest score for all cities.
- **Clean air management capacity.** While all three cities have opportunities to strengthen their monitoring systems, the true gaps are found in Manila's monitoring system, which is currently very limited. At a minimum, Manila should install monitoring systems covering all of Metro Manila and including all criteria pollutants. Jakarta has a monitoring system, but quality assurance and control processes could be improved, and lead monitoring should be installed. Bangkok's system is very good and could advance to the next level by adding toxic
- air pollutants. Further, emission inventories in the three cities focus on land transport but fail to include water and air transport. Finally, impact assessments are conducted for Bangkok, except for impacts on agriculture. Both Jakarta and Manila need to invest especially in health impact assessments, which are virtually absent.
- **Clean air policies and actions.** There are specific clean air acts for the Philippines and Indonesia, but these are over 10 years old and need to be reviewed. Thailand has embedded air quality management in sector policies, but there is an opportunity to integrate it further in case a climate change act is developed. All cities and countries have policies that cover the main sources of transport, and energy and industry pollution; however, for energy and industry, these tend to be more focused on traditional command-and-control approaches, and could be supplemented with more incentives for

energy efficiency. For transport, improvements to fuel quality and vehicle emission standards are progressing slowly. So far, only Thailand has proposed fuel economy standards, thus representing a clear focus area, especially if combined with stricter enforcement of vehicle inspection and maintenance rules. Notably, policies that promote clean technologies are very limited for all sources, and given the emphasis of climate change talks on technology transfer, this is a truly missed opportunity.

### Clean Air Scorecard Application for Bangkok


Bangkok is the capital city of Thailand, composed of 50 districts administered by the Bangkok Metropolitan Administration (BMA). In recent years, Bangkok has experienced a large influx of foreigners along with domestic population growth. The urban sprawl of the city has extended beyond the borders of Bangkok, spilling into five neighboring provinces (i.e., Nakhon Pathom, Nonthaburi, Pathumthani, Samut Sakorn, and Samut Prakan), comprising the Greater Bangkok Metropolitan Area. City authorities estimate Bangkok's population at nearly 10 million, comprising 15% of the country's total population and

with a density at 6,450 persons per square kilometer. Bangkok accounts for over 40% of Thailand's gross domestic product (GDP) and has one of the highest GDPs per capita in Southeast Asia.

Aside from being the political, administrative, economic, and cultural center of Thailand, Bangkok is also the country's hub for national roads, rail, aviation, and communications. Bangkok has an estimated population of 7 million vehicles, around 60% of which are passenger cars and the rest are mostly motorcycles.<sup>36</sup>

At the national level, the Ministry of Natural Resources and Environment has the mandate for the environment, and its Air Quality and Noise Management Bureau is under the Pollution Control Department and focuses on air quality management. At the city level, BMA is responsible for formulating and implementing policies regarding the management of Bangkok, including transport, urban planning, waste management, housing, roads and highways, security services, and the environment (including air quality management).

While Bangkok has made great strides in air quality management through strong implementation

	Map Reference:	13°44'N, 100°33'E
	United Nations Estimated Population (2010)	9,668,854
	Area	1,569 square kilometers
	Climate	Tropical savannah
	Annual Mean Precipitation	1,500 millimeters
	Temperature Range	25.1°C–33.3°C
	Gross Domestic Product per Capita at purchasing power parity (PPP)	\$8,056

Sources: Bangkok Metropolitan Administration. 2005. Bangkok Overview. [www.bangkok.go.th/en/dc-overview.php](http://www.bangkok.go.th/en/dc-overview.php); ADB. 2010. *Key Indicators for Asia and the Pacific 2010*. Manila; D. Schwela et al. 2006. *Urban Air Pollution in Asian Cities: Status, Challenges and Management*. London: Earthscan.

<sup>36</sup> Bangkok's vehicle population as of 2007 was 5,614,294 and increased at a rate of 700,000 a year from 2004 to 2007. BMA. 2009. Bangkok Assessment Report on Climate Change 2009. [www.roap.unep.org/pub/BKK\\_assessment\\_report\\_CC\\_2009.pdf](http://www.roap.unep.org/pub/BKK_assessment_report_CC_2009.pdf)



of air pollution reduction programs including proactive vehicle emission control activities, there is still more work to be done. Particulates remain a significant pollutant in Bangkok. In 2008, the annual average of  $PM_{10}$  was about 45  $\mu g$  per cubic meter ( $m^3$ ) from seven stations.<sup>37</sup> The Air Quality and Noise Management Division of the Pollution Control Department is now looking to expand current policies to monitor and address additional air pollutants (i.e., particulate matter with a diameter of 2.5 microns or less [ $PM_{2.5}$ ] and volatile organic compounds) and other sources (i.e., biomass). In May 2007, BMA initiated its own action plan to reduce greenhouse gas emissions in the city.<sup>38</sup> While this is separate from its air quality action, it builds on existing measures for air quality management.

Bangkok can benefit from undertaking an updated air quality management assessment to have a comprehensive understanding of its current status based on its recent activities. It can also help the city identify other areas that it still needs to reinforce and improve. Further, Bangkok can also share its best practices with other cities within the country and in the region.

### Overall Clean Air Score

The partially verified clean air score of Bangkok in 2010 is 68.5, which represents a good category of clean air management (Figure 28). Among the three indices, Bangkok scored highest in its capacity to manage air quality and scored lowest in the Air Pollution and Health Index (see Appendix B for detailed results for Bangkok).

### Air Pollution and Health Index

For the Air Pollution and Health Index, Bangkok had air quality data available for carbon mon-

oxide, nitrogen dioxide, ozone,  $PM_{2.5}$ ,  $PM_{10}$ , and sulfur dioxide for 2008. The Air Pollution and Health Index score of 20.4 is based on  $PM_{10}$  as the city's main pollutant of concern. According to the same index, the concentrations of  $PM_{2.5}$ , ozone, and carbon monoxide in 2008 were excellent. The Air Pollution and Health Index scores for  $PM_{10}$ , sulfur dioxide, and nitrogen dioxide were categorized as good (Figure 29).

It is surprising that data for lead was not readily available for Bangkok, even though it is monitored. While lead levels in the ambient air may have fallen when leaded gasoline was phased out almost 2 decades ago, it is still relevant to monitor this pollutant to assess its other sources. Lead monitoring is also very important as it is known to affect the cognitive development of young children. Thailand was one of the earliest countries in Asia to start (1984) and complete (1996) in the phaseout of leaded gasoline in Asia, almost at the same time as the United States.<sup>39</sup>

To put these scores in historic perspective, the trend of air quality levels of Bangkok is provided in Figure 30 to Figure 32. From these graphs, Bangkok's air pollution has reduced significantly for  $PM_{10}$  but has stabilized only for nitrogen dioxide and sulfur dioxide.  $PM_{10}$ , however, has continuously exceeded WHO guidelines by at least 200%. Nitrogen dioxide and sulfur dioxide levels are within WHO guidelines.

### Clean Air Management Capacity Index

Bangkok's Clean Air Management Capacity Index score is also considered good (26.6 points out of a total of 33.3). The scores for its four subindices are very similar and highest for the city's capacity to assess the status of air quality (i.e., air quality

<sup>37</sup> Data from seven monitoring stations in Bang Khunthien, Din Daeng, Huai Khwang, Intrapituk, Klong Chan, Lad Phrao, Thai Meteorological Department (Bangna), and Yannawa. Air Quality and Noise Information System. <http://aqnis.pcd.go.th/>

<sup>38</sup> CAI-Asia Center. 2009. Thailand Country Profile; and ASEAN and GTZ. Clean Air for Smaller Cities in the ASEAN Region. [www.citiesforcleanair.org/](http://www.citiesforcleanair.org/)


<sup>39</sup> ADB. 2003. *Reducing Vehicles Emissions in Asia*. Manila.

**Figure 28 Clean Air Score Summary for Bangkok, 2010**

**Clean Air Scorecard Results**

Clean Air Score for Bangkok in as of August 2010: 68.5 | Good

	Final Score	Band Category
Index 1: Air quality and health index	20.4	Good
Index 2: Clean air management capacity	26.6	Good
Index 3: Clean air policies and actions	21.6	Good



Source: ADB and CAI-Asia. 2010.

monitoring) and weakest in terms of capacity to determine sources of air pollution and their contribution (i.e., emission estimates) (Figure 33).

Bangkok is advanced in its collection of land transport data relevant to compiling emissions for the sector, scoring 6.3 out of 8.3 points (e.g., vehicle type, fuel type, year of manufacture, average trip length for each of the vehicle categories, occupancy ratios, emission factors, railway statistics, and fuel consumption), some of which are

rarely collected in other developing Asian cities. Emission inventories are also compiled for major industries.<sup>40</sup>

However, data for water transport and air transport emission sources are very limited (e.g., ship age, ship refueling frequency, aircraft type and age, and aircraft refueling). In the case of water transport, this is surprising, as Bangkok is traversed by the Chao Praya River, which is connected to hundreds of klongs (canals) that


<sup>40</sup> Including basic metal industries; manufacture of food, beverages and tobacco, textiles, wearing apparel, leather, wood and wood products, paper and paper products, chemicals, chemical products, coal products, rubber products, miscellaneous products of petroleum and coal, and nonmetallic mineral products except petroleum and coke; mining and quarrying; and printing and publishing.


**Figure 29 Air Pollution and Health Index Score for Bangkok**
**Index 1: Air Pollution and Health Index**

Pollutant	Score	Category		
PM <sub>2.5</sub>	86.7	Excellent	<b>Final Score</b> 20.4 <b>Pollutant of Concern</b> PM <sub>10</sub> <b>Band Category</b> Good <b>Pollutants Considered</b> PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> , CO, NO <sub>2</sub> , O <sub>3</sub>	
PM <sub>10</sub>	61.1	Good		
O <sub>2</sub>	92.2	Excellent		
SO <sub>2</sub>	77.4	Good		
Pb	–	–		
NO <sub>2</sub>	77.6	Good		
CO	81.7	Excellent		

– = no data, CO = carbon monoxide, NO<sub>2</sub> = nitrogen dioxide, O<sub>3</sub> = ozone, Pb = lead, PM<sub>2.5</sub> = particulate matter with a diameter of 2.5 microns or less, PM<sub>10</sub> = particulate matter with a diameter of 10 microns or less, SO<sub>2</sub> = sulfur dioxide.


Source: Data from Klong Jun National Housing Authority Station, 2008.

**Figure 30 Trends of Ambient and Roadside PM<sub>10</sub> Concentrations in Bangkok**


µg/Nm<sup>3</sup> = microgram per Normal cubic meter; PM<sub>10</sub> = particulate matter with a diameter of 10 microns or less, WHO = World Health Organization.


Source: Pollution Control Department. 2009.



**Figure 31 Trends of Ambient and Roadside Sulfur Dioxide Concentrations in Bangkok**

hr = hour, µg/Nm<sup>3</sup> = microgram per Normal cubic meter, SO<sub>2</sub> = sulfur dioxide, WHO = World Health Organization.

Source: Pollution Control Department. 2009.

**Figure 32 Trends of Ambient and Roadside Nitrogen Dioxide Concentrations in Bangkok**

hr = hour, µg/Nm<sup>3</sup> = microgram per Normal cubic meter, NO<sub>2</sub> = nitrogen dioxide, WHO = World Health Organization.

Source: Pollution Control Department. 2009.

provide important transport infrastructure for both people and goods. Similarly, the city's Suvarnabhumi International Airport is considered one of the region's major travel hubs, and Don Muang Airport also serves as a domestic travel hub.

Bangkok is quite advanced in that it has compiled emission estimates for criteria and toxic pollutants (i.e., carbon monoxide, dioxins, furans, nitrogen oxide and dioxide, polycyclic aromatic hydrocarbons (PAHs), PM<sub>2.5</sub>, PM<sub>10</sub>, sulfur dioxide, and volatile organic compounds) including greenhouse gases (i.e., carbon dioxide, methane, and nitrous oxide). However, it can improve more in its future emission inventories, which do not cover arsenic, cadmium, chromium, mercury, or nickel.


Bangkok's capacity to assess its air quality status is good (scoring 6.9 out of 8.3). This capacity relies on a good ambient air quality monitoring system. Monitoring of air quality in the city started as early as 1983 and is conducted by two different government agencies. BMA, the city's local government, operates four fixed monitoring stations, while the Pollution Control Department of the country's Ministry of Natural Resources and Environment manages 17 fixed air quality monitoring stations, in addition to about 81 temporary units.<sup>41</sup> Bangkok therefore complies with European Union criteria for the number of stations based on population.<sup>42</sup> Benzene, carbon monoxide, formaldehyde, lead, nitrogen dioxide, ozone, particulate matter, sulfur dioxide, and toluene are monitored, as are noise and meteorological parameters.

**Figure 33 Clean Air Management Capacity Index Score for Bangkok**

**Index 2: Clean Air Management Capacity Index**

	Final Score
Capacity to determine sources of air pollution and their contribution	6.3
Capacity to assess the status of air quality	6.9
Capacity to estimate impacts of air pollution	6.8
Capacity to respond to air pollution	6.5
<b>Total</b>	<b>26.6</b>

**Distribution of Scores under Clean Air Management Capacity**



Source: ADB and CAI-Asia. 2010.

<sup>41</sup> C. Vitoonpanyakij. 2008. Bangkok Air Quality Management and Climate Change. Presentation delivered at the Better Air Quality Conference, Bangkok, 12–14 November.

<sup>42</sup> Directive 2008/50/EC of the European Parliament and of the Council of 21 May 2008 on Ambient Air Quality and Cleaner Air for Europe.

Bangkok also employs a range of dispersion modeling tools to aid in air quality management, from simple box models to more complex types (e.g., chemical mass balance models, Eulerian dispersion models, Gaussian dispersion models, hybrid statistical models, and Lagrangian dispersion models). The modeling capacity even allows the city to use geographic information system (GIS) mapping to identify spatial distribution of pollution as well as to conduct air quality forecasting.<sup>43</sup>

Air quality monitoring results in Bangkok are maximized by disseminating them through various media including newspapers (e.g., the *Bangkok Post*), websites (e.g., [www.pcd.go.th](http://www.pcd.go.th), [www.aqnis.pcd.go.th](http://www.aqnis.pcd.go.th), [www.thaisnews.com](http://www.thaisnews.com)), television, and radio (Department of Public Radio FM 92.5 MHz). An air quality index was established to easily explain air quality to the public, and Bangkok also issues air quality warnings during air pollution episodes.<sup>44</sup>

Bangkok also has strong capacity to estimate the impacts of air pollution on public health (scoring 6.8 out of 8.3); the economy; and other vulnerable sectors such as materials (i.e., buildings and heritage structures), tourism, vegetation, and even visibility. In terms of health impacts, exposure assessments and epidemiological studies are also conducted in Bangkok. Various studies on this area, covering different designs of exposure and epidemiological studies (including cross-sectional, panel design, time series, and case-control types) have been published in peer-reviewed journals.<sup>45</sup>

Air quality management in Bangkok is not the work of one single organization. At the national level, the Air Quality and Noise Management Division of the Pollution Control Department,

based in Bangkok, looks after the air quality issues of the country, including Bangkok. At the province and city levels, BMA's Department of Environment is responsible. These two offices employ no less than 70 people working on air quality management (excluding technical consultants and contractors involved in air quality monitoring). These staff members also receive regular training on air quality management and relevant topics. Table 16 lists the different organizations involved in managing mobile emissions in Bangkok.

Another important management enabling capacity in Bangkok is the existence of a review system for policies in which multiple stakeholders from industry, the private sector, specialized technical and scientific organizations, the media, nongovernment organizations, and communities can also be involved.

In terms of financing, a budget for air quality management is earmarked for Bangkok to cover activities, which include air quality monitoring, control measures for transport, control measures for industry, control measures for other sources, enforcement of legislation, staff training and capacity building, and evaluation of effectiveness of legislation and policies. The budget, however, does not cover conduct of emission inventories nor of health impact assessments. This budget is obtained from various financing sources (e.g., central and local governments, grants, and loans).

### Clean Air Policies and Actions Index

Bangkok has a good score for the Clean Air Policies and Actions Index, (scoring 21.5 out of 33.3). The index shows that Bangkok has a strong general policy framework, followed by policies and actions to address transport emissions. The

<sup>43</sup> For Bangkok, a 24-hour air quality forecast is available at [www.pcd.go.th/AirQuality/bangkok/Graph/createFc.cfm](http://www.pcd.go.th/AirQuality/bangkok/Graph/createFc.cfm)

<sup>44</sup> Air Quality Monitoring. <http://infofile.pcd.go.th/air/AQI.pdf>

<sup>45</sup> The Health Effects Institute compiles some of these studies in the Public Health and Air Pollution in Asia: Science Access on the Net database. [www.healtheffects.org/Asia/papasan-summaries.htm#thailand](http://www.healtheffects.org/Asia/papasan-summaries.htm#thailand)



city, however, is relatively weak in its policies and actions to address other emission sources.

Bangkok's air quality improvement is known to be a success even if the country does not have any overarching policy specific to air pollution. There are opportunities for Thailand to draft national legislation that would address both emissions of air pollutants and greenhouse gases. Alternatively, Bangkok can also strengthen its

climate-related plans by explicitly implementing the co-benefits approach to maximize benefits for health, air quality, and climate change.

The high scores for policies and actions in the transport sector are attributed to strong policies for sustainable transport and fairly advanced fuel quality and vehicle emission standards. Bangkok is implementing Euro 3 standards, while others in the region are still at Euro 2.<sup>46</sup>

**Table 15 Agencies Involved in Air Quality Management in Bangkok**

Component	Agencies
Transport Source Control	Pollution Control Department under the Ministry of Natural Resources and Environment Department of Land Transport under the Ministry of Transport and Communications Bangkok Metropolitan Administration Energy Policy and Planning Office under the Department of Energy Thai Industrial Standards Institute under the Ministry of Industry Bangkok Mass Transit Authority under the Ministry of Transport and Communications Department of Commercial Registration under the Ministry of Commerce Royal Thai Police under the Ministry of Energy
Road Dust and Other Sources Control	Bangkok Metropolitan Administration Pollution Control Department under the Ministry of Natural Resources and Environment Department of Industrial Works under the Ministry of Industry
Air Quality Monitoring and Public Awareness Raising	Pollution Control Department under the Ministry of Natural Resources and Environment Office of Natural Resources, Environmental Policy and Planning under the Ministry of Natural Resources and Environment Bangkok Metropolitan Administration Bureau of Environmental Health, under the Ministry of Public Health Nongovernment organizations
Transport Management	Bangkok Metropolitan Administration Office of Transport and Traffic Policy and Planning under the Ministry of Transport Metropolitan Rapid Transit Authority, a state-owned enterprise, under the Ministry of Transport and Communications Express and Rapid Transit Authority, a state-owned enterprise, under the Ministry of Transport and Communications Department of Highway under the Ministry of Transport and Communications State Railway of Thailand under the Ministry of Transport and Communications Department of Land Transport under the Ministry of Transport and Communications Bangkok Mass Transit Authority under the Ministry of Transport and Communications

Source: Joint UNDP/World Bank Energy Sector Management Assistance Programme. 2008. Developing Integrated Emissions Strategies for Existing Land-transport (DIESEL). [www.cleanairnet.org/caiasia/1412/article-72628.html](http://www.cleanairnet.org/caiasia/1412/article-72628.html)

<sup>46</sup> Euro: Shorthand reference for European emission standards. For light-duty vehicles, the phases of the standards as implemented over time are referred to as Euro 1, Euro 2, etc. Source: ADB and CAI-Asia. 2008. *A Road Map for Cleaner Fuels and Vehicles in Asia*. <http://cleanairinitiative.org/portal/node/3632>

Implementing fuel economy standards are very important, because Bangkok is fast becoming the biggest car market in Southeast Asia due to both domestic and international demand. Japanese car manufacturers have been moving their production demands to Thailand because of competitive exchange rates as well as the government's strong support for the industry.<sup>47</sup>

The policies and actions of Bangkok to manage emissions from energy and industry can be characterized by good permitting, strong compliance monitoring, and comprehensive penalty systems. Bangkok generally has good permitting programs and measures for stationary sources (e.g., environmental impact assessment requirements) but has some weakness in terms of technology transfer, including reference documents for best available technologies.

In terms of compliance monitoring, Bangkok is quite sophisticated. It has already initiated continuous emission monitoring that is directly linked with the Pollution Control Department database, on top of common measures such as mandatory monitoring and inspection by the government, self-monitoring, and compliance monitoring by industry or establishments.


The penalty systems in place are also comprehensive in Bangkok, because the city implements a fine system, permit and license suspension, license termination, temporary or permanent closure, and blacklisting of industries. Bangkok has limited energy efficiency and conservation programs and measures, which only include promotion activities and tax incentives. No mandatory audits are implemented nor is the reporting of energy consumption to the government.

**Figure 34 Clean Air Policies and Actions Index Score for Bangkok**

**Index 3: Clean Air Policies and Actions Index**

	Final Score
Indicators of general policies and actions in air quality	7.0
Indicators of clean air policies and actions in transport sector	6.6
Indicators of clean air policies and actions in energy and industry	4.6
Indicators of clean air policies and actions for other sources	3.3
<b>Total</b>	<b>21.5</b>


**Distribution of Scores under Clean Air Policies and Actions Index**



Source: ADB and CAI-Asia. 2010.

<sup>47</sup> L. Lin. 2010. Nissan's Waiting List Swells in Bangkok as Car Demand Surges. *Bloomberg*. 7 July. [www.bloomberg.com/news/2010-07-06/nissan-s-waiting-list-swells-in-bangkok-as-demand-overwhelms-car-factories.html](http://www.bloomberg.com/news/2010-07-06/nissan-s-waiting-list-swells-in-bangkok-as-demand-overwhelms-car-factories.html)



 <b>INDONESIA</b>	Map Reference:	6°07'S, 106°48'E
	United Nations Estimated Population (2010)	9,580,000
	Area	661.52 square kilometers
	Climate	Tropical wet and dry climate
	Annual Mean Precipitation	1,760 millimeters
	Temperature Range	23°C–31° C
	Gross Domestic Product per Capita at purchasing power parity (PPP)	\$4,149

Sources: DKI Jakarta. [www.jakarta.go.id](http://www.jakarta.go.id); ADB. 2010. *Key Indicators for Asia and the Pacific 2010*. Manila; D. Schwela et al. 2006. *Urban Air Pollution in Asian Cities: Status, Challenges and Management*. London: Earthscan.

Due to its culture, Bangkok has some unique sources of air pollution like crematoriums. Based on studies on different technologies for crematoriums, Bangkok, through its Department of Health, has established performance and emission standards for crematoriums. In addition, the Ministry of Public Health drafted standards for infectious waste incinerators.<sup>48</sup> Thailand also has a national master plan on open burning to reduce emissions from this source.

### Main Recommendations for Bangkok

The relatively good air quality levels in Bangkok prove that clean air can be achieved without a dedicated clean air act or law. Despite this, there is room to strengthen the management of emissions, as the recommendations show in Table 16.

### Clean Air Scorecard for Jakarta

Jakarta, officially known as Special Capital City of Jakarta (DKI), is the capital of Indonesia and located on the northeast coast of Java. Jakarta is actually a province, governed by a governor, and is composed of four cities each with a mayor, and a regency headed by a regent. Jakarta is a highly urbanized city that serves as the center of the country's economic, cultural, and political activities. Jakarta's land area of

661.52 square kilometers accounts for less than 0.4% of the country's total land area, and the city population accounts for about 4% of the country's total population. The city has a high population density of 13,474 inhabitants per square kilometer.

The city's economy depends heavily on the tertiary sector (i.e., financial services and trade) and some secondary industries (i.e., manufacturing) including electronics, automotive, chemicals, mechanical engineering, and biomedical sciences. The city has an average per capita income of \$10,000.

Jakarta has a vehicle population of 6.3 million, which is growing at a high rate of 13% annually (700 new vehicles daily). The fleet, however, is characterized by very high private vehicle ownership (89.00%, mostly motorcycles) and a very low public transport share of 1.35%.<sup>49</sup>

At the national level, the Ministry of Environment has the mandate for environmental issues, including air quality management, while at the local level, air quality management is the responsibility of the local governments. Due to a regional autonomy act, regional governments, such as Jakarta, have the authority to manage their own affairs, including development

<sup>48</sup> UNEP Regional Resource Center for Asia and the Pacific. 2003. Bangkok City State of the Environment Report. [www.rrcap.unep.org/pub/soe/bangkoksoe03.cfm](http://www.rrcap.unep.org/pub/soe/bangkoksoe03.cfm)

<sup>49</sup> Indonesian Country Report on Environmentally Sustainable Transport Implementation. 2009. Presented at the Fourth Regional Environmentally Sustainable Transport Forum, Seoul, 24–26 February.

**Table 16 Recommendations for Bangkok**

Recommendations	Priority
<b>Air Pollution and Health Index</b>	
Make all air quality data readily available for analysis (e.g., lead)	Medium
<b>Clean Air Management Capacity Index</b>	
Monitor air quality for more pollutants (e.g., toxic air pollutants and heavy metals).	Medium
Inventory emissions for more sources (specifically water transport and air transport).	High
Compare different air quality and dispersion models.	Medium
Improve dissemination of air quality-related information by translating to English.	Medium
Study impact of air pollution on agriculture, which could be linked to an impacts assessment of climate change on agriculture (food security).	High
Create a cohort health study involving universities.	Low
<b>Clean Air Policies and Actions</b>	
Develop national legislation on mitigating emissions of air pollutants and greenhouse gas emissions, taking into account the co-benefits approach.	Medium
Leapfrog vehicle and fuel quality standards from Euro 2 to Euro 4.	Medium
Establish air quality standards for toxic air pollutants and heavy metals.	Medium
Fast-track planned fuel economy standards.	High
Implement transport demand management measures that are at no or low cost to the government (e.g., vehicle plate coding scheme, congestion and cordon pricing, and low emission zones).	High
Improve cycling systems (e.g., infrastructure, such as bike lanes, bike parking sheds, and bike rental systems).	Medium
Strengthen technology transfer through programs that will establish technology-transfer networks, and compile a database on best available technologies or appropriate control technologies.	Medium
Strengthen energy-efficiency programs through activities such as mandatory audits.	Medium
Encourage preventive maintenance systems for energy and industries.	Low
Conduct a feasibility study on total emission control and trading within industry parks.	Low

Source: ADB and CAI-Asia. 2010.

and implementation of clean air action plans and even air quality standards.<sup>50</sup> Act No. 23 on Environmental Management (1997) provides the legal framework for environmental management in Indonesia, in which each individual is given the right to have a good, healthy environment and to obtain information related to the environment. In support of this act, a government regulation, No. 41 on Air Pollution Control (1999) was prepared imposing several standards: ambient air quality standards, emis-

sion standards for industrial activities and motor vehicles, and a pollutant standard index that in turn were bases for local governments to develop and implement policies, strategies, and action plans for air quality management in their respective areas.

The government is considering formulating a clean air act and an environmentally sustainable transport strategy. An updated understanding on air quality management status in their cities,


<sup>50</sup> The legal bases of the powers of regional government include Act No. 32 on Regional Government (2004); Government Regulation No. 38 on Division of Government Affairs between National Government, Provincial Government, and Regency or City Government (2007); and Government Regulation No. 41 on Regional Structure of Organization (2007).



**Figure 35 Clean Air Score Summary for Jakarta, 2010****Clean Air Scorecard Results**

Clean Air Score for Jakarta in August 2010: 61.9 | Good

	Final Score	Band Category
Index 1: Air quality and health index	19.3	Moderate
Index 2: Clean air management capacity	21.6	Good
Index 3: Clean air policies and actions	21.0	Good



Source: ADB and CAI-Asia. 2010.

starting with the capital city of Jakarta, would be useful to identify the key priority areas in developing strategies on reducing their air pollution and greenhouse gas emissions. The application of the Clean Air Scorecard is therefore very timely for Jakarta.

**Overall Clean Air Score**

The partially verified clean air score for Jakarta in 2010 is 61.9, which is considered within the good category of clean air management (Figure 35). Among the three indices, Jakarta scores highest in its capacity to manage air quality and scores lowest on the Air Pollution and Health Index (see Appendix C for detailed results for Jakarta).

**Air Pollution and Health Index**

For the Air Pollution and Health Index, Jakarta had air quality data available for all criteria pollutants (i.e., carbon monoxide, lead, nitrogen dioxide, ozone,  $PM_{10}$ , and sulfur dioxide) except for  $PM_{2.5}$  for 2008. The Air Pollution and Health Index score of 19.3 (moderate) is based on  $PM_{10}$  as the city's main pollutant of concern. According to the city's Air Pollution and Health Index, the concentrations of all pollutants except for  $PM_{10}$  in the city in 2008 were considered excellent (Figure 36). The air quality levels reported by the city administration (through the Jakarta Environmental Management Agency) show Jakarta's air at par with the cleanest European cities. The reported

**Figure 36 Air Pollution and Health Index Score for Jakarta****Index 1: Air Pollution and Health Index**

Pollutant	Score	Category		
PM <sub>2.5</sub>	–	–		
PM <sub>10</sub>	19.3	Moderate	<b>Final Score</b>	<b>19.3</b>
O <sub>3</sub>	29.8	Excellent	<b>Pollutant of Concern</b>	<b>PM<sub>10</sub></b>
SO <sub>2</sub>	28.5	Excellent	<b>Band Category</b>	<b>Moderate</b>
Pb	32.8	Excellent	<b>Pollutants Considered</b>	<b>PM<sub>10</sub>, SO<sub>2</sub>, CO, NO<sub>2</sub>, Pb, O<sub>3</sub></b>
NO <sub>2</sub>	28.8	Excellent		
CO	33.3	Excellent		

– = no data, CO = carbon monoxide, NO<sub>2</sub> = nitrogen dioxide, O<sub>3</sub> = ozone, Pb = lead, PM<sub>2.5</sub> = particulate matter with a diameter of 2.5 microns or less, PM<sub>10</sub> = particulate matter with a diameter of 10 microns or less, SO<sub>2</sub> = sulfur dioxide.

Source: ADB and CAI-Asia. 2010.

air quality results have spurred criticisms from environmentalists and air quality stakeholders.<sup>51</sup>

An Environmental Quality Index report of the Ministry of Environment conducted in 2010 also showed good marks on air quality in almost every province.<sup>52</sup>

Figure 38 to Figure 40 provide the trend of air quality in Jakarta from 2000 to 2008. These charts show marked improvements in air quality levels for most pollutants (e.g., PM<sub>10</sub> and nitrogen dioxide) but not for sulfur dioxide, a trend that is contrary to those seen the other Asian cities.<sup>53</sup>

#### Clean Air Management Capacity Index

The Clean Air Management Capacity Index score for Jakarta is also considered good (21.6 points out of 33.3). The detailed scores show that Jakarta ranks high in terms of management capacity but ranks low in determining sources of emissions and their contribution and in estimating impacts of air pollution (Figure 41).

Jakarta is one of the few cities in Indonesia that has conducted emission inventories. Emission inventories in Jakarta (1992, 1997, and 2003) showed that transport was a main source of carbon monoxide, hydrocarbons, and nitrogen oxide while industry was the main contributor for sulfur dioxide. Transport also showed an increasing share in contribution and demonstrated its greatest share in the 2003 inventory.

The emission inventories in Jakarta, however, were limited in terms of coverage, both by pollutant and by source. They only examined criteria pollutants and did not include lead or PM<sub>2.5</sub>. The inventories also did not include some mobile sources, such as water and air transport, and also missed other sources, such as residential and commercial establishments. On a positive note, because of Indonesia's known high contribution to greenhouse gas emissions, emission estimates were undertaken for these. Law No. 32 on Environment Protection and Management (2009) requires the Ministry of Environment to

<sup>51</sup> A. Primanita. 2010. Critics Aren't Swallowing City's Boasts of Improved Air Quality. *Jakarta Globe*. 10 April. [www.thejakartaglobe.com/city/critics-arent-swallowing-citys-boasts-of-improved-air-quality/368663](http://www.thejakartaglobe.com/city/critics-arent-swallowing-citys-boasts-of-improved-air-quality/368663)

<sup>52</sup> A. Simamora. 2010. Java Ranks Last in National Environmental Survey. *Jakarta Post*. 8 July. [www.thejakartapost.com/news/2010/06/08/java-ranks-last-national-environment-survey.html](http://www.thejakartapost.com/news/2010/06/08/java-ranks-last-national-environment-survey.html)

<sup>53</sup> CAI-Asia. 2010. *Air Quality in Asia: Status and Trends, 2010*. Pasig City.

**Figure 37 Indonesia Environmental Quality Index**



Source: Government of Indonesia, Ministry of Environment.

prepare an inventory of national greenhouse gas emissions.<sup>54</sup>

There are ongoing efforts to improve the capacity of the city to conduct emission inventories. The United States Environmental Protection Agency partnered with the Government of Jakarta through the Breathe Easy, Jakarta Program, in which \$450,000 in technical assistance and training will be provided for air quality monitoring and emission inventory development.<sup>55</sup>

Developing Jakarta's emission inventories is part of the first phase of this program.<sup>56</sup> Previously, the government also received support from ADB through the Urban Air Quality Improvement Sector Development Program.<sup>57</sup>

Jakarta reports good capacity in assessing the status of air quality thanks to its data analysis, reporting, and dissemination system. Jakarta has information boards on which air quality data are disseminated in addition to publishing

<sup>54</sup> Embassy of the Republic of Indonesia, Washington, DC. 2010. News Focus: RI Mulling Actions, Cost to Cut Gas Emissions. 3 February. [www.embassyofindonesia.org/news/2010/02/news014.htm](http://www.embassyofindonesia.org/news/2010/02/news014.htm)

<sup>55</sup> United States Environmental Protection Agency. 2010. U.S. EPA Partners with Indonesia to Improve Public Health in Jakarta. 23 February. <http://yosemite.epa.gov/opa/admpress.nsf/8b770facf5edf6f185257359003fb69e/f6c748cac851949b852576d3007e2875!OpenDocument>

<sup>56</sup> I. Setiawati. 2010. City and US EPA to Tackle Air Pollution in Jakarta. *Jakarta Post*. 24 February. [www.thejakartapost.com/news/2010/02/24/city-and-us-epa-tackle-air-pollution-jakarta.html](http://www.thejakartapost.com/news/2010/02/24/city-and-us-epa-tackle-air-pollution-jakarta.html)


<sup>57</sup> ADB. 2004. *Technical Assistance to the Republic of Indonesia for the Urban Air Quality Improvement Sector Development Program*. Manila (TA 4361-INO, for \$700,000, approved 20 July).

these through newspapers, television, radio, and websites. However, there remains a need for improvement in its capacity to assess air quality status. News reports have surfaced highlighting that the city does not have enough equipment to measure air quality.<sup>58</sup> Through the national air quality monitoring network system, established by the Ministry of Environment between 1999 and 2000 through a loan from the Government of Austria, Jakarta started with five air quality monitoring stations. In 2009, only three out of

the five were operational.<sup>59</sup> Currently, there are only two operational air quality monitoring stations in Jakarta—one for ambient air quality and another to measure roadside air quality.<sup>60</sup>

Jakarta is monitoring all criteria pollutants except  $PM_{2.5}$ . The Air Quality and Health Index of Jakarta indicates, on average, excellent air quality levels that, if not supported by a good quality control and assurance system, could be challenged by experts and residents. The air quality monitoring

**Figure 38** Trend of Annual  $PM_{10}$  Concentrations in Jakarta




$\mu\text{g}/\text{Nm}^3$  = microgram per Normal cubic meter,  $PM_{10}$  = particulate matter with a diameter of 10 microns or less, WHO = World Health Organization.

Source: CAI-Asia. 2010.

<sup>58</sup> *Jakarta Post*. 2010. Jakarta Lacks Air Quality Meters. 2 July. [www.thejakartapost.com/news/2010/07/02/jakarta-lacks-air-quality-meters.html](http://www.thejakartapost.com/news/2010/07/02/jakarta-lacks-air-quality-meters.html)


<sup>59</sup> Personal Communication with Andono Warih, division chief of the Air Quality Laboratory, Jakarta Environment Board. 10 May 2009; and CAI-Asia. 2009. *ASEAN-GTZ Clean Air for Smaller Cities in ASEAN Region: Indonesia Country Profile: Focus on Smaller Cities*. Pasig City.

<sup>60</sup> Personal Communication with Rina Suryani, Jakarta Environment Board. 13 August 2010.

**Figure 39 Trend of Annual Sulfur Dioxide Concentrations in Jakarta**

µg/Nm³ = microgram per Normal cubic meter.

Source: CAI-Asia. 2010.


**Figure 40 Trend of Annual Nitrogen Dioxide Concentrations in Jakarta**

µg/Nm³ = microgram per Normal cubic meter; WHO = World Health Organization.

Source: CAI-Asia. 2010.

**Figure 41 Clean Air Management Capacity Index Score for Jakarta****Index 2: Clean Air Management Capacity Index**

	Final Score
Capacity to determine sources of air pollution and their contribution	3.7
Capacity to assess the status of air quality	6.8
Capacity to estimate impacts of air pollution	3.6
Capacity to respond to air pollution	7.5
<b>Total</b>	<b>21.6</b>



Source: ADB and CAI-Asia. 2010.

system needs to be at a quality that could assist in conducting health impact studies or health surveillance monitoring.

Similar to other cities in developing Asia, Jakarta still has limited capacity to conduct health impact studies of air pollution (e.g., exposure assessments and epidemiological studies), even though upper respiratory infectious diseases and other respiratory illnesses have consistently been a problem in Indonesian cities. Jakarta only received a score of 3.6 out of 8.3 on the capacity to estimate impacts of air pollution. There have been previous studies for Jakarta assessing the economic impact of air pollution, but these were conducted about 8 years ago and no longer represent current conditions in the city.<sup>61</sup>

According to the index, enabling management capacity for air quality in Jakarta is considerably high (7.5 points out of 8.3). At the national level, the Ministry of Environment has dedicated units and about 20 staff members examining air quality issues. At the local level, the province also has a dedicated office to handle environmental concerns, the Environmental Management Board (BPLHD), which also has about 25 staff members working on air quality issues.<sup>62</sup>


Public stakeholder involvement in air quality issues is strong in Jakarta and generally in Indonesia. There are active stakeholders from industry and the private sector, academic and research institutions, media, nongovernment organizations, and communities.

<sup>61</sup> The most recent study estimating economic costs of air pollution in Jakarta was in 2002 by an ADB-sponsored study. Source: Assistant Deputy for Mobile Sources Emissions Pollution Control, Ministry of Environment. 2010. *TWG Air Quality: Country Progress: Indonesian Status on Improving Clean Air and Public Health*. Jakarta.

<sup>62</sup> This figure needs clarification regarding whether it includes staff members involved in air quality monitoring work. In most Asian cities, monitoring activities are often handled by a third-party contractor.

**Figure 42 Clean Policies and Action Index Score for Jakarta**

Index 3: Clean Air Policies and Actions Index	
	Final Score
Indicators of general policies and actions in air quality	6.6
Indicators of clean air policies and actions in transport sector	5.9
Indicators of clean air policies and actions in energy and industry	5.6
Indicators of clean air policies and actions for other sources	2.8



Source: ADB and CAI-Asia. 2010.

The budget allocated to Jakarta's urban air quality improvement increased from 2003 to 2005 from 2.20% to 2.65%, but it is still low relative to the total budget.<sup>63</sup> On the national level, 1.00% of the total budget is allocated to urban air quality management.<sup>64</sup>

### Clean Air Policies and Actions Index

Jakarta scores a total of 20.9 (out of 33.3 points) for the Clean Air Policies and Actions Index, which is categorized as good. The index ranks Jakarta highest for its general policy framework, followed by policies and actions to address transport emissions. On the other hand, Jakarta has very weak policies and actions to address other sources (2.8 points out of 5.0).

In 2006, the Province of Jakarta, City of Surabaya, City of Bandung, City of Semarang, and Province of Yogyakarta (collectively called the "Urban Air Quality Improvement (UAQ-I) provinces and cities") developed clean air action plans as part of the UAQ-I Sector Development Program implementation.<sup>65</sup>

Jakarta also has the ability to draft bylaws to prevent, control, monitor, and mitigate air pollution. It has ambient air quality standards that are more stringent than national standards, but less strict compared to WHO guidelines (Table 18).

While Jakarta benefits from the existence of national legislation on climate change (National

<sup>63</sup> S. Santosa, T. Okuda, and S. Tanaka. 2008. Air Pollution and Urban Air Quality Management in Indonesia. *CLEAN—Soil, Air, Water*. 36 (5–6). pp. 466–475.

<sup>64</sup> President Legislation No. 7, Master Plan for Midterm Development in Indonesia (2009).

<sup>65</sup> ADB provided Technical Assistance (TA) No. 4361-INO to the Government of Indonesia for preparing urban air quality management strategies, action plans, and investment programs under the Urban Air Quality Improvement Sector Development Program (UAQ-i SDP). The project was coordinated by the National Development Planning Agency (Bappenas), Directorate for the Environment, as Executing Agency. Source: ADB, Swisscontact, Swiss Foundation for Technical Cooperation (SC). 2006. *Indonesia: Preparing the Urban Air Quality Improvement Sector Development Program. Final Report*.



Action Plan on Addressing Climate Change [2007]), the co-benefits approach to air quality management and climate change mitigation has not been explicitly identified in this law.

Jakarta receives 5.9 out of 10.0 points in the subindex for policies and actions in the transport sector. While the framework for sustainable transport contains most of required elements (e.g., transport demand management, public transport, cycling, walking, vehicle traffic system management, inspection and maintenance, alternative or nonrenewable energy fuels, and fuel efficiency except for freight and logistics),

the city scores very low in terms of actual standards for vehicle emissions, fuel quality, and fuel economy. The actual programs and measures on sustainable transport are also limited.

Fuel quality and vehicle emission standards currently in place are still at Euro 2 levels, and there are no national road maps to move these to stricter standards in the next 2 years. The country does not have any fuel economy standards for all types of vehicles. It should be noted that Indonesia lagged behind counterpart countries in the region in banning lead in its fuels; it successfully did so only in 2006, while others

**Table 17 Jakarta versus Indonesia National Ambient Air Quality Standards and World Health Organization Guidelines**

Pollutant	Average Time	Ambient Air Quality Standards in Jakarta ( $\mu\text{g}/\text{m}^3$ )	National Ambient Air Quality Standards ( $\mu\text{g}/\text{m}^3$ )	World Health Organization Guidelines
SPM	24-hour	230	230	
	1-year	90	90	
PM <sub>10</sub>	24 hour	150	150	50 <sup>a</sup>
	1 year	–	–	20 <sup>a</sup>
Sulfur dioxide	1 hour	900	900	
	24 hour	260	365	20 <sup>a</sup>
	1 year	60	60	
Nitrogen dioxide	1 hour	400	400	200 <sup>a</sup>
	24 hour	92.5	150	
	1 year	60	100	40 <sup>a</sup>
Ozone	1 hour	200	235	
	8 hour	–	–	100 <sup>a</sup>
	1 year	30	50	
Lead	1 year	–	1	0.5
Carbon monoxide	1 hour	26,000	30,000	30,000 <sup>b</sup>
	8 hour	–	–	10,000 <sup>b</sup>
	24 hour	9,000	10,000	

$\mu\text{g}/\text{m}^3$  = microgram per cubic meter, CO = carbon monoxide,  $\text{m}^3$  = cubic meter, PM<sub>10</sub> = particulate matter with a diameter less than or equal to 10 micrometers, SPM = suspended particulate matter.

<sup>a</sup> WHO. 2006.

<sup>b</sup> WHO. 2000.

Note: Values are based on the atmospheric conditions at 25°C and pressure 1 atmosphere.

Sources: WHO. 2006. *WHO Air Quality Guidelines for Particulate Matter, Ozone, Nitrogen Dioxide and Sulfur Dioxide. Global Update 2005. Summary of Risk Assessment*. [http://whqlibdoc.who.int/hq/2006/WHO\\_SDE\\_PHE\\_OEH\\_06.02\\_eng.pdf](http://whqlibdoc.who.int/hq/2006/WHO_SDE_PHE_OEH_06.02_eng.pdf), WHO. 2000. *Guidelines for Air Quality*. [http://whqlibdoc.who.int/hq/2000/WHO\\_SDE\\_OEH\\_00.02\\_pp1-104.pdf](http://whqlibdoc.who.int/hq/2000/WHO_SDE_OEH_00.02_pp1-104.pdf)



completely phased out the harmful additive as early as 2000.

In Jakarta, there are also some bylaws from the governor pertaining to traffic and transport (e.g., Province of Jakarta Bylaw No. 12 concerning Traffic and Transportation [2003] and Governor Decree No. 84 concerning Macro Transportation Plan for 2007, 2010, and 2020 [2004]). These enable the city to further promote its bus rapid transit and feeder system; rail-based transport system (i.e., train, mass rapid transit, monorail, and light rail train); river transport; and the introduction of travel demand management measures such as traffic and parking restrictions.

Another innovative measure in Jakarta is the Transjakarta Bus Rapid Transit System, with 8 corridors of 120 kilometers, serviced by 335 com-

pressed natural gas buses and 91 diesel buses. Jakarta is also implementing schemes limiting use of certain roads for vehicles with less than three passengers.

The policies and actions for Jakarta to manage emissions from energy and industry receive 5.6 points out of a total of 8.3 points. The general framework to manage emissions is available, as this covers most elements such as permitting, compliance monitoring, energy efficiency, siting, and industry prioritization. Emission standards also exist for different industries such as power-generating facilities; food, beverage, and tobacco manufacturing; incinerators; and steel smelters. The measures to control emissions from industries, however, are still fairly traditional and based on a command-and-control approach, as there are no technology-transfer networks to

**Table 18 Recommendations for Jakarta**

Recommendations	Priority
<b>Air Pollution and Health Index</b>	
Start monitoring PM <sub>2.5</sub> .	High
<b>Clean Air Management Capacity Index</b>	
Improve air quality monitoring system by adding more stations.	High
Improve quality control and assurance systems for air quality monitoring.	High
Improve emission inventory by covering additional sources such as water and air transport.	Medium
Strengthen capacity to estimate impacts of air pollution (include impacts on agriculture and heritage structures).	Medium
<b>Clean Air Policies and Actions</b>	
Review air pollution-control regulation to prepare for drafting of more comprehensive clean air act.	Medium
Explore opportunities for co-benefits approach within the National Climate Change Action Plan.	High
Develop road map for fuel quality and vehicle emission standards to move from Euro 2 to more stringent standards.	Medium
Develop technology-transfer networks that will both look at addressing air pollutants and greenhouse gas emissions.	Medium
Create a tax incentive mechanism for energy efficiency in industry.	Medium
Continue initiated efforts on the development of an environmentally sustainable transport strategy.	High
Create voluntary programs and tax incentives for energy-efficient or alternative vehicles.	Medium

PM<sub>2.5</sub> = particulate matter with a diameter of 2.5 microns or less.

Source: ADB and CAI-Asia. 2010.

promote innovative technologies as well as the best available technologies.

A regulation on energy efficiency requires government agencies to undertake energy conservation in offices, office equipment, and transport, and for industries to undertake energy audits and to promote the use of energy-saving products or technology.<sup>66</sup> There is no tax incentive system, however, for industries undertaking energy-efficiency programs and measures.

The main source of air pollution in Jakarta is burning of solid waste by households not reached by waste collection activities. To address this, Jakarta has established some local ordinances and programs to improve solid waste management. Jakarta's waste collection rate is currently high (97%) compared to other areas in the country.<sup>67</sup>


#### Main Recommendations for Jakarta

The overall clean air score of 61.9 (good) indicates that Jakarta has generally covered the basics of air quality management. The air qual-

ity monitoring levels in the city suggests major improvements in air quality levels; however, the city needs to strengthen its management of emissions, as shown in the recommendations in Table 19.

#### Clean Air Scorecard for Manila

Manila is the capital city of the Philippines; however, Metropolitan Manila holds the country's seat of government.<sup>68</sup> The metropolis is officially called the National Capital Region, which consists of 15 cities and two municipalities, with each city and municipality having its own local government unit. The population in Metro Manila has been steadily growing; 2007 census data estimated its population at about 11.6 million, comprising 13% of the national population. It ranks 17th in United Nations Department of Economic and Social Affairs' list of cities over 1 million, and this is estimated to rise to 14th by 2025.<sup>69</sup> Manila is also the economic center of the country and, as of 2009, accounts for 37% of the country's GDP.<sup>70</sup> Among the regions, it registers the highest real per capita gross regional

	Map Reference:	14°36'N, 120°59'E
	Estimated Population (2007 Census)	11,533,427
	Area	636 square kilometers
	Climate	Tropical rainforest
	Annual Mean Precipitation	2,159 millimeters
	Temperature Range	21°C–34°C
	Gross Domestic Product per Capita at purchasing power parity (PPP)	\$3,514

Sources: ADB. 2010. *Key Indicators for Asia and the Pacific 2010*. Manila; D. Schwela et al. 2006. *Urban Air Pollution in Asian Cities: Status, Challenges and Management*. London: Earthscan.

<sup>66</sup> Presidential Instruction No. 10/2005 concerning Energy Conservation and Regulation of the Ministry of Energy and Mineral Resources No. 31/2005.

<sup>67</sup> Jakarta Environment Management Board (BPLHD). 2006. *Jakarta Environment Status Report*. Jakarta.

<sup>68</sup> Presidential Decree No. 940 {1976}.

<sup>69</sup> United Nations Department of Economic and Social Affairs Population Division. 2008. *Urban Agglomerations 2007*. [www.un.org/esa/population/publications/wup2007/2007urban\\_agglo.htm](http://www.un.org/esa/population/publications/wup2007/2007urban_agglo.htm)

<sup>70</sup> Government of the Philippines, National Statistical Coordination Board. 2009 *Gross Regional Domestic Product—Levels*. [www.nscb.gov.ph/grdp/2009/2009conlev.asp](http://www.nscb.gov.ph/grdp/2009/2009conlev.asp)



domestic product at \$920.47, almost three times the national per capita GDP of \$350.00.<sup>71</sup>

Metro Manila is also at the center of roads, rail, and aviation infrastructure and communications, with the number of vehicles estimated at 15 million (2005), with private cars and jeepneys<sup>72</sup> each contributing about 37%. As of 2009, there were 1.7 million registered vehicles in Metro Manila, with an annual growth rate of 5.86% (from 2008 to 2009).<sup>73</sup> Based on the 2006 national emission inventory, the transport sector is the major source of air pollution in many parts of the country. It was estimated that 65% of the pollutants came from mobile sources, 21% from stationary sources, and the remaining 14% from area sources.<sup>74</sup>

At the national level, the Department of Environment and Natural Resources (DENR) is the lead agency responsible for environmental protection and management, and the Air Quality Management Section under the Environmental Management Bureau is responsible specifically for air quality management. For Metro Manila, the Environmental Management Bureau Regional Office, National Capital Region takes the lead for air quality management. At the city level, local government units also share in the responsibility of managing air quality within their territorial jurisdiction.

Monitoring data by the Philippine Nuclear Research Institute showed that PM<sub>10</sub> annual mean levels in Metro Manila illustrate a slightly decreasing trend from 2006 to 2008 and were within the 1-year national ambient air quality guideline value of 60µg/m<sup>3</sup>. However, the PM<sub>2.5</sub> annual mean levels in all Philippine Nuclear Research Institute sampling sites in Metro Manila exceeded the WHO annual guideline value of 10µg/m<sup>3</sup>.

The Philippine Clean Air Act has been in existence for over 10 years, and policy makers are currently reviewing the act for possible amendments to cover new sources and to include new solutions. Thus, Metro Manila would benefit from an updated understanding of the status of its air quality management to identify its strengths, weaknesses, and key priority improvement areas to develop strategies and actions to reduce air pollution and greenhouse gas emissions.

### Overall Clean Air Score

The partially verified clean air score for Manila in 2010 is 59.4, which represents moderate clean air management (Figure 43). Manila scores almost the same for the Air Pollution and Health Index (20.9) and Clean Air Policies and Actions Index (20.8). It receives relatively lower scores for its clean air management capacity (see Appendix D for detailed results for Manila).

### Air Pollution and Health Index

For the Air Pollution and Health Index, Manila only had air quality data available for PM<sub>2.5</sub> and PM<sub>10</sub> for 2007. The Air Pollution and Health Index Score of 20.9 is based on PM<sub>10</sub> as the city's main pollutant of concern. According to the same index, the concentrations of PM<sub>10</sub> and PM<sub>2.5</sub> are both considered good (Figure 44). While this index is primarily focused on air quality levels of the city, it also gives an indication of the poor capacity of the city to monitor air quality.

ADB financed the Metro Manila Air Quality Improvement Sector Development Program, implemented through DENR, which installed a network of 10 automated continuous stations within the Metro Manila airshed, capable of

<sup>71</sup> Government of the Philippines, National Statistical Coordination Board. 2009 Gross Regional Domestic Product—Per Capita. [www.nscb.gov.ph/grdp/2009/2009concap.asp](http://www.nscb.gov.ph/grdp/2009/2009concap.asp)

<sup>72</sup> A common form of public transport in the Philippines, originally made from old World War II jeeps.

<sup>73</sup> Government of the Philippines, Land Transportation Office. Number of Motor Vehicles Registered. [www.lto.gov.ph/Stats2009/no\\_of\\_MV\\_Registered\\_LTO2009.html](http://www.lto.gov.ph/Stats2009/no_of_MV_Registered_LTO2009.html)


<sup>74</sup> Government of the Philippines, DENR. 2009.

**Figure 43 Clean Air Score Summary for Manila, 2010**

**Clean Air Scorecard Results**

Clean Air Score for Metro Manila as of August 2010: 59.4 | Moderate

	Final Score	Band Category
Index 1: Air quality and health index	20.9	Good
Index 2: Clean air management capacity	17.7	Moderate
Index 3: Clean air policies and actions	20.8	Good



Source: ADB and CAI-Asia. 2010.

measuring criteria pollutants (i.e., carbon monoxide, nitrogen dioxide, ozone, PM<sub>10</sub>, and sulfur dioxide) and meteorological data.<sup>75</sup> Two of these 10 stations could also measure noncriteria pollutants (i.e., benzene, methane, nonmethane hydrocarbon, PM<sub>2.5</sub>, toluene, and xylene).<sup>76</sup> Some of these stations were also located in areas outside of the political border of Metro Manila, as the airshed was defined using modeling tech-

niques based on internationally accepted guidelines. The stations operated only for a short period from 2004 to 2005 and were halted due to some contractual disputes between the government and the contractor. The stations are currently being rehabilitated.<sup>77</sup>

The Manila Observatory, a research institution, and the Philippine Nuclear Research Institute

<sup>75</sup> ADB. 1998. *Report and Recommendation of the President to the Board of Directors: Proposed Loan to the Republic of the Philippines for the Metro Manila Air Quality Improvement Sector Development Program*. Manila (Loan 1663-PHI, for \$200 million, approved 16 December).

<sup>76</sup> ADB and CAI-Asia. 2006. *Country Synthesis Report on Urban Air Quality Management—Philippines*. Manila: ADB. [www.adb.org/Documents/Reports/Urban-Air-Quality-Management/default.asp](http://www.adb.org/Documents/Reports/Urban-Air-Quality-Management/default.asp)

<sup>77</sup> No official air quality data were released from these stations. The status of turnover of monitoring stations has yet to be confirmed with DENR.

**Figure 44 Air Pollution and Health Index Score for Manila****Index 1 – Air Pollution and Health Index**

Pollutant	Score	Category		
PM <sub>2.5</sub>	22.8	Good		
PM <sub>10</sub>	20.9	Good	<b>Final Score</b>	<b>20.9</b>
O <sub>3</sub>	–	–	<b>Pollutant of Concern</b>	<b>PM<sub>10</sub></b>
SO <sub>2</sub>	–	–	<b>Band Category</b>	<b>Good</b>
Pb	–	–	<b>Pollutants Considered</b>	<b>PM<sub>10</sub>, PM<sub>2.5</sub></b>
NO <sub>2</sub>	–	–		
CO	–	–		

– = no data, µg/Nm<sup>3</sup> = microgram per Normal cubic meter, CO = carbon monoxide, NO<sub>2</sub> = nitrogen dioxide, O<sub>3</sub> = ozone, Pb = lead, PM<sub>2.5</sub> = particulate matter with a diameter of 2.5 microns or less, PM<sub>10</sub> = particulate matter with a diameter of 10 microns or less, SO<sub>2</sub> = sulfur dioxide.

Source: ADB and CAI-Asia. 2010.

of the Department of Science and Technology also monitor air quality. The Philippine Nuclear Research Institute monitors PM<sub>10</sub> and PM<sub>2.5</sub> using the Gent sampler at three sites in Metro Manila. Air quality monitoring by the Manila Observatory covers PM<sub>10</sub> and PM<sub>2.5</sub> but only on a project basis. DENR monitors concentrations of total suspended particulates in 10 locations in Metro Manila. However, the current number of monitoring stations for PM<sub>10</sub> and PM<sub>2.5</sub> does not meet European Union criteria for number of air quality monitoring stations according to population size and density.

Figure 45 to Figure 47 show that PM<sub>10</sub> levels are generally in compliance with national ambient air quality standards. There are no PM<sub>2.5</sub> standards. Both PM<sub>10</sub> and PM<sub>2.5</sub> levels in Manila, however, consistently exceeded WHO guidelines for 2002–2008 (Table 19).

Of the 17 cities and municipalities in Metro Manila, only Makati City has conducted its own air quality monitoring but only for a limited period.

#### Clean Air Management Capacity Index

Manila's Clean Air Management Capacity Index score is categorized as moderate (17.7 points out

of 33.3) (Figure 47). The detailed scores per sub-index show that there is a significant imbalance of capacities to manage air quality in Manila.

Emission inventories for Metro Manila are compiled with the national emission inventory. The inventory is prepared every 3 years by the Environmental Management Bureau and not by city authorities. It usually only covers criteria pollutants (i.e., carbon monoxide, dioxins, furans, nitrogen oxide and dioxide, PM<sub>2.5</sub>, PM<sub>10</sub>, sulfur dioxide, and volatile organic compounds) but may also include greenhouse gases on an ad-hoc basis. The emission sources covered are land transport, stationary sources, and area sources, and do not include emissions from water transport and air transport.

As explained earlier, the capacity of Metro Manila to monitor air quality is very weak (2.5 points out of a total 8.3). Detailed scores for the subindices show that existing instrumentation is not enough (according to pollutants covered and number of stations) and that capacity for analysis, reporting, and dissemination is also very weak. Results of air quality monitoring in Manila are only shared with the public through annual reports on the DENR website and upon

**Table 19 Philippine National Ambient Air Quality Guideline Values versus World Health Organization Guidelines ( $\mu\text{g}/\text{Nm}^3$ )**


Pollutant	Average Time	National Ambient Air Quality Guideline Values	World Health Organization Guidelines
$\text{PM}_{10}$	24-hour	150	50 <sup>a</sup>
	Annual	60	20 <sup>a</sup>
Total Suspended Particulates	24-hour	230	
	Annual	90	
Nitrogen dioxide	1-hour		200 <sup>a</sup>
	24-hour	150	
	Annual		40 <sup>a</sup>
Sulfur dioxide	10-minute		500 <sup>a</sup>
	1-hour		
	24-hour	180	20 <sup>a</sup>
	Annual	80	
Ozone	1-hour	140	
	8-hour	60	100 <sup>a</sup>
	24-hour		
Carbon monoxide	1-hour	35,000	30,000 <sup>b</sup>
	8-hour	10,000	10,000 <sup>b</sup>
Lead	3-month	1.5	–
	Annual	1.0	0.5

$\mu\text{g}/\text{Nm}^3$  = microgram per Normal cubic meter,  $\text{PM}_{10}$  = particulate matter with a diameter of 10 microns or less.

<sup>a</sup> WHO. 2006.

<sup>b</sup> WHO. 2000.

Source: WHO. 2006. *WHO Air Quality Guidelines for Particulate Matter, Ozone, Nitrogen Dioxide and Sulfur Dioxide. Global Update 2005. Summary of Risk Assessment.* [http://whqlibdoc.who.int/hq/2006/WHO\\_SDE\\_PHE\\_OEH\\_06.02\\_eng.pdf](http://whqlibdoc.who.int/hq/2006/WHO_SDE_PHE_OEH_06.02_eng.pdf); WHO. 2000. *Guidelines for Air Quality.* [http://whqlibdoc.who.int/hq/2000/WHO\\_SDE\\_OEH\\_00.02\\_pp1-104.pdf](http://whqlibdoc.who.int/hq/2000/WHO_SDE_OEH_00.02_pp1-104.pdf); Philippine Clean Air Act.

**Figure 45  $\text{PM}_{10}$  Annual Mean Levels at the Philippine Nuclear Research Institute Sampling Sites, 2002–2008**


$\mu\text{g}/\text{Nm}^3$  = microgram per Normal cubic meter,  $\text{PM}_{10}$  = particulate matter with a diameter of 10 microns or less.

Source: Philippine Nuclear Research Institute.





**Figure 46**  $PM_{2.5}$  Annual Mean Levels at the Philippine Nuclear Research Institute Sampling Sites, 2002–2008



$\mu g/Nm^3$  = microgram per Normal cubic meter, NCR = National Capital Region,  $PM_{2.5}$  = particulate matter with a diameter of 2.5 microns or less, WHO = World Health Organization.


Source: Philippine Nuclear Research Institute.

**Figure 47** Clean Air Management Capacity Index Score for Manila

**Index 2: Clean Air Management Capacity Index**

	Final Score
Capacity to determine source of air pollution and their contribution	6.6
Capacity to assess the status of air quality	2.5
Capacity to estimate impacts of air pollution	2.4
Capacity to respond to air pollution	6.5
<b>Total</b>	<b>17.9</b>

**Distribution of Scores under Clean Air Management Capacity**



Source: ADB and CAI-Asia. 2010.

request. There is no system to report real-time air quality levels through newspapers, television, and radio. The Clean Air Act requires the Environmental Management Bureau to prepare an ambient air quality status report annually but has not mandated the agency to report air quality levels to the public in real time. There is also no capacity in the city for air quality modeling.

The city's capacity to estimate impacts of air pollution is also very limited. Of the many sectors affected by air pollution (e.g., public health, agriculture, buildings and heritage structures, tourism, vegetation, visibility, and economy), Manila has only covered public health and economy. These studies, however, are all project-based and are driven primarily by donor assistance.<sup>78</sup>

The most recent health impact study in Metro Manila was conducted in 2003, was categorized as a rapid assessment only, and has not been published in peer-reviewed journals.<sup>79</sup>

At the national level, the mandate for air quality management is with DENR, which has a dedicated air quality management section within the Environmental Management Bureau. The section has an 11-member staff. The bureau also has regional offices in the different regions (equivalent to provinces), including one for Metro Manila. There, the Pollution Control Department has 13 staff members working on air quality issues. At the city level, some of the 17 cities and municipalities within Metro Manila have 7–10 persons each working on air quality management for the city. It is noted, however, that most of the staff members for both the city and region are engaged in activities that relate to air quality monitoring and roadside apprehension of smoke-belching vehicles.

In Metro Manila, as with the rest of the country, air quality stakeholders are involved in the entire policy cycle from development and implementation to evaluation and review. The stakeholders involve most sector groups.

To finance air quality management in Metro Manila, funding sources often come from the local governments, regulation fees, charges, and penalties. The national government also provides funds to Philippine cities through the Air Quality Management Fund. In Metro Manila, a major source of funds to improve air quality management from 2000 to 2008 was the Metro Manila Air Quality Improvement Sector Development Program.<sup>80</sup>

### Clean Air Policies and Actions Index

Manila scores a total of 20.9 (out of 33.3) for the Clean Air Policies and Actions Index, which is categorized as good (Figure 48). The index shows that Manila has strong policies and actions, from a general framework to those relevant to the transport, and energy and industry sectors, but quite weak in policies and actions for area and other sources.

The Philippines is one of the few countries in Asia that has drafted a clean air law. The Clean Air Act of the Philippines was promulgated in 1999. It was introduced in the 10th Congress (1992–1998) and was finally passed after over 5 million signatures were collected, mostly from Metro Manila, for a petition for the government to approve the law.

As early as 1979, the Philippines already established its first set of ambient air quality standards. The Clean Air Act updated these standards in 1999, but they have not been updated since.


<sup>78</sup> The most recent public health study for Metro Manila was published in 2004 with funding from ADB. Economic impacts for air pollution in Manila are usually conducted only by World Bank consultants.

<sup>79</sup> ADB, WHO, and Government of Philippines, Department of Public Health. 2004. *Public Health Monitoring: A Study Under the Metro Manila Air Quality Improvement Sector Development Program*. Manila: WHO.

<sup>80</sup> M.K. Patdu. 2010. Personal Communication with Jean Rosete, EMB-AQMS. 24 August 2010.

**Figure 48 Clean Air Policies and Actions Index Score for Manila**

Index 3: Clean Air Policies and Actions Index	
	Final Score
Indicators of general policies and actions in air quality	5.8
Indicators of clean air policies and actions in transport sector	5.6
Indicators of clean air policies and actions in energy and industry	6.0
Indicators of clean air policies and actions for other sources	3.5
<b>Total</b>	<b>20.9</b>



Source: ADB and CAI-Asia. 2010.

There are standards for all criteria pollutants except for  $PM_{2.5}$  (Table 20).

The high scores for transport sector are attributed to recent developments in environmentally sustainable transport in the Philippines as well as other new laws and measures that also contribute to reduction in emissions from the sector. A draft national environmentally sustainable transport strategy and action plan was prepared with participation from different sectors. The same strategy has also been considered in line with priority actions that support the National Climate Change Act of the Philippines. To support awareness on environmentally sustainable transport, the Department of Transportation

and Communications organized Building Environmentally Sustainable Transport Awards for cities. Marikina, one of the cities in Metro Manila, received an award for its efforts to promote non-motorized transport.

Another important legislation is the Biofuels Act of 2006, which mandates that all fuels sold in the country contain locally sourced biofuel components.<sup>81</sup> The government, through the Department of Energy, has also implemented the Natural Gas Vehicle Program for Public Transport<sup>82</sup> and an autogas program.<sup>83</sup>

While vehicle emission and fuel quality standards for new motor vehicles (light-duty) in the

<sup>81</sup> The target is to have 5%–10% bioethanol blended gasoline and 1%–2% biodiesel. Since May 2007, a biodiesel blend of 1% by volume has been available nationwide. A bioethanol blend of 10% is distributed and sold by some oil companies and dealers.

<sup>82</sup> Executive Order No. 386. Reducing the rates of import duty on compressed natural gas motor vehicles and natural gas vehicle industry-related equipment, parts, and components under section 104 of the tariff and customs code of 1978 (Presidential Decree No. 1464. [www.tariffcommission.gov.ph/eo\\_396.htm](http://www.tariffcommission.gov.ph/eo_396.htm))

<sup>83</sup> The Department of Energy promotes the use of LPG under the program (Autogas) as alternative transport fuels, which aims to diversify the country's fuel sources while providing solutions to air pollution caused by vehicular emission. Source: Department of Energy. 2005. Alternative Fuels: Autogas. [www.doe.gov.ph/AF/Autogas.htm](http://www.doe.gov.ph/AF/Autogas.htm)

**Table 20 Recommendations for Manila**

Recommendations	Priority
<b>Air Pollution and Health Index</b>	
Improve air quality monitoring system by covering all criteria pollutants.	High
<b>Clean Air Management Capacity Index</b>	
Improve the air quality monitoring system by improving data analysis, reporting, and dissemination.	High
Build air quality modeling capacity.	Medium
Build capacity to assess impacts of air pollution.	High
Review Clean Air Act provisions specific to Air Quality Management Fund.	High
<b>Clean Air Policies and Actions</b>	
Review enforcement and implementation of Clean Air Act to its evaluate effectiveness.	Medium
Finalize and adopt the Environmentally Sustainable Transport Strategy Action Plan.	High
Improve monitoring of stationary sources.	Medium
Establish technology-transfer networks and guidelines.	Low
Implement specific measures for transport that have been proven effective by other case studies and are within authority of cities.	High
Continue discussions and finalize Fuel Quality Road Map.	High

Source: ADB and CAI-Asia. 2010.

Philippines must comply with Euro 2 equivalent emission standards, stakeholder discussions on leapfrogging to Euro 4 emission standards have been initiated. Euro 4-ready gasoline vehicles are also available on the Philippine market.

The authority of cities and local governments to regulate transport is currently limited to issuance of permits to operate three-wheelers (tricycles) and maintenance of and traffic management on city roads, not national roads. Cities, then, like Metro Manila, generally rely on the national government for policies to improve public transport and road conditions that could contribute to emission reduction.

Specific transport-related measures that can be considered in Metro Manila could be congestion-charging schemes, cycling infrastructures and bike rental systems, pedestrian-only zones, and tax incentives for energy-efficient vehicles.

Of the three groups of emission sources (i.e., mobile, stationary, and area and other sources),

the subindex on policies and actions for stationary sources was highest for Manila. In Manila, however, there are no power plants as well as few heavy industries. Major industries (e.g., manufacturing) have been relocated to nearby provinces because of industrial decentralization policies of the government.

The management of stationary sources comprises a permitting, adjudication, and reporting system implemented through regional offices of the Environmental Management Bureau. Companies report to the government through regional Environmental Management Bureau offices with self-monitoring reports but are also subject to inspections and emission testing. Only heavy industries such as cement plants and power plants are required to install continuous emission monitoring systems, but these are not directly linked to government databases.

In 2006, of the 850 stacks monitored, 417 (49%) failed to comply with emission standards for stationary sources in at least one pollutant



parameter.<sup>84</sup> From 2005 to 2007, about 9% of the 18,697 firms monitored were issued notices of violations in relation to air pollution. Most of the notices were issued to companies in the National Capital Region.

There are three policies that regulate emissions from area and other sources in Metro Manila and in the Philippines in general: the Clean Air Act, Solid Waste Management Act, and Environmental Impact Assessment Law.<sup>85</sup> The emission activities covered are open burning, incineration, crematoriums, and construction. Except for incineration, there are policies on these activities but no specific standards.

### Main Recommendations for Manila

The Clean Air Act of the Philippines is now over 10 years old. A number of its provisions have not been enforced, while others are dated. The law needs to be reviewed to ensure better air quality management in major metropolitan cities, especially Metro Manila. Despite having clean air legislation, there remains to be many gaps in the air quality management of Metro Manila. The recommendations listed in Table 21 focus on addressing the gaps, especially in terms of capacity.

## National Case Study: Stationary Source Emission Standards in Sri Lanka

### Challenges in Managing Emissions from Stationary Sources

#### Sources and Status of Air Pollution in Sri Lanka

Air pollution in Sri Lanka has been a growing problem since the early 1990s. Estimates show that

Figure 49 Sri Lanka District Map



Source: Government of Sri Lanka. [www.gov.lk](http://www.gov.lk)

the transport sector contributes about 60% to air pollution in Colombo City.<sup>86</sup> Emissions from industries and power plants aggravate the situation. Air pollution problems have also been reported in cities outside of Colombo, such as Kandy.

Within the last decade, industrial activity in Sri Lanka has grown at a relatively rapid pace. As such, air pollution from industrial sources has proportionately increased. Most manufacturing industries are concentrated in Colombo, Gampaha, and Kandy cities (Figure 49).

<sup>84</sup> J. Burdette. 2006. Stack Monitoring of Industrial Sources in the Philippines. Presentation given at the Better Air Quality 2006 Conference, Yogyakarta, Indonesia, 14 December. [www.cleanairnet.org/baq2006/1757/docs/SW18\\_4.ppt](http://www.cleanairnet.org/baq2006/1757/docs/SW18_4.ppt)

<sup>85</sup> The full names of the laws are Republic Act No. 9003/2003: Ecological Solid Waste Management Act and President's Decree No. 1586: Establishing An Environmental Impact Statement System Including Other Environmental Management Related Measures and for Other Purposes.

<sup>86</sup> D. Jayaweera. 2002. Future Plans of the Air Resource Management Center (Mobile Sources)—Sri Lanka. Presented at the Side Event Partnership for Clean Fuels and Vehicles at the Better Air Quality Conference, Hong Kong, China, 16–17 December.


Although Sri Lanka does not have a lot of heavy industries like other countries in the region such as India, Indonesia, Malaysia, and Thailand, it has many small and medium-sized enterprises interspersed with residential areas. The Central Environmental Authority (CEA) issues licenses to about 25,000–30,000 industries throughout Sri Lanka.<sup>87</sup> Most industries, which were established prior to 1980, use outdated technology without proper pollution-control devices. Many of them do not have the resources to adopt new technologies or to install pollution-control equipment. They also lack physical space for installation of such devices.

The main stationary emission sources in Sri Lanka are power plants and industries. Power plants emit flue gases from the combustion of fossil fuels. Various industrial activities (e.g., combustion for energy conversion, incineration, and evaporation) emit different pollutants. The

major industrial emission sources in Sri Lanka are (i) manufacturing facilities and municipal waste incinerators; (ii) wood burning, fireplaces, stoves, furnaces, and incinerators; (iii) oil refining and industrial activity, in general; (iv) chemicals such as fumes from paint, varnish, aerosol sprays, and other solvents; and (v) waste deposition in landfills, which generates methane.

There is only one air quality monitoring station, located at the Colombo Fort, that has monitored ambient air quality on a continuous basis since 1997. Based on data from this station, the average annual ambient  $PM_{10}$  levels in Colombo have remained relatively stable, ranging from 69 to 82  $\mu g/m^3$ , which is above the maximum permissible level specified in the national ambient air quality standard of 50  $\mu g/m^3$ . However, the annual average  $PM_{10}$  concentration in 2009 showed a marked decrease (Figure 50). Although not yet proven, the decrease could be

**Figure 50 Annual Averages of  $PM_{10}$  at Colombo Fort Ambient Air Quality Monitoring Station, 1998–2009**



$\mu g/Nm^3$  = microgram per Normal cubic meter,  $PM_{10}$  = particulate matter with a diameter of 10 microns or less.

Source: Central Environmental Authority. 2010.


<sup>87</sup> R. Ellepola. 1998. Implementation of Industrial Pollution Control Programs in Sri Lanka. Paper presented at the Fifth International Conference on Environmental Compliance and Enforcement, Workshop 4D, Setting Up and Managing Compliance Assistance Programs and Information Outreach on Regulatory Requirements. Monterey, California, 16–20 November.

**Table 21 Pollutants Concentration in Kandy, 7–13 July 2010**

Pollutants	Maximum Permissible Level (national standards)	Average Concentration	Recorded Maximum Average Concentration
Sulfur dioxide	0.08 ppm (1 hour)	0.02	0.04
Carbon monoxide	26 ppm (1 hour)	1.2	4.4
Nitrogen dioxide	0.13 ppm (1 hour)	0.06	0.08
PM <sub>10</sub>	100 µg/Nm <sup>3</sup> (24 hours)	87	103

µg/Nm<sup>3</sup> = microgram per Normal cubic meter, ppm = parts per million, PM<sub>10</sub> = particulate matter with a diameter of 10 microns or less.

Source: Central Environmental Authority.

**Figure 51 Recorded Maximum 1-Hour Average PM<sub>10</sub> Concentration Daily in Kandy, 7–13 July 2010**

µg/Nm<sup>3</sup> = microgram per Normal cubic meter, PM<sub>10</sub> = particulate matter with a diameter of 10 microns or less.

Source: Central Environmental Authority.

attributed to the implementation of the Vehicle Emission Testing Program.<sup>88</sup>

Most air quality management studies in Sri Lanka have, in the past, focused on Colombo. However, because of the growing concern over the air pollution levels in other cities—especially Kandy, which is located in a valley—CEA conducted a special monitoring study of the air pollution levels for 1 week in Kandy in July 2010. Results of this monitoring are in Table 21 and Figure 51.

The results show that while the concentration levels of most pollutants (e.g., carbon monoxide, nitrogen dioxide, and sulfur dioxide) were lower

than the national standards, the recorded levels of PM<sub>10</sub> reached marginal to maximum permissible levels. This indicates the need for implementing appropriate air quality management programs in Kandy.

### Challenges in Managing Emissions from Stationary Sources

Sri Lanka's main challenge in managing emissions from stationary sources is the lack of legally enforceable emission standards. In 2006, CEA started to focus its attention on power plants and industries. It prepared revised and proposed environmental standards, which contained ambient air quality standards and atmospheric emission

<sup>88</sup> Sri Lanka's inspection and maintenance program that mandates the issuance of an annual emissions certificate for vehicles.



standards for stationary sources. Industries and CEA still consider these proposed standards as general guidelines. However, being in draft form, they are without any legal status, and being guidelines, CEA cannot enforce them. While the National Environmental Act No. 47 (1980) states that it is mandatory to comply with emission regulations for stationary sources to obtain an environmental protection license, since the emission regulations for stationary sources are not yet in place, very few industries voluntarily try to meet these guidelines.

For stationary sources emission standards to be mandatory and legally enforceable, CEA needs to finalize the standards and have these approved by the minister of Environment and Natural Resources and gazetted as a regulation under the National Environmental Act. Yet Sri Lanka faces challenges in the adoption of stationary sources emission standards such as limited technical capacity, lack of information on regional and worldwide best practices, lack of active stakeholder involvement, and lack of baseline emission data.

**Limited technical capacity.** Technical advice on the development of suitable standards for Sri Lanka is needed from local and international experts. Suitable standards denote that they are achievable by Sri Lankan industries through process improvements or incorporation of best available, cost-effective technologies, considering the country's level of economic development. This also requires that the standards can be effectively enforced and that their compliance to be effectively monitored. Both the government and industries require training, the former for proper implementation of the standards and the latter for proper compliance with the standards. The areas identified by stakeholders where technical advice and training are needed are

- development, implementation, and monitoring of fugitive emission standards (including measurement techniques) especially for open lime kilns, metal crushes, and construction sites;
- review of methodologies including the basis of stack height-based emission regulations and the appropriateness of this approach;
- measurement, monitoring, and control of volatile organic compounds;
- use of load-based emission standards;<sup>89</sup>
- appropriateness of including penalties for the number of exceedances of the stationary source emission standards;
- quality modeling and pollutant dispersion; and
- source apportionment.

**Lack of information on regional and worldwide best practices.** While there are many examples in Asia and the Pacific and other regions of emission regulation for stationary sources, there is limited information on which measures actually work and what factors contribute to their successful implementation. CEA needs information on examples of successful stationary source control measures.

**Limited active involvement of stakeholders.** As with any new and proposed regulations, involving stakeholders at an early stage of development of the stationary source emission standards increases the likelihood of stakeholder acceptance. In the present case, CEA decided to obtain public comments. In addition to the public consultations in the Air Quality and Co-Benefits CoP in July and August 2010, CEA plans to advertise the request for public opinion in the newspapers. Since the text of the new 2010 proposed standards will not be published in the newspaper, hard copies will be made available at CEA and other relevant organizations for

<sup>89</sup> Note that the proposed emission standards are based on concentrations only, and the total amount of emissions are not considered directly.



the public. As of September 2010, CEA has not finalized the 2010 proposed standards; therefore, stakeholders have ample opportunity to participate in their final development.

**Lack of baseline emission data.** One of the major difficulties in deriving locally acceptable emission standards for stationary sources is the lack of sufficient baseline emission data. The lack of local emission data and emission inventory could lead to questions on the basis of the emission limits specified in the standards. The development of an emission inventory is a key element in an air quality management program.

### Development of Emission Standards for Stationary Sources

#### Overall Institutional and Policy Framework for Air Quality Management

Unlike several countries in the region, Sri Lanka does not have a clean air act. It was only in early 2010 that the Ministry of Environment and Natural Resources expressed keen interest in drafting such an act. However, to date, no specific activity has been developed to initiate the drafting process. To fill this gap, the Cabinet approved a strategy and action plan called the Clean Air 2000 Action Plan in 1993. This identifies the activities for effective air quality management and clarifies the roles of institutions responsible for urban air pollution control, including policy making, air quality monitoring, enforcing laws, ensuring regulatory compliance, and undertaking research and development on air pollution-control technologies.

The action plan has been updated a number of times, and the present version is Clean Air 2015: Action Plan for Air Quality Management. The Air Resource Management Center of the Ministry of Environment and Natural Resources formulated this action plan with the vision of reducing air pollution-related diseases by maintaining air quality at desirable levels through minimizing emissions of harmful air pollutants.

The development and enforcement of emission standards for different sources of air pollution (including stationary or industrial sources) are among its key strategies. Its main objectives are to

- develop and establish a national multistakeholder platform for formulation and coordination of all air quality improvement and management programs;
- ensure source identification, quantification, monitoring, and reduction of harmful air pollutants through implementation of identified programs in association with all stakeholders;
- formulate and implement an appropriate regulatory framework for ensuring effective air quality management;
- undertake research and development and capacity-building programs for air quality management;
- establish links with subregional, regional, and global air quality management initiatives;
- create public awareness on air pollution, its impacts, and actions taken to address related issues; and
- ensure adequate financial resources through formal and innovative financing mechanisms for air quality management.

The National Environmental Act No. 47 (amended by Act No. 56 [1988] and Act No. 53 [2000]) remains the main legislation on environmental protection and management in Sri Lanka. Environmental standards for emissions from wastewater, noise, air quality, and vibration are covered in the section on environmental quality. At present, the only air quality-related environmental standards that have been gazetted (i.e., approved by the minister of environment and natural resources) are ambient air quality standards, vehicle emission standards, and fuel quality standards.

The objectives of the National Environmental Act include the (i) protection, management, and

enhancement of the environment; (ii) regulation, maintenance, and control of the quality of the environment; and (iii) prevention, abatement, and control of pollution, and matters connected therewith or incidental thereto. The Ministry of Environment and Natural Resources is the main institution for policy formulation and decision making on environmental protection and management in Sri Lanka.

In accordance with the act, CEA was established in 1981 as an agency under the Ministry of Environment and Natural Resources. Since then, CEA has been instrumental in developing the necessary standards relevant for air quality management in Sri Lanka. CEA powers, functions, and duties are to

- set up and implement specific standards, norms, and criteria to protect and maintain the quality of the environment;
- coordinate and implement all regulatory activities related to the discharge of waste and pollutants into the environment;
- regulate, maintain, and control the volumes, types, and effect of waste discharge, emissions, disposal, or other sources of pollution, which are of danger or potential danger to the quality of the environment;
- conduct environmental education and awareness;
- undertake investigation and inspections to ensure compliance and investigate complaints relating to noncompliance;
- conduct, promote, and coordinate research in relation to any aspect of the environmental degradation or the prevention thereof, and to develop criteria for the protection and improvement of the environment; and
- undertake environmental management and assessments of new projects.

CEA is also mandated to implement the three main regulatory provisions related to industrial pollution control: (i) environment protection license procedure, (ii) environmental standards for

emissions, and (iii) environment impact assessments. The environment protection license procedure is required for all the waste-generating industries and processes, whether they are low polluting or high polluting in nature. There are 138 activities that require a license that were published in Gazette Extraordinary No. 1533/16 (2008), including electrical power-generating utilities and industrial processes, and this stipulates the standards and criteria under which an activity is allowed to discharge its waste, including air emissions. The environmental impact assessment is applicable for development projects that are likely to have significant impacts on the environment. Projects that need to secure approval are listed in Gazette Extraordinary No. 772/22 (1993). In the absence of gazetted stationary source emission standards, the 2006 proposed standards are used by CEA as general guidelines when issuing environmental impact assessment approvals and subsequent licenses.

#### Development of Proposed Emission Standards for Stationary Sources

The 2006 proposed standards covered power plants and several industrial processes and plants. A recent study commissioned by CEA described the 2006 proposed standards (Appendix D) as follows:

The proposed atmospheric emission standards for stationary sources in Sri Lanka comprise two parts. Part 1 consists of a set of general atmospheric emission standards for a number of substances, and Part 2 presents an exhaustive list of source-specific atmospheric emission standards for new or modified stationary sources ... In Part 1, the pollutants considered include smoke, soot and dust from combustion sources and eight types of harmful substances (HAPs). The standards are specified in terms of  $\text{mg}/\text{m}^3$  (except for smoke for which opacity is used to measure the concentration). The source



specific atmospheric emission standards presented in Part 2 of the proposal has 29 source categories, some of which are sub-divided further into a number of classes based on source size, process, technology, etc.

The pollutants covered in the proposed standards include TSP,  $\text{SO}_2$ ,  $\text{NO}_2$ , Smoke, CO, VOC, and a few other chemicals such as HCl, Fluorides, Metal, etc. The standards also specify monitoring requirements in each source and pollutant. Emission standards mainly specify limiting values for the concentrations and, in a few cases, a minimum height for the stack.

However, recognizing the need for legally enforceable standards,<sup>90</sup> CEA commissioned the Sri Lanka Energy Managers Association in April 2010 to review current emissions from different industry groups; and recommend emission standards for stationary sources that are sound, locally acceptable, and suitable to the Sri Lankan context. These 2010 proposed standards, when approved by the minister of environment and natural resources, will become legally enforceable and replace the 2006 proposed standards.

Developing the 2010 proposed standards involves several steps (Figure 52) including reviews and/or studies of local industry emission data, issues relevant to stationary source emissions (e.g., fuel characteristics, mitigation measures, regional best practices), and future expected developments in industry.

### Using Local Emission Inventories for Realistic Emission Standards

Studying past and present local emission inventories is important for setting up realistic emission standards and for better air quality management and modeling. Emission records for different sources such as 243 boilers, 62 standby generators, 17 thermic fluid heaters, 13 incinerators, and 5 power plants were collected. Data collected for at least a 3-year period included capacity; fuel type; fuel consumption; combustion efficiency; thermal efficiency; and concentrations of carbon dioxide, carbon monoxide, ozone, nitrogen dioxide, and sulfur dioxide in the flue gas.


The case of power plants illustrates the use of local emission data in setting emission limits. Based on 8 years of sulfur oxide emission data for one 100-megawatts electrical (MWe) power plant, it can be concluded that 3,500 milligrams (mg) per normal<sup>91</sup> cubic meter ( $\text{Nm}^3$ ) of sulfur oxide is achievable. According to the study, sulfur dioxide emission in combustion is most likely due to sulfur in the fuel; for example, sulfur content in furnace oil of 3.5% (which is the level of sulfur in fuels produced by the Ceylon Petroleum Corporation) would result in sulfur dioxide emission concentration of about 6,090  $\text{mg}/\text{Nm}^3$ . For 2% sulfur content, the sulfur dioxide emission concentration would be about 3,480  $\text{mg}/\text{Nm}^3$ . For this reason, it was proposed that the emission limit for an oil-fired thermal power plant of capacity above 25 MWe up to 100 MWe would have to comply with an emission limit for sulfur oxide of 3,500  $\text{mg}/\text{Nm}^3$  (Figure 53).<sup>92</sup>

<sup>90</sup> The existing emission standards were believed to be developed by only considering standards in other countries (including those of the Environmental Protection Agency), and there were concerns on their validity and applicability to the Sri Lankan situation. In particular, local emission data and fuel quality levels seem to have not been taken into account.

<sup>91</sup> "Normal" means that the volume is measured at the normal temperature and pressure conditions. In Sri Lanka, the normal temperature recommended is 0°C.

<sup>92</sup> It must be noted that while technologies like flue gas desulfurization are available, most power plants in Sri Lanka do not use these emission control technologies. Once the 2010 proposed standards are fully implemented, more stringent standards may be introduced depending on the development of the industry.

Figure 52 Steps in Developing the 2010 Proposed Stationary Source Emission Standards



Source: Sri Lanka Energy Managers Association. 2010.

The Sri Lanka Energy Managers Association study described several existing nitrogen oxide, sulfur dioxide, and particulate emission control technologies for power plants and industries. The typical emission reduction efficiency (e.g., flue gas desulfurization can reduce sulfur oxide by 70%–90%) for each technological solution was included (e.g., flue gas desulfurization results in solid waste that cannot be reused). This assures regulators that existing technologies are available to meet the proposed standards. The cost

of the different technologies, however, was not specified.

The study also noted that in the industrial and commercial sectors of Sri Lanka, the main petroleum fuels used are liquefied petroleum gas, kerosene, and diesel and fuel oil (or furnace oil). The power generation sector uses diesel and furnace oil, while industries use furnace oil. The kerosene consumption in industry as a fuel for heat or power generation is minimal. Liquefied



**Figure 53 Power Plant Emissions from 2003 to 2008 and Sulfur Content of Industrial Fuel**



mg/Nm<sup>3</sup> = milligram per Normal cubic meter, NO<sub>x</sub> = nitrogen oxide, SO<sub>x</sub> = sulfur oxide.

Source: Sri Lanka Energy Managers Association. 2010.

petroleum gas use in industry is increasing. With respect to diesel fuels, three categories are sold in the country: super diesel, auto, and high-sulfur diesel. Auto diesel and high-sulfur diesel are used in industries and the power sector, while auto diesel and super diesel are used in the transport sector.

Further, the study acknowledged that the classification of industries is important to ensure that the stationary source emission standards cover existing industrial activities. Since the International Standard Industrial Classification<sup>93</sup> of all economic activities is already used in Sri Lanka, it is used in the 2010 proposed standards.

Additionally, since the standards are meant to apply to power plants and industries in their present and future condition, they must consider the possible future developments in this sector. For example, Sri Lanka already has plans to implement bioenergy-based power plants, mixed fuel power plants, and more coal-fired power plants. The 2010 proposed standards consider these future developments.

A study of the progress in the establishment of emission standards in selected Asian countries was also done. The review showed that there is a wide variation in emission standards for stationary sources in different countries in terms

<sup>93</sup> This classification system is a United Nations system for classifying economic data that identifies industries into eight sectors and a ninth sector as a catch-all to cover all other products or industries not specified. The criteria used for choosing the industry classification includes (i) compatibility with the industry categorization already used in Sri Lanka (in this case, International Standard Industrial Classification), (ii) comprehensiveness (covering all industries in Sri Lanka), (iii) ease in readability format, and (iv) manageability of the number of categories. The nine sectors are (i) food, beverages, and tobacco; (ii) textiles, wearing apparel, and leather products; (iii) wood and wood products; (iv) paper and paper products; (v) chemical, petroleum, rubber, and plastic products; (vi) nonmetallic products; (vii) basic metal products; (viii) fabricated metal products; and (ix) products not elsewhere specified.

of the type of pollutants covered, source categories, and emission limits (Appendix E). Two instances when regional standards were used as reference or bases for the 2010 proposed standards are (i) the frequent reference to Thailand's emission standards, which are considered more comprehensive than those of most of the other developing countries in the region; and (ii) on whether emission factors should be expressed in weight per unit of energy input or weight of pollutant per unit volume (or emission concentration) in combustion systems. The 2010 proposed standards adopt the latter since the national standards of all countries reviewed use emission concentration reflected in the common unit mg/Nm<sup>3</sup>.

#### Proposed Emission Standards for Stationary Sources in Three Tiers


The 2010 proposed standards cover all levels of industrial plants and processes listed in the National Environmental Act. They cover a variety of fuels, raw materials, chemicals, and pollutants. To apply the standards systematically, a three-tier approach is proposed (Figure 54) where

- Tier 1 specifies equipment-based standards (including power plants),
- Tier 2 specifies specific process or industry-based standards, and
- Tier 3 specifies pollutants-based standards covering all stationary sources.

Each tier is briefly described below. For a full text of the 2010 proposed standards, see Appendix F.

The Tier 1 or equipment based-standards will be the primary standard. These standards show the (i) source or equipment covered by the standard, (ii) fuel and rated output capacity, (iii) pollutant to be controlled, (iv) emission limit (combustion),<sup>94</sup> and (v) monitoring requirement. The rated output capacity is the total of the maximum rated capacities of the relevant equipment at a single site and MWe, which is used in the standards means the total of the maximum rated electricity generation of the power plant equipment and engines at a single site. Tier 1 standards encompass thermal power plants, standby generators, boilers, thermic fluid heaters, incinerators, and infectious waste incinerators.

**Figure 54 Three-Tier Approach to Stationary Source Emission Standards**



Source: Sri Lanka Energy Managers Association.

<sup>94</sup> In general, there are different mechanisms that generate a given pollutant, which could be broadly categorized as combustion and noncombustion. Combustion emissions result from energy conversion process of fuels through burning, while noncombustion emissions can occur due to other mechanical or physical processes such as fugitive emissions, evaporation, or leaks.





Except for incinerators (including infectious waste incinerators), the control measure imposed includes maximum emission limits to specific pollutants, stack height specifications, or a combination of both measures. In some instances, such as for thermal power plants below 25 MWe, uncontrolled emission levels based on fuel quality (presently 6,100 mg/Nm<sup>3</sup> based on 3.5% sulfur content of fuel produced by the Ceylon Petroleum Corporation) are allowed for sulfur oxide.

Uncontrolled emission concentrations are entirely dependent on the sulfur concentration in the fuel. Because small power plants most likely have limited options and have to use the available fuel with 3.5% sulfur, they are allowed such uncontrolled emissions at 6,100 mg/Nm<sup>3</sup>. However, larger power plants are expected to use sulfur oxide control technology to keep the concentration levels within 870 mg/Nm<sup>3</sup> (i.e., 0.5% sulfur in fuel).

Tier 2 or specific industry and process-based standards apply to any equipment or pollutant not listed in Tier 1. These standards state the (i) industry or process covered by the standard, (ii) pollutant to be controlled, (iii) emission limit (combustion), (iv) emission limit (noncombustion), and (v) monitoring requirement. Tier 2 standards target these large-scale or high-emitting industries and processes:

- portland cement plants,
- iron and steel industry,
- nitric acid production,
- sulfuric acid production,
- hydrochloric mineral acid production,
- petroleum refinery,
- bulk gasoline terminals,
- hot-mix asphalt facilities,
- hot dip-galvanizing plants,
- metal foundries,
- secondary metal smelters,
- phosphate fertilizer industry,
- coal preparation plant,
- kraft pulp mills,

- lead-acid battery-manufacturing plants,
- lime-manufacturing plants,
- glass-manufacturing plants,
- phosphate rock plants,
- asbestos industries,
- rubber tire-manufacturing industry,
- polymer-manufacturing industry,
- synthetic organic chemical-manufacturing industry, and
- nonmetallic mineral-processing plants.

Tier 3 or specific pollutant-based standards cover any pollutant not listed in Tier 1 and Tier 2. Tier 3 standards target key pollutants, including hazardous pollutants. The standards state the (i) pollutant to be controlled, (ii) process and source, (iii) emission limit (combustion), (iv) emission limit (noncombustion), and (v) monitoring requirement. The pollutants covered by Tier 3 are

- particulate matter,
- smoke or dust,
- carbon monoxide,
- sulfur oxide,
- nitrogen oxide,
- chlorine and hydrogen chloride,
- fluorides and hydrogen fluoride,
- hydrogen sulfide,
- cadmium and its compounds,
- lead and its compounds,
- antimony and its compounds,
- arsenic and its compounds,
- copper and its compounds,
- zinc and its compounds,
- mercury and its compounds,
- dust containing silica,
- dioxin and furan, and
- ammonia.

Other important information about the 2010 proposed standards is as follows.

**When more than one fuel type is used.** In cases where the plant or equipment utilizes more than one type of fuel, the emission standards to be applied will be those corresponding to the

main fuel declared when the plant or equipment is commissioned. In the event of a permanent change in the primary fuel used after the plant or equipment is commissioned, CEA must be informed of this change.

**Performance tests.** Standard test methods and procedures (or equivalent or alternative methods approved by CEA) will be used for performance tests for parameters or pollutants. CEA will require that the tests are conducted within a specified time period and at a particular frequency. Tests will not be done at start-up, shutdown, or malfunctions to determine compliance with the emission standards, as these events do not constitute representative conditions at which the facility or equipment operates. Each test consists of three samples using the standard test method; the arithmetic mean of the three results is used to determine compliance with the emission standard. A written report of the test results with information on the test procedure used will be submitted to CEA. The standard methods to be used for the performance tests for emission measurements can be found in the United States Code of Federal Regulation.

**Monitoring.** When the recommended emission standard specifies that continuous monitoring is needed, a continuous monitoring system capable of sampling and conditioning (if applicable), analyzing, and providing a permanent record of emissions or process parameters is needed. Performance specifications for continuous emission monitoring systems are described in United States Code of Federal Regulation.<sup>95</sup>

**Implementation strategy.** The Sri Lanka Energy Managers Association recommended that an implementation strategy be developed covering (i) awareness raising among stakeholders

through consultations on the 2010 proposed standards, (ii) capacity building of relevant CEA staff, (iii) acquisition of emission-measuring equipment, (iv) phased implementation of the standards, (v) establishment of an auditing and quality assurance procedure, and (vi) developing a legal framework with penalties in case of violation of the standards.

## Results of Review of Sri Lanka Draft Standards

### Process

Clean Air Sri Lanka, with the CAI-Asia Center, undertook a policy case study to review the 2010 proposed standards for Sri Lanka. First, online discussions were facilitated through a discussion group under the Air Quality and Co-Benefits CoP in July and August 2010. The objective of the CoP was to secure comments and suggestions from stakeholders to formulate a sound, locally acceptable set of emission standards for stationary sources in Sri Lanka. The CoP was facilitated by Dr. Thusitha Sugathapala, president of Clean Air Sri Lanka. Sixteen stakeholders (i.e., 7 from government, 6 from academe, 2 from private sector, 1 from a nongovernment organization) posted comments on the CoP. Then, a public lecture on the proposed standards was organized in August 2010 by a CoP member for the Institution of Engineers, Sri Lanka because of the growing interest in the topic. Finally, a webinar on the topic was held in September 2010 with Dave Calkins and Miriam Lev-On of the Air and Waste Management Association as international resource persons.

### Comments and Recommendations

These forums resulted in the comments and recommendations summarized in Table 22. The recommendations were forwarded to CEA in September 2010 for consideration in its finalization of the regulations.

<sup>95</sup> United States Environmental Protection Agency. Emissions Management Center. [www.epa.gov/ttn/emc](http://www.epa.gov/ttn/emc)



**Table 22 Stakeholder Comments and Recommendations Generated from the Various Forums on the 2010 Proposed Stationary Emission Standards in Sri Lanka**

Topic	Comments and Recommendations
1. Clean Air Act and involving subnational government levels	It is important to involve subnational governments in improving air quality. If a clean air act is in place for Sri Lanka, the act could require the development of a national action plan and provincial implementation plans. Sri Lanka's nine provinces could be involved, or this could be initiated or piloted by Western Province, where the capital, Colombo, is located. An emission inventory could also be initiated at the local level.
2. Establishing the link between ambient air quality and stationary source emissions	The link between the ambient air quality and stationary source emission standards should be established. These should be aligned to have a meaningful implementation of the emission standards since the ultimate aim is to improve ambient air quality. In this regard, measurement and analysis should be conducted. This effort would require air quality modeling.
3. Need for emission inventory	<p>In formulating emission standards, a sample of existing emission levels of different industrial sectors is needed. Implementing the standards is an opportunity for the government to gather baseline data and use these to refine the standards. This data would be useful in developing an emission inventory.</p> <p>The lack of local baseline emission data puts the standards at risk of being impractical or irrelevant for local industries. Too-stringent standards would hamper the implementation process.</p> <p>An emission inventory would also help determine the major sources of air pollution and consider possible transboundary pollution.</p>
4. Appropriateness of concentration-based standards (per unit of volume or mass) versus load-based standards (or per unit energy) and appropriateness of the three-tier approach	<p>Standards based on emission load or quantity of emissions released provide a more equitable approach rather than emission concentration. However, in the absence of sufficient local data and baseline values, the three-tier approach is appropriate. After the successful implementation of concentration-based standards, these can then be modified to address the issue of equity (this could take the form of the pollution load based standards).</p> <p>Many local industries do not have a monitoring and recording system necessary to implement a load-based standard. Except for power plants, it would be difficult to find many other industries recording the energy produced.</p> <p>In implementing the concentration-based standards, dilution as a means to meet the standard by increasing excess air must be prevented. This has been taken into consideration in the proposed standards, which specify the reference oxygen levels for different fuels (i.e., 3% for gas and liquid, 6% for solids, and 10% for incinerators).</p> <p>Emission standards are usually presented in terms of concentrations (e.g., weight per unit volume) as the main goal of the activity is to reduce ambient air concentrations, which are essentially represented by concentrations (e.g., per unit volume/parts per million).</p> <p>The concern of emission load is partly addressed in the proposed Tier 2 standards, which specify the maximum permissible emissions from each process and related equipment of different industries. For example, in oil-fired thermal power plants, smaller capacity power plants require less stringent standards than large capacity ones.</p>

*continued on next page*

Table 22 *continued*

Topic	Comments and Recommendations
5. Chimney or stack height as the standard for emission regulation for small plants	<p>In the proposed standards, emission standards for smaller plants include a minimum limit for stack height instead of a maximum concentration of pollutants. The main objection against the use of stack height as a control measure is that it is a means of achieving dispersion (i.e., dilution) and, depending on the weather, the plume can reach the ground very quickly. There are also many mobile incinerators used in hospitals where there is no stack. Stack height should only be used to ensure that the residual pollution, after meeting standards, is dispersed.</p> <p>Appropriate ground-level concentration standards (i.e., local ambient standards) should be adopted, and dispersion modeling (e.g., Industrial Source Complex model) should be used to determine the chimney height and discharge conditions (e.g., efflux velocity) that will enable ground-level concentration standards to be met. However, the use of a chimney to disperse emissions should be considered as a secondary strategy, following the primary approach of control at source through clean technology, appropriate emission standards, and emission control and treatment.</p>
6. Improving enforcement	<p>There is a large number of industries, and the present limited resources (e.g., financing, equipment, and trained staff) can hinder the successful implementation of the program. The enforcement of industry-related regulations has not been very successful in Sri Lanka. For example, it is estimated that out of 70,000 industries, only about 25,000 have obtained the environmental protection license.</p> <p>Training and capacity building of relevant authorities to improve enforcement of the standards, as well as to increase measurement and monitoring, is needed.</p>
7. Matching enforcement with compliance assistance	<p>Emission standards are not meant to hamper the development of industries. The enforcement of the emission standards should be accompanied by helping industries find solutions (e.g., technology and technical advice) to reduce emissions from their processes and activities.</p> <p>Local industries need adequate support and guidance to comply with the standards. Sufficient time should be given for them to meet the standards. For each equipment and process, information on best available technologies, guidelines on design operation, and maintenance for emission reduction should be developed and provided to the industry.</p>
8. Addressing resource and capacity limitations through private sector involvement	<p>Adequate technical expertise is needed for emission measurement because it is a complex task.<sup>a</sup> For countries with limited resources, the best approach is probably to build a testing capacity in the private sector by requiring industry to conduct the necessary tests. The demand for testing would be driven by the regulatory agency's requirements, and firms offering testing services should then arise to meet that demand. The regulator then adopts an oversight or auditing role, ensuring that the test is properly carried out with the right methods. Some form of accreditation or certification of private testing firms is also desirable. Staff of the regulatory agency would need to be properly trained, but the agency itself would not need to acquire the resources for full-scale testing. Establishing an oversight committee could help in the smooth implementation of the program.</p> <p>Public complaints of pollution from stationary sources could be a valuable source of information, which Central Environmental Authority enforcement officers can act upon and investigate.</p>
9. Voluntary reporting, self-monitoring, and information disclosure	<p>The implementation process could be started on a voluntary basis for a predetermined time period. The industries could be requested to report the emission levels on a regular basis (self-monitoring with reporting to the authorities and public disclosure of the report), prior to the actual enforcement of the standards.</p>

*continued on next page*

Table 22 *continued*

Topic	Comments and Recommendations
10. Linking compliance with emission standards to environmental licenses	The implementation of the emission standards must definitely be linked with the annual environmental license. The legally binding maximum emission limits should be enforced using existing mechanisms such as the environmental protection license. The license monitoring mechanism should be strengthened.
11. Penalties and rewards	Penalties should be imposed on companies that do not meet the standards, especially high-polluting industries, and rewards should be given for less polluting industries (e.g., green labeling).
12. Phased implementation	Step-wise implementation, starting from large industries or high-polluting processes (e.g., power plants) and stage-by-stage inclusion of others is recommended. This is practical, especially because many small and medium-sized enterprises will find it difficult to comply with the standards, due to lack of capacity, finances, and use of old technology. It should be noted that while large industries are easier to monitor, most pollution is caused by the small and medium-sized enterprise sector. Thus, it should be assisted so they can comply with the emission standards.
13. Use of United States Environmental Protection Agency emission measuring procedure	<p>According to the proposed standards, the performance tests will be in accordance with United States Environmental Protection Agency standard test methods and procedures. The adoption of such methods and procedures may require some modifications to the present plants and equipment, especially to provide access to instrumentation and also to be in compliance with specifications given.</p> <p>Emission measurement can be very expensive, and, in some cases, Sri Lanka does not have the capacity to measure specific pollutants (e.g., dioxins). It may be good to start with a simple implementable strategy and gradually implement the United States Environmental Protection Agency performance specifications.</p> <p>In some cases, the use of simplified strategies results in inconclusive data, and industries may end up having to repeat the test using a more extensive procedure. The data from simplified procedures may be of little use in enforcing the standards. These data could not realistically be used to prosecute an apparent offender.</p>
14. Improving fuel quality for industrial use	The high concentration of sulfur oxide in Colombo is attributed to thermal power plants and standby generators using furnace oil with a 3.5% sulfur content. The most effective way to control sulfur oxide emissions is to introduce more stringent fuel quality standards for industrial fuel, since the use of exhaust gas treatment technology would be too costly, especially for small-capacity facilities.

<sup>a</sup> A member of the community of practice describes the technical expertise required in emission measurement: "Emissions measurement (or stack testing) is a complex task... Not only are the emissions themselves variable. There are also many aspects of the emission testing procedure that can affect the measured result. Each source should be measured over three 1-hour periods, while trying to hold the operational and process conditions as constant as possible. If the standards are in the form of emissions per unit of input or output or energy, the levels of these other parameters will have to be measured or recorded simultaneously. The results of the three test runs should then be averaged, for comparison with the standard. A full emission test will take a full day, and it will often take a half day or more to prepare for the test. A team of three persons (minimum) is required." (Bill Farrell, posted on 23 Aug 2010 [www.cleanairinitiative.org/portal/node/4380](http://www.cleanairinitiative.org/portal/node/4380))

The comments and recommendations can be grouped into these main topics.

- The need for stationary source emission standards to be part of an integrated framework for air quality management. Related to this, stakeholders raised the need for (i) a

clean air act to be drafted to provide this framework, (ii) emission inventory to identify the major sources of air pollution, and (iii) air quality modeling to ensure that the stationary source emission standards contribute to attaining the ambient air quality standards.

- The appropriateness to the Sri Lankan context of the (i) approach that the standards take (e.g., three-tier approach and the use of concentration-based standards), (ii) control strategies employed in the standards (e.g., stack height requirements and maximum emissions), and (iii) measurement protocols.
- The concerns on proper enforcement and implementation, including how to address resource limitations.
- Supplementary measures (e.g., improving fuel quality) to manage emissions from stationary sources of air pollution.

### Next Steps

To move forward with the finalization of the 2010 proposed stationary source emission standards, the following next steps have been identified.

- A report must be submitted to CEA with recommendations based on the following: (i) Clean Air Portal discussions; (ii) the public lecture at the Institution of Engineers, Sri Lanka; (iii) webinar; and (iv) review of the proposed standards by the international experts. CEA should also consider revising the proposed standards based on the comments and recommendations and/or incorporate these into the implementation strategy to be developed.
- Once the final recommendations are drafted, prior to gazetting, CEA must comply with the mandatory requirement of obtaining comments from the general public. It must advertise the final draft standards in newspapers and request the public to submit their written comments within a specified time period.
- Once the proposed standards are finalized, these must be composed in a specific format as the National Environment (Stationary Sources Emission Standards) Regulation and submitted to the minister of environment


and natural resources for approval. Once approved, the document will be sent to the Legal Draftsman's Department for rectification. The main function of this department is the drafting of legislation to facilitate the successful implementation of the program. The Legal Draftsman's Department is also required to prepare legislation in both of the official languages, i.e., Sinhala and Tamil, as well as in English. Then the regulation is gazetted under the National Environment Act No. 47 (1980). The regulation would also indicate the date from which the standards become applicable and which industries would be covered in the event of a phased implementation. This process is estimated to take about 6 months.

### Local Case Study: Environmentally Sustainable Transport for Kathmandu, Nepal

This section presents the results of a local case study that was conducted for Nepal's capital city, Kathmandu, to provide inputs in the development of an environmentally sustainable transport strategy and action plan for Kathmandu and Nepal. Since Nepal's participation in the United Nations Centre for Regional Development (UNCRD) Environmentally Sustainable Transport Forum in 2008, discussions have been conducted for UNCRD to help develop a strategy and action plan for environmentally sustainable transport. The CAI-Asia Center supported the development of an environmentally sustainable transport strategy for the Philippines and Indonesia with ADB and the Swedish International Development Cooperation Agency (Sida),<sup>96</sup> and this experience provided a good opportunity to help prepare for the development of another strategy and action plan through the Clean Air Network Nepal, a country network of CAI-Asia.

<sup>96</sup> Clean Air Portal. Sustainable Urban Mobility in Asia. <http://cleanairinitiative.org/portal/whatwedo/projects/SUMA>



**Figure 55 PM<sub>10</sub> Concentration in Kathmandu Valley, 2002–2007**

µg/Nm³ = microgram per Normal cubic meter, PM<sub>10</sub> = particulate matter with a diameter of 10 microns more or less.

Source: Generated with data provided by Government of Nepal, Ministry of Environment, Science and Technology.

### Challenges with Transport and the Environment in the Kathmandu Valley

Kathmandu is the political and commercial capital of Nepal and sits in a valley covering an area of 50.67 square kilometers. It has a population density of 13,225 per square kilometer. Since Nepal is a mountainous and landlocked country, transport is by road and air. The transport sector is mainly powered by imported gasoline, diesel, and kerosene, followed by electricity from hydropower.

Transport plays a very important role in economic development of any country, especially in developing countries like Nepal, with the aspiration of linking its underdeveloped areas with more developed ones. Nepal needs to develop adequate transport infrastructure and facilities for its economy to progress. However, as the city expands, the development of the Kathmandu

Valley has gone largely unplanned. As a result, the transport sector has become unsustainable—public transport is disorganized and inequitable, vehicle movement is unrestricted, and its major corridors have become severely congested, while traffic accidents are on the rise. Fluctuating oil prices pose a major burden on the economic viability of the transport system.

Conventional approaches of developing the transport sector have also led to significant environmental degradation, including air pollution and greenhouse gas emissions that affect human health and contribute to climate change. Since the capital city is located in a valley at an altitude of 1,400 meters above sea level, the dispersion of air pollutants is limited, especially during the winter when particulate matter tends to settle in the valley. One study showed that the excess mortality due to Kathmandu's air quality situation is 900 per million people. It also estimated



that a 50  $\mu\text{g}/\text{m}^3$  reduction on  $\text{PM}_{10}$  levels would contribute to avoiding 1,600 deaths every year.<sup>97</sup> Figure 55 shows the levels of air pollution from 2002 to 2007 with high levels of  $\text{PM}_{10}$  during the months of December and January.

Government authorities are allocating significant funds to promote Nepal's Tourism Year in 2011. However, the severity of air pollution in the capital is affecting tourism, as Kathmandu is the main entry point to Nepal for international tourists.

The challenge is for Kathmandu Valley to decouple the development of its transport sector from negative impacts on the environment and society. However, Nepal is seriously lacking policies and projects that can improve the overall transport system in the country, particularly in the Kathmandu Valley. For Kathmandu Valley and the country to develop more sustainably, an integrated, comprehensive strategy and supporting policies and actions are needed for the transport sector. Since the government is a member of the UNCRD Environmentally Sustainable Transport Forum, it is proposed that this strategy is developed around an environmentally sustainable transport framework.<sup>98</sup>

## Environmentally Sustainable Transport

### Environmentally Sustainable Transport Forum

The business-as-usual scenario for most transport systems is unacceptable, unviable, and unaffordable for the future of our planet. There needs to be a paradigm shift in the way that transport systems are developed. An approach is needed that places environmental criteria at the forefront along with other policy goals. Realizing this, the concept of environmentally sustainable transport has evolved. The concept was originally adopted by nations belonging to the Organisation for Economic Co-operation and Development (OECD), with the objective of reducing negative impacts of transport system development.<sup>99</sup>

OECD defines environmentally sustainable transport as "transportation that does not endanger public health or ecosystems and meets needs for access consistent with a) use of renewable resources below their rates of regeneration, and b) use of non-renewable resources below the rates of development of renewable substitutes."<sup>100</sup> This approach, as described by OECD, involves three important steps. The first is to set out scenes or scenarios of what transport will be

<sup>97</sup> Government of Nepal, Ministry of Environment, Science and Technology. 2005. *Ambient Air Quality of Kathmandu Valley 2005*. Kathmandu.

<sup>98</sup> In Asia, the initiative is led by UNCRD with support from the Ministry of Environment in Japan. It aims to build a common understanding across Asia on environmentally sustainable transport and integrate the 12 elements in national strategies and national and local policies and action plans. Regional forums are held each year and are attended by senior government officials from the ministries of environment and transport in Asian countries. Main developments to date are (i) the First Regional Environmentally Sustainable Transport Forum, held in 2005, which resulted in the Aichi Statement that articulated a comprehensive list of sustainable transport objectives based on 12 major thematic areas; (ii) Second Regional Environmentally Sustainable Transport Forum and CAI-Asia's Better Air Quality Conference, held in 2006, which recognized the need for formal documents such as national environmentally sustainable transport strategies as a good mechanism to pursue integrated strategies to promote environmental sustainability in the transport sector and recommended expanding the initiative to South Asian countries; (iii) signing of the Environmentally Sustainable Transport Kyoto Declaration by cities, which was started at the Asian Mayors' Policy Dialogue for the Promotion of Environmentally Sustainable Transport in 2007 for the promotion of environmentally sustainable transport at the city level (as of 2010, 44 Asian cities have signed the Kyoto Declaration); (iv) Third Regional Environmentally Sustainable Transport Forum, held in 2008, which included eight South Asian countries and representatives from the health sector supported by WHO; (v) Fourth Regional Environmentally Sustainable Transport Forum, held in 2009, which resulted in the Seoul Statement that highlighted the need for regional efforts toward win-win solutions that capture co-benefit considerations in addressing sustainable transport and climate change; and (vi) Fifth Environmentally Sustainable Transport Forum, held in 2010, during which governments adopted the Bangkok Declaration for 2020, where goals and indicators for environmentally sustainable transport were identified. ICT was also integrated as one of the goals in the declaration.

<sup>99</sup> OECD. 2002. *Guidelines towards Environmentally Sustainable Transport*. Paris.

<sup>100</sup> OECD. 2000. *Environmentally Sustainable Transport Guidelines*. Vienna. pg. 17. [www.oecd.org/dataoecd/53/21/2346679.pdf](http://www.oecd.org/dataoecd/53/21/2346679.pdf)

like when it is environmentally sustainable. The second is to characterize it in terms of quantifiable targets for transport activities and environmental impacts of each unit of activity. The third is to engage in an exercise that works back from these future targets to determine what actions are required to ensure that targets are met.

UNCRD defines environmentally sustainable transport in more general terms, as “transport that meets the needs of the present without preventing future generation from meeting their needs.”<sup>101</sup> The concept is thus centered on the transport system and activities that meet social, economic, and environmental objectives. Best practice measures and policies developed for 12 thematic areas (Figure 56) can help to trans-

form transport and the very urban structure of cities toward a more sustainable model. Through the development of environmentally and people friendly urban transport infrastructures, cities can reap the benefits of a more livable and productive urban space. Environmentally sustainable transport is also about prevention. It will clearly be less costly to prevent negative consequences of motorization rather than to try to retroactively mitigate the problems.

At the Fifth Environmentally Sustainable Transport Forum (BOAS), the Government of Nepal requested assistance from UNCRD to develop a national environmentally sustainable transport strategy and action plan to guide its transport and related policies and projects. This strategy would

**Figure 56 12 Thematic Areas of an Environmentally Sustainable Transport Strategy**



Source: United Nations Centre for Regional Development (UNCRD). EST News. [www.uncrd.or.jp/env/est](http://www.uncrd.or.jp/env/est)

<sup>101</sup> UNCRD. 2010. *Environmentally Sustainable Transport for Asian Cities: A Sourcebook*. Nagoya.

be linked to existing projects and initiatives. The case study described in the next section was thus extremely timely and could be considered a first and important step in the development of such a strategy and action plan for Nepal.

### Environmentally Sustainable Transport Developments in Asia and the Pacific

While some countries have developed national environmentally sustainable transport frameworks that are supported by UNCRD, such as Cambodia, Indonesia, the Philippines, and Viet Nam, other initiatives are covered under existing national overarching environment or transport policies, such as the National Urban Transport Policy in India. The environmentally sustainable transport thematic areas with the most direct

influence on reducing air pollution and greenhouse gas emissions are public transport, nonmotorized transport, cleaner fuels, and vehicle emission control. Many countries are implementing and strengthening policies for these areas. The most significant developments for these areas are summarized below.

**Public transport.** Countries are giving increasing importance to public transport policies and initiatives as reflected by government announcements and policies to increase public transport mode shares. Singapore aims to have a 70% public transport mode share by 2020. In Viet Nam, Ho Chi Minh City's target is a 50% public transport mode share by 2020, while Vientiane in the Lao People's Democratic Republic aims for

#### Box 5 Bangkok Declaration for 2010

More than 20 countries in Asia that participated in the Fifth Regional Environmentally Sustainable Transport Forum expressed their intent to voluntarily develop and realize integrated and sustainable transport policy options, programs, and projects. The participating countries were invited to report their progress by utilizing the forum.

The Bangkok Declaration includes four strategies with 20 underlying goals in achieving environmentally sustainable transport goals and objectives by 2020:

- Avoid unnecessary travel and reduce trip distances by (i) formally integrating land-use and transport planning, (ii) promoting mixed-use development and medium-to-high density corridors in cities, and (iii) using information and communication technology.
- Shift to more sustainable transport modes by (i) requiring nonmotorized transport components in transport plans, (ii) improving public transport services, (iii) implementing transport demand management measures, and (iv) and promoting better and more sustainable intercity movement of goods and people.
- Improve transport practices and technologies by (i) diversifying to more sustainable transport fuels and technologies; (ii) setting progressive, appropriate, and affordable standards for fuel quality, fuel efficiency, and tailpipe emissions for all vehicles; (iii) establishing an effective vehicle inspection and maintenance scheme; (iv) adopting intelligent transport systems, when applicable; and (v) improving freight transport efficiency including road, rail, air, and water.
- Develop cross-cutting strategies like (i) adopting a zero-fatality policy for road, rail, and waterways; (ii) promoting health impact monitoring; (iii) establishing country-specific, progressive, health-based, cost-effective, and enforceable air quality and noise standards; (iv) implementing sustainable low-carbon transport initiatives to mitigate global climate change and to fortify national energy security; (v) adopting social equity as planning and design criteria; (vi) encouraging innovative financing mechanisms; (vii) encouraging widespread distribution of information and awareness; and (viii) developing dedicated and funded institutions for environmentally sustainable transport.

Source: United Nations Centre for Regional Development. EST News: Special Event of Asian Mayors for the Signing of the Kyoto Declaration for the Promotion of Environmentally Sustainable Transport in Cities. [www.uncrd.or.jp/env/est](http://www.uncrd.or.jp/env/est)



### Box 6 ADB Kathmandu Urban Sustainable Transport Project

The Ministry of Physical Planning and Works, with support from the Asian Development Bank (ADB), has initiated the Kathmandu Sustainable Urban Transport Project to improve the quality of urban life in the capital city of Nepal, through the delivery of a more efficient, safe, and sustainable urban transport system, favoring local economic growth and addressing climate change and air pollution mitigation. Furthermore, improved public transport and walkability will favor a modal shift from private vehicles and enhance traffic conditions. The urban transport system will be improved by (i) setting up a method and a plan to rationalize and upgrade the existing public transport network, and testing this approach through the implementation of pilot routes provided with electric vehicles; (ii) implementing traffic management works and measures, which will enable pedestrianization of heritage routes in the city core, and improve general walkability; and (iii) improving air quality monitoring.

Source: ADB. 2010. *Report and Recommendation of the President to the Board of Directors: Proposed Loan and Technical Assistance Grant to the Kingdom of Nepal for the Kathmandu Urban Sustainable Transport Project*. Manila (Loan No. 2656-NEP, for \$10 million, approved 22 July).

40% by 2025. It is important to note that these cities have very high private transport share by motorcycles. The People's Republic of China (PRC) is investing heavily in the expansion of its public transport infrastructure and strives for a 1,000-kilometer bus rapid transit network in 2015, as compared to 283.8 kilometers in 2008. Its urban rail network, which covered 10 cities (782.7 kilometers) in 2008, will be expanded to cover 16 cities (1,700 kilometers) in 2015. Malaysia has also earmarked 35 billion ringgit (\$11.35 billion) to improve the efficiency of its public transport for 2009–2014 and established the Public Transport Commission in May 2010.<sup>102</sup>

Many of these public transport improvement initiatives are reorganizing the current bus systems into bus rapid transit systems. Figure 57 shows the current and planned bus rapid transit systems in the region.

**Nonmotorized transport.** The promotion of nonmotorized transport is also an area that countries are looking to strengthen. Bike-sharing schemes are gaining popularity, particularly in the PRC, where such schemes are being imple-


mented in Beijing, Dujiangyan, Guangzhou, Hangzhou, Nanchang, Shanghai, and Wuhan.<sup>103</sup> The Hangzhou bike-sharing program has a bicycle fleet of 50,000 and has over 2,200 stations. India aims to encourage the construction of segregated right-of-way for bicycles and pedestrians. It would also prioritize the construction of cycle tracks and pedestrian paths in the cities under the Jawaharlal Nehru National Urban Renewal Mission.<sup>104</sup> Bus rapid transit in Delhi also provides dedicated pedestrian lanes and cycle tracks. Some awareness-raising programs are also related to nonmotorized transport, such as car-free days in the PRC and Indonesia, as well as critical mass bicycle rides in the Philippines.

**Cleaner fuels and vehicles.** In terms of cleaner fuels and vehicles, many countries have established standards for cleaner fuels and vehicles (Figure 58). Most countries have also put in place in-use vehicle emission standards and monitors, and regulate emissions from in-use vehicles through regular emission and roadside testing. However, an effective and comprehensive inspection and maintenance system continues to elude many countries.

<sup>102</sup> <http://transitmy.org/2009/10/07/alternative-2010-budget-displayed/>

<sup>103</sup> The Bike-Sharing Blog. Bike-Sharing in Hangzhou, China. <http://bike-sharing.blogspot.com/2009/03/bike-sharing-in-hangzhou-china.html>

<sup>104</sup> City modernization plan of the Government of India.

**Figure 57 Bus Rapid Transit Systems in Asia and the Pacific**

Source: CAI-Asia. 2010.

In terms of vehicle fuel economy standards, the PRC, Japan, and the Republic of Korea are the leaders in the region. The PRC's mandatory vehicle emission standards are said to be the third most stringent globally. India is on track to have voluntary fuel economy labeling by October 2010 and will move into mandatory standards by 2011. Thailand has also developed draft fuel economy standards. In Singapore, a mandatory energy-labeling scheme has been implemented for some motor vehicle categories since April 2009.<sup>105</sup>

### Results of Inputs to the Environmentally Sustainable Transport Strategy

#### Process

Clean Air Network Nepal, with the CAI-Asia Center, undertook a policy case study with the aim to provide inputs for the environmentally sustainable transport strategy that is to be developed for the Kathmandu Valley and Nepal. The case study was carried out using the following steps:

<sup>105</sup> Global Fuel Economy Initiative and CAI-Asia Center. 2010. Fuel Economy in the ASEAN Region. <http://cleanairinitiative.org/portal/whatwedo/FuelEconomyinASEAN>





- a literature review on the main environmentally sustainable transport developments in Asia (see previous section) and on relevant policies and government agencies;
- formulation of objectives of a discussion group on environmentally sustainable transport in Kathmandu and Nepal;
- preparation of two background papers for discussion group participants on environmentally sustainable transport and on KnowledgeAir under which this case study was carried out;<sup>106</sup>
- selection of topics and guide questions to facilitate the discussion over a 5-week period (Table 23);
- identification of discussion group participants, which resulted in 17 stakeholders contributing to the discussions, representing ministries (including Ministry of Environment, Ministry of Physical Planning and Works, and Ministry of Roads); city government (Municipal Association of Nepal); nongovernment organizations (i.e., CAI-Asia Center, Clean Air Network Nepal, Clean Energy Nepal, Environment and Public Health Organization, International Centre for Integrated Mountain Development, Kathmandu Cycle City 2020, Winrock International); and the private sector (i.e., Explore Nepal Group and Kheti Bazaar); and
- online discussions and preparation of discussion summaries.

### Understanding Relevant Policies and Government Agencies

The literature review looked at relevant policies to ensure that a strategy would be developed in the context of existing policies in Nepal (Table 24). The main government agencies were also identified and their mandates described, so that the strategy development would involve the correct government agencies (Table 25).

### Identification of Transport Issues for Kathmandu

Many transport system issues in Kathmandu were identified. The following issues were considered most important by the discussion group participants, and should be given priority by the government.

**Inappropriate taxation policies for electric vehicles and lack of awareness about their use and promotion.** The share of renewable energy (hydropower in the case of Kathmandu) in the transport system is negligible. Although Kathmandu has the highest number of electrified public transport vehicles in the world, their number has not increased significantly in the past 10 years when compared to fossil fuel vehicles. In addition, the trolley bus was taken out of service.

**Heavy dependence of transport sector on fossil fuels.** Air pollution and greenhouse gas emissions per passenger kilometer traveled and per freight kilometer traveled are very high because fossil fuels are used. Nepal does not have oil reserves and relies on oil imports to meet the increasing fuel demand by transport and other sectors, thus exposing Nepal to energy security risks. Oil prices spiked in July and August 2010 when the online discussion took place, and economists predict that prices will continue to rise in the future. Fuel imports comprise a major part of the national income, a situation made worse by government subsidies, which although intended to help poor people, mainly support wealthier people who own vehicles. Fuel subsidies in Nepal therefore are a clear example of social injustice and disparity.

**Alarming increase in the number of private vehicles.** The number of vehicles, in particular private vehicles, is increasing at an unprecedented and alarming rate. Poor transport planning contributes to traffic congestion, air

<sup>106</sup> <http://cleanairinitiative.org/portal/node/4350>

Figure 58 Emission Standards for New Light-Duty Vehicles

Region, Country, or Area	'95	'96	'97	'98	'99	'00	'01	'02	'03	'04	'05	'06	'07	'08	'09	'10	'11	'12	'13	'14	'15	'16	'17	'18
European Union	E1	Euro 2					Euro 3				Euro 4		Euro 4		Euro 5				Euro 6					
Hong Kong, China	Euro 1		Euro 2				Euro 3					Euro 4		Euro 4		Euro 5								
Republic of Korea												Euro 4		Euro 4		Euro 5								
PRC <sup>a</sup>						Euro 1				Euro 2		Euro 2		Euro 3		Euro 4								
PRC <sup>e</sup>					Euro 1			Euro 2			Euro 3		Euro 4				Euro 5							
Taipei, China					United States Tier 1									US Tier 2 Bin 7 <sup>f</sup>										
Singapore <sup>a</sup>	Euro 1						Euro 2																	
Singapore <sup>b</sup>	Euro 1						Euro 2					Euro 4												
India <sup>c</sup>							Euro 1				Euro 2					Euro 3								
India <sup>d</sup>					E1	Euro 2					Euro 3					Euro 4								
Thailand	Euro 1					Euro 2				Euro 3							Euro 4							
Malaysia			Euro 1												Euro 2				Euro 4					
Philippines									Euro 1				Euro 2							Euro 4				
Viet Nam														Euro 2								Euro 4		
Indonesia											Euro 2													
Bangladesh <sup>a</sup>											Euro 2													
Bangladesh <sup>b</sup>											Euro 1													
Pakistan																Euro 2 <sup>a</sup>		Euro 2 <sup>b</sup>						
Sri Lanka																								
Nepal										Euro 1														

PRC = People's Republic of China.

Notes: The level of adoption varies by country but most are based on the Euro emission standards. Italics indicate that they are under discussion.

<sup>a</sup> Gasoline.

<sup>b</sup> Diesel.

<sup>c</sup> Entire country.

<sup>d</sup> Agra, Ahmadabad, Bangalore, Chennai, Delhi, Hyderabad, Kanpur, Kolkata, Lucknow, Mumbai, Pune, Sholapur, and Surat. Other cities in India are in Euro 2.


<sup>e</sup> Beijing [Euro 1 (Jan 1999), Euro 2 (Aug 2002), Euro 3 (2005), Euro 4 (1 Mar 2008), Euro 5 (2012)]; Guangzhou [Euro 1 (Jan 2000), Euro 2 (Jul 2004); Euro 3 (Sep-Oct 2006), Euro 4 (2010)]; and Shanghai [Euro 1 (2000), Euro 2 (Mar 2003), Euro 3 (2007), Euro 4 (2010)].

<sup>f</sup> Equivalent to Euro 4 emission standards.

Source: CAI-Asia. June 2010.



**Figure 59** Current and Proposed Sulfur Levels in Diesel in Asia, the European Union, and the United States



ppm = parts per million, PRC = People's Republic of China.

1,000–10,000 ppm ■ 400–500 ppm ■ 100–350 ppm ■ 50 ppm ■ 10–15 ppm ■

Notes:

<sup>a</sup> Under consideration or discussion; uncertain.

<sup>b</sup> Nationwide supply of 50 ppm commenced in 2003 and for 10 ppm in 2005 due to voluntary goals set by the oil industry.

<sup>c</sup> Marketed.

<sup>d</sup> Mandatory.

<sup>e</sup> Voluntary standard of 500 ppm; however, the formal standard remains 2,000 ppm, and product in the market nationwide varies from 500 to 1,000 ppm.

<sup>f</sup> Various fuel quality available.

<sup>g</sup> Beijing, Guangdong, and Shanghai.

Source: CAI-Asia. 2010.

**Table 23 Discussion Topics and Guide Questions on Environmentally Sustainable Transport in Kathmandu Valley**

Week	Discussion Topics	Guide Questions
1–2	Identification of transport issues for Kathmandu	<ul style="list-style-type: none"><li>• Do you think transport system of Kathmandu is environmentally sustainable? If not, what are your thoughts?</li><li>• What are the major issues, challenges, and concerns related to the transport system in Kathmandu and Nepal that make them unsustainable?</li></ul>
3–4	Prioritization of issues and defining environmentally sustainable transport for Kathmandu	<ul style="list-style-type: none"><li>• What is the ranking of issues, concerns, and challenges?</li><li>• How should environmentally sustainable transport be defined in the context of Kathmandu?</li><li>• What are the indicators to measure environmental sustainability (e.g., zero emissions, renewable energy, safety, and health)?</li></ul>
5	Recommendations for the strategy	<ul style="list-style-type: none"><li>• What immediate actions should the government undertake?</li><li>• What is the role of civil society to achieve environmentally sustainable transport?</li></ul>

Source: <http://cleanairinitiative.org/portal/node/4350>

**Table 24 Overview of Legislation Related to Environmentally Sustainable Transport in Nepal**

Act, Policy, or Plan	Description
Environment Protection Act (1997) and the Environment Protection Rules 1997 and 1999 update	<ul style="list-style-type: none"><li>• Umbrella legislation for environmental protection.</li><li>• Act covers environment conservation, pollution control and prevention, conservation of natural heritage sites, operation of environmental funds, additional incentives to minimize pollution, and compensation for environmental damage.</li><li>• Define various sectors that will require environmental assessment either in the form of an initial environmental examination or an environmental impact assessment.</li></ul>
Sustainable Development Agenda for Nepal (2003)	<ul style="list-style-type: none"><li>• Broad goals indicate that each citizen will have easy access to clean air.</li><li>• To achieve this goal, high priority given to the development of and compliance to environmental standards and strengthening of institutional capability.</li></ul>
National Transport Policy (2001–2002)	<ul style="list-style-type: none"><li>• Primary objective is to develop a reliable, cost effective, safe, facility-oriented, and sustainable transport system that promotes and sustains the economic, social, cultural, and tourism development of Nepal as a whole.</li></ul>
Road Board Act (2002–2003)	<ul style="list-style-type: none"><li>• Established to carry out routine, recurrent, periodic, and emergency repair and maintenance works of the road; and to make an arrangement for imposition on and collection of tolls from the motor vehicles plying on the road.</li></ul>
3-Year Interim Plan (2007)	<ul style="list-style-type: none"><li>• Emphasizes the role of roads, civil aviation, and tourism in achieving the country's overarching objective of reducing poverty in the country.</li><li>• Aims to connect five unconnected district headquarters through roads.</li><li>• Establishes an enabling environment for public–private partnerships.</li><li>• Operates a roads board for financing road maintenance and efficient road management in a sustainable manner.</li><li>• Is an institutional reform of the Department of Roads based on the government's reform policy.</li></ul>

Sources: Clean Air Portal. Country/City Synthesis Report on Urban Air Quality Management. <http://cleanairinitiative.org/portal/node/4653>; Government of Nepal, Ministry of Physical Planning and Works. National Transport Policy. [www.dor.gov.np/documents/4\\_National\\_Transport\\_Policy.pdf](http://www.dor.gov.np/documents/4_National_Transport_Policy.pdf); Government of Nepal, Ministry of Physical Planning and Works. Roads Board Act. [www.dor.gov.np/documents/2\\_Roads\\_Board\\_Act\\_English.pdf](http://www.dor.gov.np/documents/2_Roads_Board_Act_English.pdf); and Three Year Interim Plan Approach Paper [www.npc.gov.np/uploads/publications/20081228111723.pdf](http://www.npc.gov.np/uploads/publications/20081228111723.pdf)



**Table 25 Government Agencies Relevant to the Development of an Environmentally Sustainable Transport Strategy and Action Plan for Kathmandu and Nepal**

Government Agency	Description
Ministry of Physical Planning and Works	Established in 2000 during the course of government reorganization to bring important infrastructural development under the umbrella of a single ministry, to harmonize the policies, and to bring efficiencies and effectiveness in the provision of infrastructural services. Major responsibilities include developing the national strategic transport network, particularly the road network; improving housing and urban environmental development; and increasing access to water supply and better sanitation facilities.
Ministry of Labour and Transport Management	Apex government body to formulate transport policy and programs in the country. The Department of Transport Management and 13 transport management offices are working under the ministry in different parts of country to implement transport policies, programs, and projects.
Ministry of Environment, Science and Technology	Apex body to formulate policies related to the environment and to provide guidelines and set standards for pollution control, including emissions from vehicles.
Kathmandu Metropolitan City Government	Directly administers, manages, and monitors plans and projects on Kathmandu's development. Provides social, environmental, and other services to those in Kathmandu.
City Planning Commission	Provides advisory support and guidance in formulation of plans, implementation process for short- and long-term plans, designed to provide urban services and facilities. Monitors the progress achieved by various departments and projects of the Kathmandu Metropolitan City Government.

Sources: Ministry of Physical Planning and Works ([www.moppw.gov.np](http://www.moppw.gov.np)); CAI-Asia Nepal Country Synthesis Report. 2006.

pollution and over use of fossil fuels. There is a lack of measures to stem the rise especially of two-wheelers.

**The congestion of the road network.** The existing road network of the Kathmandu Valley simply cannot cope with the rise in private vehicles. The lack of proper planning, implementation of measures to optimize the use of the road network, and proper maintenance of existing roads is seriously contributing to traffic congestion.

**Inadequate public transport system.** Around 56.5% of Kathmandu residents use public transport on a daily basis.<sup>107</sup> However, public transport is not encouraged and maintained as an appro-

priate mode of travel. Public transport operators are not correctly assigned to routes, use routes they are not supposed to, or compete on the same routes. Many routes also terminate in the center causing congestion and increasing the ineffectiveness. The result is that the public transport system is failing to attract commuters, who transfer to private vehicles when they can afford to.

**Weak enforcement of existing policies.** There are several examples of good policies that are ineffective due to lack of enforcement. The government introduced emission standards for in-use vehicles and emission testing system in Kathmandu Valley. The Kathmandu Valley Traffic Police and the Bagmati Zonal Transport

<sup>107</sup> The Kathmandu Valley Mapping Program as described in Clean Energy Nepal. 2004. *Guidelines for Improving Kathmandu Valley's Air Quality*. Kathmandu.



Management Office of Department of Traffic Management have been constantly monitoring the emission level of in-use and imported new vehicles. These agencies are providing green stickers to those vehicles, which pass the test. However, vehicle emission testing facilities are degraded, and there is a serious lack of manpower to run, monitor, and oversee these facilities. As a result, the effectiveness of the green sticker for vehicles is questionable. It is also very easy to obtain a driving license, making traffic management more difficult. Most basic traffic laws are not enforced, and violators are punished randomly. Because the current system of traffic enforcement in Kathmandu is manual-based, whereby officers issue manually written tickets for offences that are not processed in a central database, tracking habitual offenders is extremely difficult. Furthermore, the air pollution in the valley is so critical that ambient air quality standards should be revised and made stricter as well as fuel quality and vehicle emission standards, including their enforcement. The lack of a national fuel economy policy or standards further enhances fuel use and this aggravates existing problems.

**Lack of integration of land use planning with transport planning.** Land use planning and urban development planning have significant roles to play. One example is the construction of an outer ring road in the valley, which the government supports in the belief that construction of more roads around the existing ring road may ease congestion. Instead, this outer ring road promotes further urban sprawl in the valley, when there already is a trend of people moving from the city to surrounding semi-urban areas, making the city less dense. This, in turn, will add to travel demand and require additional investments in the transport system and other services.

**Weak vehicle parking system and management of street vendors.** The system and rules governing vehicle parking are haphazard, especially in the core areas of Kathmandu. Even where a nominal parking fee has to be paid (for which there is no transparent system and accountability), vehicles are parked on footpaths or are parked up to the middle of the main road. This problem is further magnified by unmanaged street vendors who are able to set up shop wherever they want. This especially affects pedestrians as parked cars and street vendors intrude on available walking space.

**Neglect of nonmotorized transport.** A related and very important issue is the neglect of nonmotorized transport, including walking and cycling. These modes have not been explored as priority solutions for making Kathmandu's urban transport system more sustainable. Proper light signals, zebra crossings and other crossing facilities, infrastructure for people with disabilities, and pedestrian access and connection routes to different transport modes, are completely ignored in the current transport system. The irony is that about 19% of Kathmandu residents are regular walkers, and therefore their safety and well-being should be of utmost priority.<sup>108</sup>

### **Recommendations for the Environmentally Sustainable Transport Strategy and Action Plan for Nepal**

To guide an environmentally sustainable transport strategy and action plan for Nepal and Kathmandu, a vision for environmentally sustainable transport was drafted:

By 2020 and beyond, a safe, secure, affordable, efficient, and people and environment friendly transport system will be achieved to significantly reduce

<sup>108</sup> Clean Energy Nepal and Clean Air Network Nepal. 2010. *Assessment of Pedestrian Infrastructures and Services in Four Areas of Nepal*. Kathmandu.



our greenhouse gas emissions and air pollutants from transport sector and to reduce the dependency on fossil fuel.

The following recommendations can be considered for the strategy and action plan (Table 26) based on the discussions and suggestions on the online consultation conducted by Clean Air Network Nepal.

Kathmandu Metropolitan City; Ministry of Environment, Science and Technology; Ministry

of Physical Planning and Works (including the Department of Roads and Department of Urban Planning); and Ministry of Labour and Transport Management (include the Department of Transport) were identified as critical in achieving the environmentally sustainable transport vision for Kathmandu through a strategy and action plan. Sound governance and coordination among these agencies is required. Furthermore, civil society organizations should be involved in the formulation and implementation of an environmentally sustainable transport strategy

**Table 26: Recommendations for Nepal's Environmentally Sustainable Transport Strategy and Action Plan**

Element	Recommendation
1. Public health	None provided
2. Road safety and maintenance	None provided
3. Traffic noise management	None provided
4. Social equity and gender perspective	None provided
5. Public transport planning and transport demand management <sup>a</sup>	<ul style="list-style-type: none"><li>• Redefine public transport systems and infrastructure to meet travel demand, provide local access, avoid unnecessary travel, and reduce trip distances.</li><li>• Redefine public transport routes based on a scientifically determined travel demand, and provide effective, efficient, and reliable services. Routes can be franchised to capable private operators.</li><li>• Give priority to policy that promotes and provides mass transit public transport, such as bus rapid transit system, metro, and trolley buses.</li><li>• Discourage lower-capacity vehicles running on fossil fuel, such as microvans, minivans, and three-wheelers, as public transport means.</li><li>• Revive the trolley bus system, and explore opportunities to expand trolley buses to ring road areas.</li><li>• Enhance use of information and communication technology as a means to reduce travel (e.g., by promoting telecommuting, teleconferencing, and internet-based communication).</li><li>• Reduce the number of private motorized vehicles through transport demand management measures, such as pricing measures (congestion charges and pollutant fees) and incentive mechanisms for people to use more environmentally friendly transport modes.</li><li>• Strengthen traffic management systems using modern technology and equipment, and support it by sufficient human and financial resources.</li></ul>

*continued on next page*

Table 26 *continued*

Element	Recommendation
6. Nonmotorized transport	<ul style="list-style-type: none"><li>Invest more in nonmotorized transport, such as improvements in pedestrian and bicycle facilities, easy intermodal connectivity (e.g., promoting a bicycle friendly public transport system). More pedestrian and bicycle infrastructure is needed, and existing infrastructures need to be improved and maintained on a regular basis.</li><li>Prohibit vendor shops on footpaths and roadsides by developing and enforcing rules that stop encroachment of footpaths.</li><li>Declare vehicle-free zones in certain areas within Kathmandu, such as Kathmandu and Bhaktapur Palace areas, Bhaudha Heritage Areas, Pashupati, Patan, Swoyambhu, and Thamel tourist area.</li></ul>
7. Environmentally and people friendly urban transport infrastructure	<ul style="list-style-type: none"><li>Improve, maintain, and expand the condition of roads and other infrastructure.</li></ul>
8. Cleaner fuels	<ul style="list-style-type: none"><li>Set and review standards for fuel quality, fuel efficiency, and vehicle emissions for new and in-use vehicles.</li><li>Promote environment-friendly transport fuels and technologies. Examples include the use of electricity generated by hydropower in transport (e.g., electric vehicles, electric trolley buses, and trams) and blending gasoline and diesel with biofuel that is not cultivated on land used for food production.</li><li>Battery-operated vehicles (e.g., two-wheelers, three-wheelers, and four-wheelers) should get priority over fossil fuel-run vehicles for use as private or commercial vehicles by providing incentives. Battery-operated three-wheelers can serve on dedicated routes such as the airport and inner core areas of the city.</li></ul>
9. Strengthening roadside air quality monitoring and assessment	<ul style="list-style-type: none"><li>Establish air quality and noise standards for progressive implementation and compliance.</li></ul>
10. Vehicle emission control, standards, and inspection and maintenance	<ul style="list-style-type: none"><li>Establish an effective, efficient, and equitable vehicle testing, maintenance, and compliance system, involving the private sector. As part of this, a study should be conducted to assess various viable models for an effective vehicle inspection and maintenance system for Kathmandu.</li></ul>
11. Land use planning	<ul style="list-style-type: none"><li>Establish institutional mechanisms at local, regional, and national levels to integrate land-use and transport planning processes.</li><li>Improve urban planning for the development of new industrial, commercial, and residential zones that avoids unnecessary travel and urban sprawl and encourages densification. Revisit the planned construction of the proposed outer ring road by assessing its potential impact on urban sprawl.</li></ul>
12. Strengthening knowledge base, awareness, and public participation	<ul style="list-style-type: none"><li>Enhance awareness and understanding of environmentally sustainable transport by all stakeholders (i.e., government, private sector, civil society, and schools). Mechanisms include outreach activities, promotional campaigns, and school and college curricula. A comprehensive communication and outreach plan would help achieve this.</li></ul>

<sup>a</sup> Included in the ADB Kathmandu Sustainable Urban Transport Project (see Box 2).

Source: <http://cleanairinitiative.org/portal/node/4350>



and action plan in Nepal and Kathmandu. Their specific roles are to (i) sensitize and lobby with government agencies to integrate elements of environmentally sustainable transport in their plan and policies, (ii) work with government agencies to generate and share knowledge and skills on environmentally sustainable transport

elements, (iii) work as a watchdog to review government initiatives with an aim to provide constructive suggestions, and (iv) ensure public support and participation for formulation and successful implementation of a strategy through awareness- and capacity-building activities and programs.



## Knowledge Management on Air Quality: Case Studies

When governments develop policies, a major limiting factor is availability of sufficient information. Information often does not reach policy makers at the right time or in the form in which it is needed. Information and communication technology can support policy development processes by improving public participation, shortening the time frame for consultation, increasing transparency, maximizing stakeholder ownership and awareness, and providing opportunities to transfer policy-making responsibilities to a younger generation of policy makers. This report presents (i) a subregional case study on the application of the Clean Air Scorecard in Bangkok, Jakarta, and Manila; (ii) a national case study on stationary source emission standards in Sri Lanka; and (iii) a local case study on environmentally sustainable transport in Kathmandu, showing how information and communication technology can effectively contribute to building the capacity of policy makers and strengthening policy development processes.

## About the Asian Development Bank

ADB's vision is an Asia and Pacific region free of poverty. Its mission is to help its developing member countries substantially reduce poverty and improve the quality of life of their people. Despite the region's many successes, it remains home to two-thirds of the world's poor: 1.8 billion people who live on less than \$2 a day, with 903 million struggling on less than \$1.25 a day. ADB is committed to reducing poverty through inclusive economic growth, environmentally sustainable growth, and regional integration.

Based in Manila, ADB is owned by 67 members, including 48 from the region. Its main instruments for helping its developing member countries are policy dialogue, loans, equity investments, guarantees, grants, and technical assistance.

Asian Development Bank  
6 ADB Avenue, Mandaluyong City  
1550 Metro Manila, Philippines  
[www.adb.org](http://www.adb.org)  
ISBN 978-92-9092-212-4  
Publication Stock No. RPT102406



Printed in the Philippines